

www.smeguk.com


Smeg (UK) Limited
The Magna Building, Wyndyke Furlong,
Abingdon, Oxfordshire, OX14 1DZ

Information line
Tel. 0344 5579907

Trade EnquiriesTel 0344 5570070

Service & Spare Parts
Tel. 0344 5579907









BUILT IN 2020-2021

Quality, Environmental and Occupational Health & Safety Management Systems

All Smeg factories are ISO9001, ISO14001 and OHSAS 18001 certified, ensuring that the highest standards of quality are continually maintained whilst actively responding to all environmental issues relating to manufacture. The materials and components used to produce smeg products undergo strict quality control testing, and care is taken to source recyclable materials wherever possible. These management systems enable Smeg to provide complete assurance that all products meet superior standards whilst respecting the environment. The workforce is not forgotten – the occupational health and safety assessment scheme promotes a safe and healthy working environment, aids legislative compliance and helps improve overall performance.







UNI EN ISO 9001

UNI EN ISO 14001 OHSAS 18001



This catalogue is printed entirely on FSC® (Forest Stewardship Council®) certified paper that has been produced with cellulose sourced from forests that are managed responsibly, in accordance with rigorous environmental, social, economic and cultural standards. http://www.fsc.org/

Whereas every effort has been made to ensure that the information and images contained in our literature are correct at time of going to print, this brochure should not be regarded as an infallible guide to current specification, nor does it constitute an offer for sale of any particular product.



Smalterie Metallurgiche Emiliane Guastalla

Distinctive domestic appliances developed in collaboration with leading architects of the world.

Products that express "Made in Italy" by perfectly combining design, performance, and attention to detail.

Smeg. Technology with style.

Index

 $\underset{\text{Ovens \& }}{12}$

62
Blast chillers & Vacuum drawers

68
Hobs







 $120_{\scriptscriptstyle \mathsf{Hoods}}$

 $156 \\ \text{Refrigeration}$



166
Wine coolers
& sommelier
drawers



174
Dishwashers



186
Laundry



 $192 \\ \text{Glossary}$



1948	Vittorio Bertazzoni Sr founds Smeg (Smalterie Metallurgiche Emiliane Guastalla) in Guastalla, near Reggio Emilia in Italy.	1985	Instinctively and incisively understanding new consumer requirements for more elegant products, the company begins working with architect Guido Canali to create ovens and hobs.	2010	Smeg receives the G Design Award for an and hob from the Lin aesthetics. The same prestigious recognition will also assigned in 2012 at 2013 for other prod in the range.
1955	Production of cookers begins, reaching its peak with the presentation of the first Smeg brand cooker, Elisabeth, in 1956.	1991	Smeg's collaboration with important designers continues, with the company offering ovens and hobs designed by architect Mario Bellini.	2012	The first denim-covered fridge, created in collaboration with Ita Independent, is relected followed the next year the Smeg500, a frid which looks like a Fig500 car.
1963	The company presents Leda, the first Smeg branded washing machine, thanks to an increase in production capacity to include laundry appliances.	1995	The company begins working with architect Renzo Piano, a collaboration which will lead to the production of hobs, ovens, fridges and the Smeg home garden.	2014	The 50s Style small appliances line, crectogether with the deepdesign® studio makes its début and immediately wins ovboth customers and Smeg wins the Good Design award once again, as well as the Design Award.
1970	Niagara is released, the world's first 14-place setting dishwasher, meeting modern requirements for large wash capacities.	1997	The FAB range of fridges is created, a product line destined to become an international style icon and status symbol.	2017	Professional style Por cookers with triplefa cavities are added to range. A concession in wor famous luxury depar store, Harrods, and flagship Smeg store in the heart of Londo
1971	Production of built-in appliances such as ovens and hobs begins; these products will become part of the defining elements of Smeg's success.	2002	Guido Canali designs the Smeg Headquarters, for which he receives an honourable mention at the Milan Triennale's "medaglia d'Oro all'Architettura Italiana" architectural awards in 2006.	2019	The Vitality System, Smeg Connect, Porto Multicavity and a Di Mickey Mouse spec edition FAB are all introduced to the ran A new collaboration D&G produces the " Cucina" collection, o Smeg announces the acquisition of La Pav coffee machines.

Franco Maria Ricci, one of Italy's most illustrious publishers and graphic

to the burners of a gas

hob and the round knobs of an oven. Smeg also begins its sponsorship of legendary Ferrari driver Gilles Villeneuve.

designers, creates the Smeg logo which incorporates references 2008

Smeg celebrates its 60th anniversary and presents products designed alongside

Marc Newson, which leads to winning the Wallpaper Design

Award the following year.

1977

HISTORY

Smeg has been producing domestic appliances with the finest Italian design for more than 70 years, with a particular focus on aesthetics, ergonomics and functionality. Today Smeg, originally an acronym for Smalterie Metallurgiche Emiliane Guastalla indicating its initial activities in enamel work and metallurgy, has reached its third generation of entrepreneurs and represents an international group with direct subsidiaries and distributors in all five continents.

Smeg believes that objects of daily use should not only fill an environment; they should create an atmosphere. This sensitivity, which has inspired the collaboration with great architects and designers of our time, is the perfect expression of Made in Italy which combines art and industrial expertise in everyday objects.



Coordinating collection

Style, for Smeg, is a distinct concept: the way a product communicates with its surroundings and enables users to interact with it. Every aesthetic design family offers a choice of different coordinating products. Aesthetic lines are presented in a wide range of appliances and can be coordinated throughout the kitchen to create a powerful style statement.











DOLCE STIL NOVO

Dolce Stil Novo appliances are considered a work of art, transforming the practical into something beautiful, whilst still remaining functional. Characterised by refined copper or stainless steel trims, black glass, and exclusive features, this truly unique aesthetic would draw the eye as a focal point in any kitchen.

50'S RETRO STYLE & VICTORIA

Colour and retro lines for style icons: Smeg 50's Retro Style products embody the glamour and rounded forms of the 1950's and become real cult objects. Providing a nostalgic atmosphere, where time seems to stop, where passion for good food is seen through utmost attention to details.

LINEA

Distinctive products that incorporate modern minimalist design trends, the Linea aesthetic is characterised by symmetrical lines, balance and light. A series of ovens, coffee machines, hobs, hoods and wine coolers, all extremely ergonomic and designed to maximise the available space, making a real style statement in the kitchen.

CLASSIC

Strict forms, simple and essential design for a timeless style, yet with a contemporary feel. Smeg Classic range is made of a series of iconic and elegant domestic appliances that are finished in smart stainless steel. Ovens, coffee machines, hobs, hoods, fridges, dishwashers and more make a real impact with their smooth and sleek design lines.

CUCINA

Cucina style is simple and practical, incorporating angular handles and controls in its clean design lines. This modest range of ovens, microwaves and hobs brings harmony and balance to a modern kitchen layout, combining elegance and performance.

SMEG PRODUCTS

Smeg products, the perfect combination of refined aesthetics and technological reliability, have transformed simple kitchen appliances into designer furnishings, undisputed examples of the finest Italian design. A range of fully coordinated domestic appliances with unmistakeably refined aesthetics and a well-defined identity of its own.

OVENS & COMPACT OVENS

State-of-the-art technology combined with a rigorous approach to aesthetics and top quality materials are the guiding principles behind the design of Smeg ovens, making the company name famous worldwide.



DISTINCT DESIGN, MADE-IN-ITALY

Designed and produced in Italy, a country with culinary specialities and engineering know-how recognised throughout the world, Smeg ovens have evolved through serious research and development. Specialised Italian knowledge mixes the best quality ingredients to create excellent cooking appliances with exclusive designs that always offer peak performance.







DOLCE STIL NOVO

VICTORIA

14

LINEA





CLASSIC

CUCINA

CHOICE OF SIZE AND FINISHES

Various oven sizes are available from 90cm extra wide to 45cm reduced height compact ovens. Smeg use only the highest grade of 18/10 stainless steel, which is strong, durable and long lasting, as well as offering models with Eclipse black glass, silver glass and painted enamel.







EXTRA WIDE OVEN



STANDARD OVEN

A popular choice, single ovens can be built in or built under with up to 70 litres in oven capacity. The base of the oven can be used with the addition of a pizza stone to cook pizzas. Ovens with Pyrolytic cleaning and Vapor clean are available.

COMPACT OVEN

microwave options are

available.

Perfect for smaller kitchens these reduced in oven capacity, these spacious ovens can be installed alongside or above a single oven. Steam and

15

DOUBLE OVEN

With two cavities to cook in, double ovens offer plenty of choice and oven space. There are built in or under counter options available.

The oven range has been renewed with a variety of new displays now available, from the extra wide, full colour, advanced touch VIVOscreen MAX to the simple and compactscreen.

Smeg presents a brand new full colour, touch control VIVOscreen MAX which is VIVO 6.3" wide allowing more information and functions to be shown. Intuitive, easy to read and simple to use. High definition images illustrate the extensive range of automatic programmes for smart cooking.

The history function remembers the last dishes you have cooked. This allows quick selection, and cooking of 'go to' meals.

Smart cooking offers 100 automatic recipes. Select the dish you want to cook from the menu, enter the weight and the oven does the rest. This results in perfectly cooked food every time.

The cooking function icon, displays clear and easy to understand symbols, ensuring you choose the right function for the dish you are cooking.



Multi-step cooking allows up to 3 different cooking steps to be programmed and 3 timers are available, perfect for roast dinners where different timings are required.

Other functions include proving to help dough rise more quickly, plate warming and keep warm allowing you to warm pre-cooked dishes and keep dishes at eating temperature, until they are ready to be served.

The VIVOscreen MAX Smart steam ovens offer a special sous vide function. This provides delicate steam cooking of food in a VCOOK bag. Food will be juicy, tender and melt in the mouth.

Helpful pop up explanations appear once an item on the display is held down for

My recipes allows you to store up to 64 of your own favourite dishes into the memory of the oven. The cooking function, temperature, time and your own name to the dish will be saved, making the oven quick and simple to use for

Many screen options are available in the new range. Each offers intuitive navigation for simple, stress free operation.













Exciting new features such as WiFi connectivity and temperature probes have been introduced providing indispensable tools to help in today's busy lifestyles. This ability to remotely and precisely control your oven makes life simplier, allowing you to get the best out of your appliance.

17







SMEG CONNECT

The Smeg Connect, WiFi enabled ovens allow you to operate, control and monitor your oven via a mobile phone or tablet app. This is perfect for preheating and starting cooking before even reaching home, and helping others by setting up the oven for them. The app also offers a recipe book, with suggested recipes for ingredients you have available. You can also create your own personalised recipe book, saving your favourite dishes complete with ingredients, preparation steps and cooking parameters so that the oven is already pre-set for

SOCIAL SHARING

The SmegConnect App allows you to connect via Facebook when wanting to share a special recipe. Or you can use WhatsApp and email to share your shopping list via the icon in the recipe section, showing friends and family all the ingredients required for the desired meal.



TEMPERATURE PROBE

Many ovens within the range now feature temperature probes designed to ensure perfect cooking results every time. The core temperature of the food is monitored via a sensor located at the tip of the probe allowing for precise cooking results. By inserting the temperature probe into the thickest part of the meat (avoiding bones or fat), roasts, pork loin, and various cuts and sizes of meat can be cooked to perfection. This not only allows complete control over your cooking, producing personalised results just to your liking, but produces more flavour and truly succulent dishes.



SAFETY AS A PRIORITY

CLEANING MADE SIMPLE



SAFE COOK

Closed door grilling and cooking is an important feature in Smeg ovens, keeping cooking smells inside the oven and out of the kitchen, ensuring a safe cooking environment and reducing energy consumption.



CHILD LOCK

Some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.

BLACK ECLIPSE GLASS

Classic design ovens have an innovative glass which appears black when the oven is off, yet transparent when the oven is turned on, offering enhanced visibility into the oven cavity






COOLER TOUCH DOOR

All pyrolytic ovens feature a Cooler Touch door, which means that during the pyrolytic cleaning cycle the outer glass will become no hotter than 55°C. A special device also locks the door for the duration of the process, which along with quadruple glazed doors, provide total safety.

ENAMELLED TRAY

The majority of ovens are equipped with a useful non-stick enamelled tray of straight onto the surface. browning.



AIR COOLING SYSTEM

Smeg incorporates its excellent air cooling system in all ovens. Many models include a switch which automatically turns off the power when a door is open, keeping heat loss to a minimum.

TELESCOPIC SHELVES

Simple telescopic rails allow hot food to be checked very safely, particularly when grilling, and are extremely convenient and easy to use. Many models have these rails as standard, or they are available as an optional accessory.

18

SOFT CLOSE SYSTEM

All top of the range models are equipped with Soft-Close hinges so that the door closes smoothly, silently and softly without



EASY CLEAN ENAMEL

The enamel finish of the oven cavity has a special antacid lining which helps to reduce the amount of dirt adhering to the surface.



TILTING GRILL

Some ovens without Pyrolytic cleaning feature a tilting grill that can be easily unhooked to move the heating element and clean the roof of the appliance in one simple





ALL GLASS REMOVABLE INNER DOOR

The single flat surface is extremely easy to keep clean and it can be removed completely if necessary.







PYROLYTIC CLEANING

This automatic cleaning function works by heating the inside of the oven to 500° C to burn off any grease and dirt, transforming it into ash which can be simply wiped

A simple 13 Amp supply is all that is required to connect any Smeg 60cm wide single Pyrolytic oven.



VAPOR CLEAN

The Vapor Clean function makes cleaning easy. Simply put a little water & detergent into the hollow of the oven base to generate vapor and release burnt on food from the walls of the

MICROWAVE OVENS

Smeg offer three types of microwave; Combi-microwave which can heat, roast, crisp and brown like a conventional oven; Microwave with grill which combines normal microwave cooking with a heating element and Microwave-only, with standard functionality which heats up and defrosts only. In microwave cooking, heat is generated directly inside the food so that it can be defrosted, re-heated or cooked in a shorter length of time compared to traditional cooking.

Smeg oven shelves are interchangable between 45cm and 60cm ovens for added flexibility.

THITING COL



Lights placed strategically on the sides of the oven increase visibility and light the oven cavity in the most effective way.



ALL GLASS INNER DOOR

The single flat surface is extremely easy to keep clean.







SURFACE PLUS

Selected microwave models have SurfacePlus technology without a turntable, which means the whole cavity can be utilised, spills can be easily wiped away and heat is constant as it comes from underneath. The food is heated more evenly and less energy is lost.

STEAM OVENS

Cooking with Steam is a healthier way of cooking which retains the nutrients and vitamins and keeps volume and weight loss to a minimum. Smeg offer a variety of steam ovens using three different technologies; Smart steam, Full steam and Direct steam.



SMART STEAM

The Smart steam system offers 5 steam assisted cooking functions and 3 levels of steam. Steam pulses on and off during cooking according to the setting. Up to 160ml of water can be added.



FULL STEAM

Full steam, found in combi steam ovens, has 3 combination steam cooking functions and the option to cook with pure steam only, 30%–70% or 100% steam are available. Up to 1.2lt of water can be added.




DIRECT STEAM

The Direct steam oven has 1 steam cooking function where steam must be added manually. Up to 250ml of water can be added.

BENEFITS OF STEAM COOKING

A variety of foods can benefit from being steamed such as fish, rice, vegetables, pasta and casseroles.

Smart steam ovens are perfect for producing juicy but crisp results when cooking seafood, pizza, cake, joints and gratin dishes, providing restaurant quality every time. Bread can also be produced to a professional bakery standard.



Once sealed in a Smeg VBAG and placed in a full steam oven, using the option for 100% steam, sous vide cooking can commence. This process allows you to retain the aromas, juices, nutrients of the ingredents, consistency and flavour that is impossible to achieve through traditional cooking methods.





INNOVATIVE WATER FILLING SYSTEM

The water in a Smart Steam or Full Steam oven is drawn in through a flexible tube which disappears into the cavity when it is not used. This discrete system has no impact on the volume of the cavity or the oven's interior or exterior aesthetics, meaning that the Smeg combi-steam oven has one of the largest compact cavities and is one of the best looking ovens on the market.



HEATING STEAM REGENERATION

This function can reheat precooked dishes, without the food becoming too dry or hard, as it works by introducing just the right degree of moisture.



Smeg offers built-in coffee machines to complete your kitchen, to make a range of professional coffee drinks in the comfort of your own home.

The built-in coffee machines utilise a 15 bar pressure pump. This maximises the flavour extraction from the coffee beens, resulting in a delightful crema for a perfect cup of coffee every time.

The new colour TFT full touch display visually shows the personalisation of up to 13 drinks. You can customise the aroma, quantity and even create up to 6 personalised user profiles.






You can use either ready ground coffee or beans (with an adjustable grinding function) and prepare one or two cups at the same time. The coffee pourer is size adjustable, it easily moves upwards or down towards the cup. There are 5 adjustable coffee lengths and 5 levels of coffee strength (Extralight, Light, Medium, Strong & Extra strong)



A stainless steel **thermal carafe** is included and features a control knob which can be set to the ideal consistancy of milk foam.








There is an automatic cappuccino-maker that will whisk milk into a

The machine regularly cleans itself every time the machine switches on or switches off to quarantee maximum performance.

Smeg offer design-coordinated compact products to create a super-efficient work area with its own personality and stylish look. They can be combined with each other, or teamed with standard ovens for maximum cooking versatility.



23



delicate foam and deliver it directly into the cup.

EXTRA WIDE

© SFPR9604NX

EXTRA WIDE

90CM DOLCE STIL NOVO, PYROLYTIC EXTRA WIDE REDUCED HEIGHT MULTIFUNCTION OVEN, BLACK, COPPER TRIM

90CM DOLCE STIL NOVO, PYROLYTIC EXTRA WIDE REDUCED HEIGHT MULTIFUNCTION OVEN, BLACK, ST/STEEL TRIM











48cm reduced height

10 functions + 2 cleaning functions

Interactive touch control Easy guide colour LCD display

50 automatic programmes

10 customisable recipes

Smart cooking

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Other options: SmartSense cooking, Keep warm, Eco light

Eclipse glass

Soft close door

Quadruple glazed removable door

Air cooling system, Closed door grilling

Easy clean enamel interior

Metal side supports, 4 cooking levels

Pyrolytic clean function

2 x halogen lights

Oven GROSS capacity: 100 litres


Oven NET capacity: 85 litres

Nominal power: 3.30 kW

Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf 1 x Pair of fully extractable telescopic guides



24



60CM, DOLCE STIL NOVO, PYROLYTIC SMART STEAM MULTIFUNCTION WIFI OVEN, BLACK, COPPER TRIM









VIVOscreen MAX Smart steam technology Fixed handle

15 functions (inc 5 steam) + 1 cleaning

53 Automatic programmes 64 customised recipes

Smart cooking Multistep cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light

3 steam assisted levels (30ml, 100ml, 160ml)

Eclipse glass Soft close door

Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior

Metal side supports, 5 cooking levels Pyrolytic clean function

2 x haloaen liahts

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Temperature probe, 1 x Pair of fully extractable telescopic guides



SFP6606WSPNX St/Steel Trim





SMART STEAM & WIFI

SFP6604WSPNX

60CM, DOLCE STIL NOVO, PYROLYTIC SMART STEAM MULTIFUNCTION WIFI OVEN, BLACK, ST/STEEL TRIM







VIVOscreen

Smart steam technology Fixed handle

15 functions (inc 5 steam) + 1 cleaning

53 Automatic programmes 64 customised recipes Smart cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light

3 steam assisted levels (30ml, 100ml, 160ml)

Eclipse glass Soft close door

Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

Pyrolytic clean function x halogen lights

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:


1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Temperature probe, 1 x Pair of fully extractable telescopic guides

25



SFP6604WSPNR Copper Trim





VIVOSCREEN

Extra wide full colour VIVOscreen Max and

VIVOscreen displays allow more information

and functions to be shown than ever before,

which are easy to read, simple to use and very

intuitive. Navigation through these displays

is easy with full touch vertical and horizontal

To ensure perfect cooking results every time, a

temperature probe comes as standard as well

as WIFI connectivity via the SmegConnect

App, an indespensible tool for todays busy lifestyles.

scrolling.

60CM, DOLCE STIL NOVO, PYROLYTIC

MULTIFUNCTION OVEN, BLACK, COPPER

SFP6604PNRE

SF4604PMCNR

BLACK, COPPER TRIM

45CM H DOLCE STIL NOVO, COMPACT

COMBINATION MICROWAVE OVEN.

SFP6606WTPNX

60CM, DOLCE STIL NOVO, PYROLYTIC MULTIFUNCTION WIFI OVEN, BLACK, ST/ STEEL TRIM







VIVOscreen Max

Fixed handle

10 functions + 1 cleaning function

48 automatic programmes 64 customised recipes

Smart cooking

Multistep cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: SmartSense cooking, Keep warm, Éco light Eclipse glass

Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

Pyrolytic clean function

2 x halogen lights Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 79 litres

Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Temperature probe, 1 x Pair of fully extractable telescopic guides



SFP6606WTPNR Copper



SFP6604WTPNX

60CM, DOLCE STIL NOVO, PYROLYTIC MULTIFUNCTION WIFI OVEN, BLACK, ST/ STEEL TRIM







VIVOscreen

Fixed handle

10 functions + 1 cleaning function

48 automatic programmes 64 customised recipes

Smart cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light Eclipse glass

Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

Pyrolytic clean function 2 x halogen lights

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

SFP6604WTPNR

9

1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Temperature probe, 1 x Pair of fully extractable telescopic

26



A⁺ 70 lt WECO 55

4 C U UVO Screen

Touch & release automatic handle

Interactive touch control easy guide colour

10 functions + 2 cleaning functions 50 automatic programmes

10 customisable recipes

Smart cooking Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: SmartSense cooking, Keep warm, Éco light

Eclipse glass Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

2 x halogen lights Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Pyrolytic clean function


Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Pair of fully extractable telescopic guides



SFP6604PNXE



SF4606WMCNX

45CM H DOLCE STIL NOVO, COMPACT COMBINATION MICROWAVE WIFI OVEN. BLACK, ST/STEEL TRIM







45cm reduced height

VIVOscreen MAX

Fixed handle

15 functions (inc 5 microwave) + 1 cleaning function

56 automatic programmes 64 customised recipes Smart cooking

Multistep cooking Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath

Other options: Keep warm, Eco light, Quick

Eclipse glass Soft close door Triple glazed door Tilting grill

Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 3 cooking levels

Vapor clean function x halogen lights

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Glass tray, 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair partially extractable telescopic auides



SF4606WMCNR Copper Trim



SF4604WMCNX

VVIFI

45CM H DOLCE STIL NOVO, COMPACT COMBINATION MICROWAVE WIFI OVEN. BLACK, ST/STEEL TRIM









45cm reduced height

VIVOscreen

Fixed handle

15 functions (inc 5 microwave) + 1 cleaning function

56 automatic programmes 64 customised recipes Smart cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light, Quick Eclipse glass

Soft close door Triple glazed door Tilting grill Air cooling system, Closed door grilling Easy clean enamel interior

Metal side supports, 3 cooking levels Vapor clean function 2 x halogen lights Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Glass tray, 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair partially extractable telescopic guides



SF4604WMCNR Copper Trim

9



45cm reduced height

Touch & release automatic handle Interactive touch control easy guide colour

LCD display 15 functions (inc 5 microwave) + 1 cleaning function

50 automatic programmes 10 customisable recipes

Smart cooking Other functions: Defrost by time, Defrost by weight, Rising, Sabbath

Other options: Keep warm, Eco light, Quick

Eclipse glass Soft close door Triple glazed door

Tilting grill Air cooling system, Closed door grilling Easy clean enamel interior

Metal side supports, 3 cooking levels Vapor clean function 2 x halogen lights

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres


Nominal power: 3.10 kW Supply can vary depending on usage, please consult a qualified electrician for

ampere requirement ACCESSORIES INCLUDED:

 $1 \times Glass tray, 1 \times Grill mesh, 1 \times Chrome$ shelf, 1 x Pair partially extractable telescopic guides




SF4604PMCNX



SF4606WVCPNX

45CM H DOLCE STIL NOVO, COMPACT COMBINATION FULL STEAM WIFI OVEN. BLACK, ST/STEEL TRIM







45cm reduced height

VIVOscreen MAX Full steam technology

Fixed handle 15 functions (inc 5 steam) + 1 cleaning function

65 automatic programmes 64 customised recipes

Smart cooking Multistep cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: SmartSense cooking, Keep warm, Éco light Eclipse glass

Soft close door Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 3 cooking levels Vapor clean function

1 x 40W halogen light Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Temperature probe, 1 x St/Steel deep tray (40mm deep) 1 x St/steel tray (20mm deep), 1 x Pair partially extractable telescopic guides



SF4606WVCPNR

Copper Trim





SF4604WVCPNX

45CM H DOLCE STIL NOVO, COMPACT COMBINATION FULL STEAM WIFI OVEN. BLACK, ST/STEEL TRIM







45cm reduced height

VIVOscreen

Full steam technology Fixed handle

15 functions (inc 5 steam) + 1 cleaning function

65 automatic programmes 64 customised recipes

Smart cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light Eclipse glass Soft close door Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 3 cooking levels

Vapor clean function 1 x 40W halogen light

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10kW Supply can vary depending on usage, please consult a qualified electrician for

ACCESSORIES INCLUDED:

ampere requirement

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Temperature probe, 1 x St/Steel deep tray (40mm deep) 1 x St/steel tray (20mm deep), 1 x Pair partially extractable telescopic guides



SF4604WVCPNR Copper Trim





AUTO-HANDIF & FUIL STFAM

SF4604PVCNR1

45CM H DOLCE STIL NOVO, COMPACT COMBINATION FULL STEAM OVEN, BLACK, COPPER TRIM







45cm reduced height

Touch & release automatic handle

Interactive touch control easy guide colour LCD display

Full steam technology

14 functions (inc 4 steam) + 1 cleaning

50 automatic programmes 10 customisable recipes Smart cooking

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath
Other options: Keep warm, Eco light Eclipse glass Soft close door Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 3 cooking levels

Vapor clean function 1 x 40W halogen light


Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x St/Steel deep tray (40mm deep), 1 x St/steel tray (20mm deep), 1 x Pair partially extractable telescopic guides







CMS4604NR

45CM H, DOLCE STIL NOVO, FULLY AUTOMATIC COFFEE MACHINE, BLACK, COPPER TRIM







CPR615NR

15CM H, DOLCE STIL NOVO, WARMING DRAWER, BLACK, COPPER TRIM

15CM H



45cm reduced height

Colour touch TFT display

Coffee function: regular or double coffee (1 or 2 cups at the same) Hot water function: for tea or other hot drinks Steam function: for cappuccino Automatic cappuccino maker with seperate tank for milk

Up to 13 drink options available 5 levels of programmable coffee strength 3 levels of adjustable coffee temperature 5 levels of adjustable coffee length 13 levels of adjustable coffee grinder Beans or Ground coffee option Removable milk jug Adjustable cappuccino foam & frothing nozzle Programmable automatic switch-on Automatic rinsing (at every switch on/switch


St/steel 0.5 litre thermal carafe with autoclean system Cup warmer holder

Water container capacity: 2.40 litres Coffee granule container capacity: 350 g Pump pressure: 15 bar

Nominal power: 1.35kW 13 Amp power supply required



CMS4604NX



15cm height warming drawer

Suitable for fitting directly beneath a 45cm height compact oven. Both items fit in a standard 60cm aperture. Not suitable for fitting underneath a Double oven unless a support shelf has been installed between appliances.

Maximum load weight above the drawer: Maximum load weight inside drawer: 15kg


Push pull mechanism (no handle) Temperature range up to 80 °C Features include; Defrosting, Proving, Cup warmer, Dish warmer, Keep warm and Reheating

Non slip drawer liner Net capacity: 21 litres

Nominal power: 400W



CPR615NX





DOSF6920P1

60CM, VICTORIA, MULTIFUNCTION DOUBLE OVEN, CREAM



LOWER MAIN OVEN:











Large LCD display 9 functions + 1 cleaning function 20 automatic programmes Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Triple glazed door

Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Vapor clean function

1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

UPPER AUXILIARY OVEN:











1 x 40W halogen light Metal side supports, 2 cooking levels Easy clean enamel interior

Oven GROSS capacity: 41 litres Oven NET capacity: 35 litres

Nominal power: 5.90 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

2 x Extra deep trays (40mm deep), 1 x Roasting/Grill pan (20mm deep), 2 x Grill mesh, 2 x chrome shelves, 1 x Pair partially extractable telescopic guides




DOSF6920N1

60CM, VICTORIA, MULTIFUNCTION DOUBLE OVEN, BLACK



30





SFP6925NPZE1

60CM, VICTORIA, PYROLYTIC MULTIFUNCTION OVEN, BLACK































Large LCD display 10 functions + 2 cleaning functions 20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Other options: Keep warm, Eco light Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

2 x halogen lights Oven GROSS capacity: 79 litres Oven NET capacity: 65 litres

Pyrolytic clean function

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Pizza stone, Shovel and cover, 1 x Pair of fully extractable telescopic guides



SF6922XPZE1

60CM, VICTORIA, MULTIFUNCTION PIZZA OVEN, ST/STEEL







Large LCD display 10 functions + 1 cleaning function 20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Other options: Keep warm, Eco light Soft close door Quadruple glazed removable door Tilting grill Air cooling system, Closed door grilling

Easy clean enamel interior Metal side supports, 5 cooking levels

Vapor clean function 2 x halogen lights

Oven GROSS capacity: 79 litres Oven NET capacity: 65 litres

Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Pizza stone, Shovel and cover, 1 x Pair of fully extractable telescopic guides

PIZZA OVENS

Smeg pizza ovens are equipped with an exclusive system which places the heating element in direct contact with the pizza stone, allowing you to create perfect, evenly cooked pizzas in just 3-5 minutes, or longer for pizzas with a deeper base. They also provide excellent results when cooking breads, pies and flans, allowing you to cook the base thoroughly, without the need for blind baking.





SFP6925PPZE1

9



SFP6925XPZE1





SF6922PPZE1


9





SF6922NPZE1 Black







SF4920MCN1

45CM H VICTORIA, COMPACT COMBINATION MICROWAVE OVEN, BLACK







45cm reduced height

Large LCD display 13 functions (inc 5 microwave) + 1 cleaning function

20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath

Other options: Keep warm, Eco light, Quick Start Soft close door

Triple glazed door Tilting grill Air cooling system, Closed door grilling

Air cooling system, Closed door grillin Easy clean enamel interior Metal side supports, 3 cooking levels

Vapor clean function 2 x halogen lights

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10 kW Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

9

1 x Glass tray, 1 x Grill mesh, 1 x Chrome shelf

9



FULL STEAM

SF4920VCP1

45CM H VICTORIA, COMPACT COMBINATION FULL STEAM OVEN, CREAM







45cm reduced height

Large LCD display

Full steam technology

13 functions (inc 4 steam) + 1 cleaning function

20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath
Other options: Keep warm, Eco light
Soft close door

Triple glazed door
Air cooling system, Closed door grilling
Easy clean enamel interior
Metal side supports, 3 cooking levels

Vapor clean function 1 x 40W halogen light

Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10 kW Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x St/Steel deep tray (40mm deep), 1 x St/steel tray (20mm deep)

9

32

9



FULL STEAM COOKING

Combined steam ovens allow cooking in three ways; steam only, combined with steam, or traditional, providing maximum versatility in the kitchen. You can choose whether to cook with 100% steam, or when in the combined mode, by selecting the percentage best suitable to the dish, with an intensity which can range from 30% to 70% steam, for perfect results every time.



ST/STEEL

15CM H

♥ CPR915P

CREAM

15CM H



15CM H

CPR915N

15CM H , VICTORIA, WARMING DRAWER, BLACK



15CM H, VICTORIA, WARMING DRAWER,



15CM H, VICTORIA, WARMING DRAWER,



15cm height warming drawer


Suitable for fitting directly beneath a 45cm height compact oven. Both items fit in a standard 60cm aperture. Not suitable for fitting underneath a Double oven unless a support shelf has been installed between appliances.

Maximum load weight above the drawer: 85kg

Maximum load weight inside drawer: 15kg Push pull mechanism (no handle) Temperature range up to 80 °C Features include; Defrosting, Proving, Cup warmer, Dish warmer, Keep warm and Reheating Non slip drawer liner

Net capacity: 21 litres

Nominal power: 400W





SFP6106WSPS

60CM, LINEA, PYROLYTIC SMART STEAM MULTIFUNCTION WIFI OVEN, SILVER GLASS









VIVOscreen MAX Smart steam technology

15 functions (inc 5 steam) + 1 cleaning function

53 Automatic programmes 64 customised recipes Smart cooking

Multistep cooking Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light 3 steam assisted levels (30ml, 100ml, 160ml)

Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Pyrolytic clean function 2 x halogen lights

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 2 x Roasting/grill pans (20mm deep), $1 \times Grill$ mesh, 1 x Chrome shelf, 1 x Temperature probe, 1 x Pair of fully extractable telescopic guides



SFP6104SPS

60CM, LINEA, PYROLYTIC SMART STEAM MULTIFUNCTION OVEN, SILVER GLASS

SMART STEAM









VIVOscreen Smart steam technology

15 functions (inc 5 steam) + 1 cleaning function

53 Automatic programmes 64 customised recipes Smart cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light 3 steam assisted levels (30ml, 100ml,

160ml) Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Pyrolytic clean function 2 x halogen lights

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 2 x Roasting/grill pans (20mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Temperature probe, 1 x Pair of fully extractable telescopic guides

34



STEAM ASSISTED COOKING

Steam assisted cooking works by injecting Steam directly into the cavity through the nozzle and evenly spreading via the fan. It produces perfect cooking results especially for meats and doughs, allowing meats to be juicy and tender with a crispy and tasty outside crust. Benefits include, reduced cooking time, less volume and weight loss in food, less added fats in cooking and an altogether healthier way of cooking.



SFP6106WTPS

60CM, LINEA, PYROLYTIC MULTIFUNCTION WIFI OVEN, SILVER GLASS







64 customised recipes Smart cooking Multistep cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: SmartSense cooking, Keep warm, Éco light Soft close door

Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Pyrolytic clean function x halogen lights

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Temperature probe, 1 x Pair of fully extractable telescopic guides



VVIFI

SFP6104WTPN

60CM, LINEA, PYROLYTIC MULTIFUNCTION WIFI OVEN, BLACK

VVIFI









48 automatic programmes 64 customised recipes Smart cooking Multistep cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light Soft close door

Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Pyrolytic clean function

x halogen lights Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required


ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 2 x Roasting/grill pans (20mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Temperature probe, 1 x Pair of fully extractable telescopic guides




WIFI & TEMPERATURE PROBE

To ensure perfect cooking results every time, a temperature probe comes as standard as well as WIFI connectivity via the SmegConnect App, an indespensible tool for todays busy lifestyles.










SFP6102TVS

60CM, LINEA, PYROLYTIC MULTIFUNCTION OVEN. SILVER GLASS







Large LCD display 9 functions + 2 cleaning functions Illuminated controls

20 automatic programmes Other functions: Defrost by time, Defrost by

weight, Rising, Sabbath Other options: Keep warm, Eco light Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Pyrolytic clean function 2 x halogen lights

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 2 x Roasting/grill pans (20mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair partially extractable telescopic guides



SFP6101TVN1

60CM, LINEA, PYROLYTIC MULTIFUNCTION OVEN, BLACK







10 functions + 1 cleaning function Other functions: Defrost by time, Rising,

Other options: Keep warm, Eco light Soft close door Quadruple glazed removable door

Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Pyrolytic clean function

1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair partially extractable telescopic guides

36



SF6102TVSG

60CM, LINEA, MULTIFUNCTION OVEN, SILVER GLASS







20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Other options: Keep warm, Eco light Quadruple glazed removable door Tilting grill Air cooling system, Closed door grilling


Easy clean enamel interior Metal side supports, 5 cooking levels

Vapor clean function

Nominal power: 3.00kW

ACCESSORIES INCLUDED:

1 x Chrome shelf



9 functions + 1 cleaning function Illuminated controls

1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

13 Amp power supply required

1 x Extra deep tray (40mm deep)

1 x Grill mesh




SFP6102TVN

9






SF6102TVNG









SF4104WMCS Silver glass





9 **SF4102MCS**

45CM H LINEA, COMPACT COMBINATION MICROWAVE WIFI OVEN, SILVER GLASS







45cm reduced height

9

SF4106WMCS

45CM H LINEA, COMPACT COMBINATION

40 t 3-

CS CTECH NEW

 $|\mathbf{V}| \approx \mathbf{R} \cdot \mathbf{R}$

MICROWAVE WIFI OVEN, SILVER GLASS

VIVOscreen MAX

15 function (inc 5 microwave) + 1 cleaning function

56 automatic programmes 64 customised recipes Smart cooking

Multistep cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light, Quick

Soft close door Triple glazed door Tilting grill

Air cooling system, Closed door grilling Easy clean enamel interior

Metal side supports, 3 cooking levels Vapor clean function

2 x halogen lights Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Glass tray, 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair partially extractable telescopic guides



40t 3-

VIVO Screen NEW

45cm reduced height

SF4104WMCN

45CM H LINEA, COMPACT COMBINATION

MICROWAVE WIFI OVEN, BLACK

VIVOscreen

VVIFI

15 functions (inc 5 microwave) + 1 cleaning function

56 automatic programmes 64 customised recipes

Smart cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath
Other options: Keep warm, Eco light, Quick Start

Soft close door Triple glazed door

Tilting grill Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 3 cooking levels

Vapor clean function 2 x halogen lights

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Glass tray, 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair partially extractable telescopic guides



45cm reduced height

Large LCD display 13 functions (inc 5 microwave) + 1 cleaning

function Illuminated controls

20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath

Other options: Keep warm, Eco light, Quick

Soft close door Triple glazed door

Tilting grill Air cooling system, Closed door grilling Easy clean enamel interior

Metal side supports, 3 cooking levels Vapor clean function

2 x halogen lights

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Glass tray, 1 x Grill mesh, 1 x Chrome



Black





FULL STEAM & WIFI

SF4106WVCPS

45CM H LINEA, COMPACT COMBINATION FULL STEAM WIFI OVEN. SILVER GLASS







45cm reduced height

VIVOscreen MAX Full steam technology

15 functions (inc 5 steam) + 1 cleaning function

65 automatic programmes 64 customised recipes Smart cooking Multistep cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light Soft close door

Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior

Metal side supports, 3 cooking levels Vapor clean function 1 x 40W halogen light


Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Temperature probe, 1 x St/Steel deep tray (40mm deep) 1 x St/steel tray (20mm deep), 1 x Pair partially extractable telescopic guides





FULL STEAM & WIFI

SF4104WVCPN

45CM H LINEA, COMPACT COMBINATION FULL STEAM WIFI OVEN. BLACK







45cm reduced height

VIVOscreen

Full steam technology

15 functions (inc 5 steam) + 1 cleaning function

65 automatic programmes 64 customised recipes

Smart cooking
Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light Soft close door Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 3 cooking levels Vapor clean function

1 x 40W halogen light Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Temperature probe, 1 x St/Steel deep tray (40mm deep) 1 x St/steel tray (20mm deep), 1 x Pair partially extractable telescopic guides

38



SF4104WVCPSSilver glass






FULL STEAM

SF4102VCS

45CM H LINEA, COMPACT COMBINATION FULL STEAM WIFI OVEN. SILVER GLASS







45cm reduced height

Large LCD display
Full steam technology

13 functions + 1 cleaning function Illuminated controls

20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath
Other options: Keep warm, Eco light
Soft close door
Triple glazed door
Air cooling system, Closed door grilling
Easy clean enamel interior
Metal side supports, 3 cooking levels

Vapor clean function 1 x 40W halogen light

Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10 kW Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x St/Steel deep tray (40mm deep), 1 x St/steel tray (20mm deep)



SF4102VCN Black





CMS4104N

45CM H, LINEA, FULLY AUTOMATIC COFFEE MACHINE. BLACK







45cm reduced height

Colour touch TFT display

Coffee function: regular or double coffee (1 or 2 cups at the same) Hot water function: for tea or other hot drinks Steam function: for cappuccino Automatic cappuccino maker with seperate tank for milk

Up to 13 drink options available

5 levels of programmable coffee strength
3 levels of adjustable coffee temperature
5 levels of adjustable coffee length
13 levels of adjustable coffee grinder
Beans or Ground coffee option
Removable milk jug
Adjustable cappuccino foam & frothing
nozzle
Programmable automatic switch-on

Automatic rinsing (at every switch on/switch off)

St/steel 0.5 litre thermal carafe with autoclean system Cup warmer holder

Water container capacity: 2.40 litres

Coffee granule container capacity: 350 g Pump pressure: 15 bar

Nominal power: 1.35kW 13 Amp power supply required



CMS4104S

45CM H , LINEA, FULLY AUTOMATIC COFFEE MACHINE, SILVER GLASS




39



TFT TOUCH DISPLAY


The new colour TFT touch display clearly shows the personalisation of up to 13 drink options. You can customise the aroma, quantity and even create up to 6 personalised user profiles





SIDE OPENING

MP12251













FMI120N2









15CM H, LINEA, WARMING DRAWER, BLACK

CPR115N

15CM H



6 functions inc microwave with grill Side opening door Controls positioned at the bottom Electronic timer

Tilting Grill

Grill: 1.25 kW

Microwave output power: 850 W Surfaceplus ceramic base

St/Steel interior Air cooling system
Automatic calculation of defrosting by time or weight Child Safety Lock

STANDARD ACCESSORIES:

Chrome grill support

GROSS capacity: 23 litres NET capacity: 22 litres

OPTIONAL EXTRAS

KITPLATE

Thinner bar to reduce height to 38cm

KITMP38

Crisper

NB: Available whilst stocks last



5 functions 3 automatic Programs TFT Display

Touch control Electronic timer Quartz grill: 1 kW Microwave Output Power: 800 W Quick Start Option St/Steel interior Programmable memory functions Energy saving option - Ecologic Air cooling system

STANDARD ACCESSORIES:

NET capacity: 20 litres

15cm height warming drawer

Suitable for fitting directly beneath a 45cm height compact oven. Both items fit in a standard 60cm aperture. Not suitable for fitting underneath a Double oven unless a support shelf has been installed between appliances.

Maximum load weight above the drawer: 85kg


Maximum load weight inside drawer: 15kg Push pull mechanism (no handle) Temperature range up to 80 °C
Features include; Defrosting, Proving, Cup
warmer, Dish warmer, Keep warm and Reheating Non slip drawer liner Net capacity: 21 litres

Nominal power: 400 W

Automatic calculation of defrosting by time or weight Child Safety Lock


Chrome grill support Kit for build in installation Turntable

GROSS capacity: 21 litres





CPR115S





DOSP6390X

60CM, CLASSIC, PYROLYTIC
MULTIFUNCTION DOUBLE OVEN, ST/STEEL



UPPER MAIN OVEN:



Large LCD display
9 functions + 2 cleaning functions
Other functions: Defrost by time, Defrost by
weight, Rising, Sabbath
Eclipse glass
Quadruple glazed removable door

Air cooling system, Closed door grilling Easy clean enamel interior
Metal side supports, 5 cooking levels

Pyrolytic clean function

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

1 x 40W halogen light

LOWER AUXILIARY OVEN:



4 functions Air cooling system, Closed door grilling Triple glazed door Tilting grill

Eclipse glass 1 x 40W halogen light Metal side supports, 2 cooking levels

Oven GROSS capacity: 41 litres Oven NET capacity: 35 litres

Nominal power: 5.70 kW Supply can vary depending on usage, please consult a qualified electrican for

ACCESSORIES INCLUDED:

ampere requirement

2 x Extra deep trays (40mm deep), 2 x Grill mesh, 3 x Chrome shelves, 1 x Pair partially extractable telescopic guides

DOSF6390X

60CM, CLASSIC, MULTIFUNCTION DOUBLE OVEN. ST/STEEL



LOWER MAIN OVEN:



Large LCD display
9 functions + 1 cleaning function
20 automatic programmes
Other functions: Defrost by time, Defrost by weight, Rising, Sabbath
Eclipse glass
Triple glazed door
Air cooling system, Closed door grilling
Easy clean enamel interior
Metal side supports, 5 cooking levels

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

1 x 40W halogen light

UPPER AUXILIARY OVEN:



4 functions

Air cooling system, Closed door grilling Triple glazed door Tilling grill

Tilting grill Eclipse glass

1 x 40W halogen light
Metal side supports, 2 cooking levels
Easy clean enamel interior


Oven GROSS capacity: 41 litres Oven NET capacity: 35 litres

Nominal power: 5.90 kW Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

Stay clean liners, 2 x Extra deep trays (40mm deep), 2 x Grill mesh, 2 x Chrome shelves

42



DOSF6300X

60CM, CLASSIC, MULTIFUNCTION DOUBLE OVEN. ST/STEEL



LOWER MAIN OVEN:



4 functions
Eclipse glass
Triple glazed door
Air cooling system, Closed door grilling
Easy clean enamel interior
Metal side supports, 5 cooking levels
1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

UPPER AUXILIARY OVEN:





4 functions
Air cooling system, Closed door grilling
Triple glazed door
Tilting grill
Eclipse glass

1 x 40W halogen light Metal side supports, 2 cooking levels Easy clean enamel interior

Oven GROSS capacity: 41 litres Oven NET capacity: 35 litres

Nominal power: 4.80kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

 $2 \times \text{Extra}$ deep trays (40mm deep), $2 \times \text{Grill}$ mesh, $2 \times \text{Chrome}$ shelves

DUSF6300X

60CM, CLASSIC, MULTIFUNCTION DOUBLE UNDER COUNTER OVEN. ST/STEEL



LOWER MAIN OVEN:





4 functions
Eclipse glass
Triple glazed door
Air cooling system, Closed door grilling
Easy clean enamel interior
Metal side supports, 4 cooking levels
1 x 40W halogen light

Oven GROSS capacity: 68 litres Oven NET capacity: 61 litres

. ,





4 functions
Air cooling system, Closed door grilling
Triple glazed door
Tilting grill


Eclipse glass 1 x 40W halogen light Metal side supports, 3 cooking levels Easy clean enamel interior


Oven GROSS capacity: 41 litres Oven NET capacity: 35 litres

Nominal power: 4.80 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

Stay clean liners, 2 x Extra deep trays (40mm deep), 2 x Grill mesh, 2 x Chrome shelves





SFP9395X1

90CM, CLASSIC, PYROLYTIC EXTRA WIDE FULL HEIGHT MULTIFUNCTION OVEN, ST/STEEL







Easy guide display

10 functions + 2 cleaning functions

50 automatic programmes

10 customisable recipes

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath

Other options: SmartSense cooking, Keep warm, Eco light

Eclipse glass

Soft close door

Triple fan

Quadruple glazed removable door

Air cooling system, Closed door grilling

Easy clean enamel interior

Metal side supports, 5 cooking levels

Pyrolytic clean function

2 x halogen lights

Oven GROSS capacity: 129 litres Oven NET capacity: 115 litres

Nominal power: 4.00 kW

Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

2 x Extra deep trays (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair of fully extractable telescopic guides

SF9390X1

90CM, CLASSIC, EXTRA WIDE FULL HEIGHT MULTIFUNCTION OVEN, ST/STEEL







Large LCD display

9 functions + 1 cleaning function

20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath

Other options: Keep warm, Eco light

Eclipse glass

Double fan Triple glazed door

Tilting grill

44

Air cooling system, Closed door grilling

Easy clean enamel interior

Metal side supports, 5 cooking levels

Vapor clean function

2 x halogen lights


Oven GROSS capacity: 129 litres Oven NET capacity: 115 litres


Nominal power: 3.10 kW

Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:


1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf 1 x Pair partially extractable telescopic guides





SFPR9395X

90CM CLASSIC, PYROLYTIC EXTRA WIDE REDUCED HEIGHT MULTIFUNCTION OVEN, ST/STEEL



SFR9390X

90CM CLASSIC, EXTRA WIDE REDUCED HEIGHT MULTIFUNCTION









48cm reduced height

Easy guide display 9 functions + 2 cleaning functions

50 automatic programmes

10 customisable recipes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Other options: Keep warm, Eco light

Eclipse glass

Soft close door

Triple fan

Quadruple glazed removable door Air cooling system, Closed door grilling

Easy clean enamel interior

Metal side supports, 4 cooking levels Pyrolytic clean function

2 x halogen lights

Oven GROSS capacity: 100 litres Oven NET capacity: 85 litres

Nominal power: 3.30 kW

Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf 1 x Pair of fully extractable telescopic guides

48cm reduced height

Large LCD display

9 functions + 1 cleaning function

20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath

Other options: Keep warm, Eco light

Eclipse glass Soft close door

Double fan

Triple glazed door

Tilting grill

Air cooling system, Closed door grilling Easy clean enamel interior

Metal side supports, 4 cooking levels Vapor clean function

2 x halogen lights


Oven GROSS capacity: 100 litres Oven NET capacity: 85 litres


Nominal power: 3.10 kW

Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf 1 x Pair of fully extractable telescopic guides





SFP6303WTPX

60CM, CLASSIC, PYROLYTIC MULTIFUNCTION WIFI OVEN, ST/STEEL







VIVOscreen
10 functions + 1 cleaning function

48 automatic programmes

64 customised recipes

Smart cooking
Other functions: Defrost by time, Defrost by
weight, Warm dishes, Rising, Sabbath
Other options: Keep warm, Eco light Eclipse glass Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling

Easy clean enamel interior Metal side supports, 5 cooking levels

Pyrolytic clean function

2 x halogen lights


Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW
13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Temperature probe, 1 x Pair partially extractable telescopic guides





SFP6390XE

60CM, CLASSIC, PYROLYTIC MULTIFUNCTION OVEN, ST/STEEL





Large LCD display 9 functions + 2 cleaning functions 20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Other options: Keep warm, Eco light

Eclipse glass Soft close door

Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

Pyrolytic clean function 2 x halogen lights

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 2 x Chrome shelves, 1 x Pair partially extractable telescopic guides

SF6390XPZE

60CM, CLASSIC, MULTIFUNCTION PIZZA OVEN , ST/STEEL







Large LCD display 10 functions + 1 cleaning function

20 automatic programmes Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Eclipse glass Soft close door Triple glazed door Tilting grill Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Vapor clean function

Oven GROSS capacity: 79 litres Oven NET capacity: 65 litres

2 x halogen lights

Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Pizza stone, Shovel and cover, 1 x Pair partially extractable telescopic guides

48

NB: Available whilst stocks last

SFP6301TVX

60CM, CLASSIC, PYROLYTIC MULTIFUNCTION OVEN, ST/STEEL





COMPACTscreen

10 functions + 1 cleaning function Other functions: Defrost by time, Rising,

Other options: Keep warm, Eco light Eclipse glass Quadruple glazed removable door

Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Pyrolytic clean function

1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair partially extractable telescopic guides

SF6301TVX

60CM, CLASSIC, MULTIFUNCTION OVEN, ST/STEEL







COMPACTscreen

10 functions + 1 cleaning function Other functions: Defrost by time, Rising, Sabbath Eclipse glass Triple glazed door Tilting grill Air cooling system, Closed door grilling

Easy clean enamel interior Metal side supports, 5 cooking levels Vapor clean function 1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf



60CM, CLASSIC, GAS FAN OVEN WITH

SF6341GVX

ELECTRIC GRILL, ST/STEEL






8 functions inc Circogas (fan with bottom Eclipse glass Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 4 cooking levels Minute minder Gas temperature Min. 150°C Max 265°C Automatic electronic ignition Safety valve Adaptable for LPG 1 x 40W halogen light


Oven GROSS capacity: 70 litres Oven NET capacity: 60 litres

Nominal power: 1.90 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Roasting/Grill pan (20mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x Pair partially extractable telescopic guides, 1 x Rotisserie





45CM H CLASSIC, COMPACT COMBINATION MICROWAVE WIFI OVEN, ST/STEEL









45cm reduced height

VIVOscreen

15 functions + 1 cleaning function 56 automatic programmes

64 customised recipes Smart cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath
Other options: Keep warm, Eco light, Quick

Eclipse glass Soft close door Triple glazed door Tilting grill Air cooling system, Close

Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 3 cooking levels

Vapor clean function 2 x halogen lights

Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

 $1\times Glass\ tray,\ 1\times Grill\ mesh,\ 1\times Chrome\ shelf,\ 1\times Pair\ partially\ extractable\ telescopic\ guides$

SF4390MCX

45CM H CLASSIC, COMPACT COMBINATION MICROWAVE OVEN, ST/ STEEL







45cm reduced height

Large LCD display
13 functions + 1 cleaning function
20 automatic programmes
Other functions: Defrost by time, Defrost by

weight, Rising, Sabbath
Other options: Keep warm, Eco light, Quick

Eclipse glass Soft close door Triple glazed door

Tilting grill
Air cooling system, Closed door grilling
Easy clean enamel interior
Metal side supports, 3 cooking levels

Vapor clean function 2 x halogen lights

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Glass tray, 1 x Grill mesh, 1 x Chrome shelf

50

SF4301MCX

45CM H CLASSIC, COMPACT COMBINATION MICROWAVE OVEN, ST/ STEFI







45cm reduced height

COMPACTscreen

11 functions + 1 cleaning function
Other functions: Defrost by time
Other options: Keep warm, Eco light, Quick
Start
Eclipse glass
Triple glazed door
Tilting grill
Air cooling system, Closed door grilling
Easy clean enamel interior
Metal side supports, 3 cooking levels
Vapor clean function
1 x 40W halogen light

Oven GROSS capacity: 50 litres Oven NET capacity: 40 litres

Nominal power: 3.10 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

 $1 \times Glass tray, 1 \times Grill mesh, 1 \times Chrome shelf$

SF4303WVCPX

45CM H CLASSIC, COMPACT COMBINATION FULL STEAM WIFI OVEN, ST/STEEL

FULL STEAM & WIFI







45cm reduced height

VIVOscreen

Full steam technology

15 functions (inc 5 steam) + 1 cleaning function

65 automatic programmes 64 customised recipes Smart cooking

Other functions: Defrost by time, Defrost by weight, Warm dishes, Rising, Sabbath Other options: Keep warm, Eco light Eclipse glass

Soft close door Triple glazed door

Iriple glazed door
Air cooling system, Closed door grilling
Easy clean enamel interior
Metal side supports, 3 cooking levels

Vapor clean function

1 x 40W halogen light Wi-fi connectivity via SmegConnect App

Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 × Extra deep tray (40mm deep), 1 × Grill mesh, 1 × Chrome shelf, 1 x Temperature probe, 1 × St/Steel deep tray (40mm deep) 1 × St/steel tray (20mm deep), 1 × Pair partially extractable telescopic guides, 2 × small St/steel trays (40mm deep)

SF4390VCX1

45CM H CLASSIC, COMPACT COMBINATION FULL STEAM OVEN, ST/ STEEL







45cm reduced height

Large LCD display
Full steam technology

13 functions + 1 cleaning function 20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath
Other options: Keep warm, Eco light
Eclipse glass

Soft close door Triple glazed door

Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 3 cooking levels

Vapor clean function
1 x 40W halogen light

Oven GROSS capacity: 50 litres Oven NET capacity: 41 litres

Nominal power: 3.10 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf, 1 x St/Steel deep tray (40mm deep), 1 x St/steel tray (20mm deep)

51

CMS4303X

45CM H , CLASSIC, FULLY AUTOMATIC COFFEE MACHINE, ST/STEEL





45cm reduced height

tank for milk

Colour touch TFT display

Coffee function: regular or double coffee (1 or 2 cups at the same) Hot water function: for tea or other hot drinks Steam function: for cappuccino Automatic cappuccino maker with seperate

Up to 13 drink options available

5 levels of programmable coffee strength 3 levels of adjustable coffee temperature

5 levels of adjustable coffee length 13 levels of adjustable coffee grinder

Beans or Ground coffee option Removable milk jug Adjustable cappuccino foam & frothing

Adjustable cappuccino foam & frothing nozzle
Programmable automatic switch-on

Programmable automatic switch-on Automatic rinsing (at every switch on/switch off)


St/steel 0.5 litre thermal carafe with autoclean system


Cup warmer holder

Water container capacity: 2.40 litres Coffee granule container capacity: 350 g

Pump pressure: 15 bar

Nominal power: 1.35kW
13 Amp power supply required






60CM, CLASSIC, MICROWAVE OVEN WITH ELECTRIC GRILL, ST/STEEL



22 It LED CORPLAN



FMI325X

60CM, CLASSIC, MICROWAVE OVEN WITH ELECTRIC GRILL, ST/STEEL



≈ Ø 25 It C LED



FMI320X2

ELECTRIC GRILL, ST/STEEL







60CM, CLASSIC, MICROWAVE OVEN WITH

20 lt 6

29CM H

29CM H, CLASSIC, WARMING DRAWER, ST/STEEL





CR329X

CPR315X

15CM H, CLASSIC, WARMING DRAWER, ST/STEEL

15CM H





6 functions

Side opening door

Controls positioned at the bottom

Electronic timer Tilting Grill Grill: 1.25 kW

Microwave output power: $850~\mathrm{W}$

Surfaceplus ceramic base

St/Steel interior Eclipse glass

Air cooling system

Automatic calculation of defrosting by time

Child Safety Lock

STANDARD ACCESSORIES:

Chrome grill support Set of Cucina controls

GROSS capacity: 23 litres NET capacity: 22 litres

OPTIONAL EXTRAS

KITPLATE

Thinner bar to reduce height to 38cm

KITMP38 Crisper



6 functions

8 Automatic Programs

Touch control Electronic timer Quartz grill: 1 kW Microwave Output Power: 900 W Quick Start Option

St/Steel interior Eclipse glass Air cooling system

Automatic calculation of defrosting by time

Child Safety Lock

STANDARD ACCESSORIES:

Chrome grill support Kit for build in installation

GROSS capacity: 26 litres NET capacity: 25 litres

5 functions

3 automatic Programs

TFT Display Touch control Electronic timer

Quartz grill: 1 kW Microwave output power: 850 W Quick Start Option

St/Steel interior

Programmable memory functions Eclipse glass

Energy saving option - Ecologic Air cooling system

Automatic calculation of defrosting by time

or weight Child Safety Lock

STANDARD ACCESSORIES:

Chrome grill support Kit for build in installation Turntable

GROSS capacity: 21 litres NET capacity: 20 litres

29cm height warming drawer

Suitable for fitting directly beneath standard, compact and microwave ovens or coffee machines in a column. Not suitable for fitting underneath a Double oven unless a support shelf has been installed between appliances.

Maximum load weight above the drawer: 85kg

Maximum load weight inside drawer: 15kg Temperature range up to 80 °C Classic Handle

Features include; Defrosting, Proving, Cup warmer, Dish warmer, Keep warm and Reheating Non slip drawer liner Net capacity: 51 litres

Nominal power: 400 W

15cm height warming drawer


Suitable for fitting directly beneath a 45cm height compact oven. Both items fit in a standard 60cm aperture. Not suitable for fitting underneath a Double oven unless a support shelf has been installed between appliances.


Maximum load weight above the drawer: 85kg

Maximum load weight inside drawer: 15kg Push pull mechanism (no handle) Temperature range up to 80 °C Features include; Defrosting, Proving, Cup warmer, Dish warmer, Keep warm and Reheating


Non slip drawer liner Net capacity: 21 litres


Nominal power: 400 W







52









DOSF400S

60CM, CUCINA, MULTIFUNCTION DOUBLE OVEN, SILVER GLASS



LOWER MAIN OVEN:



4 functions Triple glazed door Air cooling system, Closed door grilling Fasy clean enamel interior Metal side supports, 5 cooking levels 1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

UPPER AUXILIARY OVEN:



4 functions Air cooling system, Closed door grilling Double glazed door Tilting grill 1 x 40W halogen light Metal side supports, 2 cooking levels Easy clean enamel interior

Oven GROSS capacity: 41 litres Oven NET capacity: 35 litres

Nominal power: 4.80kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

2 x Extra deep trays (40mm deep), 2 x Grill mesh, 2 x Chrome shelves

DUSF400S

60CM, CUCINA, MULTIFUNCTION DOUBLE UNDER COUNTER OVEN, SILVER GLASS



LOWER MAIN OVEN:



4 functions Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 4 cooking levels 1 x 40W halogen light

Oven GROSS capacity: 68 litres Oven NET capacity: 61 litres

UPPER AUXILIARY OVEN:



4 functions Air cooling system, Closed door grilling Triple glazed door

1 x 40W halogen light Metal side supports, 2 cooking levels Easy clean enamel interior


Oven GROSS capacity: 41 litres Oven NET capacity: 35 litres


Nominal power: 4.80kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

ACCESSORIES INCLUDED:

2 x Extra deep trays (40mm deep), 2 x Grill mesh, 2 x Chrome shelves

54





SFP6402TVX

60CM, CUCINA, PYROLYTIC MULTIFUNCTION OVEN, ST/STEEL





Large LCD display 9 functions + 2 cleaning functions 20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Other options: Keep warm, Eco light

Eclipse glass Soft close door Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

Pyrolytic clean function 1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Chrome shelf

SF6402TVS

60CM, CUCINA, MULTIFUNCTION OVEN, SILVER GLASS





Large LCD display 9 functions + 1 cleaning function 20 automatic programmes

Other functions: Defrost by time, Defrost by weight, Rising, Sabbath Other options: Keep warm, Eco light Soft close door

Tilting grill Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

Quadruple glazed removable door

Vapor clean function 1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Grill mesh, 1 x Chrome shelf



SF6402TVX





SFP6401TVN1

60CM, CUCINA, PYROLYTIC

MULTIFUNCTION OVEN, BLACK





COMPACTscreen

10 functions + 1 cleaning function Other functions: Defrost by time, Rising,

Quadruple glazed removable door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels

Pyrolytic clean function 1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00kW

13 Amp power supply required

ACCESSORIES INCLUDED: 1 x Extra deep tray (40mm deep), 1 x


Chrome shelf





SFP6401TVS1 Silver glass

SFP6401TVX1



SF6400TVN

60CM, CUCINA, MULTIFUNCTION OVEN, BLACK









8 functions + 1 cleaning function Other functions: Defrost by time Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels Vapor clean function 1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 70 litres

Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

1 x Extra deep tray (40mm deep), 1 x Chrome shelf



SF6400TVX



SF6400TVS Silver glass



SF64M3DS Silver glass



SF64M3DN

SF4400MCX

45CM H CUCINA, COMPACT COMBINATION MICROWAVE OVEN, ST/ STEEL









A DIRECT SSILE SSI



Direct steam technology

SF64M3DX

60CM, CUCINA, DIRECT STEAM

MULTIFUNCTION OVEN, ST/STEEL

9 functions (inc 1 steam) Other functions: Defrost by time Eclipse glass Triple glazed door Air cooling system, Closed door grilling Easy clean enamel interior Metal side supports, 5 cooking levels 1 x 40W halogen light

Oven GROSS capacity: 79 litres Oven NET capacity: 63 litres

Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED: 1 x Extra deep tray (40mm deep), 1 x Chrome shelf

45cm reduced height

6 functions Eclipse glass Triple glazed door Microwave output power: 1.00 kW Grill element power: 1500 W Air cooling system, Closed door grilling Light reflective St/steel oven interior Metal side supports, 3 cooking levels 1 x 20W light

Oven GROSS capacity: 38 litres Oven NET capacity: 32 litres

Nominal power: 3.40 kW Supply can vary depending on usage, please consult a qualified electrican for ampere requirement

ACCESSORIES INCLUDED:

1 x Glass tray, 1 x Grill mesh

SF4400MX

45CM H CUCINA, COMPACT MICROWAVE OVEN WITH GRILL, ST/STEEL





MP422X1

60CM, CUCINA, MICROWAVE OVEN WITH ELECTRIC GRILL, ST/STEEL















CTP15X

15CM H, CUCINA, WARMING DRAWER, ST/ STEEL





45cm reduced height

3 functions Eclipse glass Triple glazed door Tilting grill Microwave output power: 1.00 kW Grill element power: 1200 W Air cooling system, Closed door grilling Light reflective St/steel oven interior 2 cooking levels Minute minder 1 x 20W light

Oven GROSS capacity: 38 litres Oven NET capacity: 32 litres

Nominal power: 3.00 kW 13 Amp power supply required

ACCESSORIES INCLUDED:

2 x Chrome shelves

6 functions

Side opening door Controls positioned at the bottom

Electronic timer Tilting Grill Grill: 1.25 kW

Microwave output power: 850 W

Surfaceplus ceramic base St/Steel interior Eclipse glass

Air cooling system Automatic calculation of defrosting by time or weight Child Safety Lock

STANDARD ACCESSORIES:

Chrome grill support

GROSS capacity: 23 litres NET capacity: 22 litres

OPTIONAL EXTRAS

KITPLATE

Thinner bar to reduce height to 38cm

KITMP38

Crispe

15cm height warming drawer

Suitable for fitting directly beneath a $45 \, \mathrm{cm}$ height compact oven. Both items fit in a standard 60cm aperture. Not suitable for fitting underneath a Double oven unless a support shelf has been installed between appliances.

Maximum load weight above drawer: 50Kg Maximum load weight inside drawer: 15kg Push pull mechanism (no handle) Temperature range up to 80 °C Features include; Defrosting, Dish warmer, Keep warm and Reheating Net capacity: 21 litres


Nominal power: 420 W










MP322X1 St/Steel with set of Cucina controls







56



FMI425X

60CM, CUCINA, MICROWAVE OVEN WITH ELECTRIC GRILL, ST/STEEL











60CM, CUCINA, MICROWAVE OVEN WITH ELECTRIC GRILL, SILVER GLASS





FMI020X

60CM, MICROWAVE OVEN WITH ELECTRIC GRILL, ST/STEEL







5 functions

8 Automatic Programs

Electronic timer Quartz grill: 1 kW Microwave Output Power: 900 W Quick Start Option St/Steel interior Eclipse glass Air cooling system Automatic calculation of defrosting by time or weight Child Safety Lock

STANDARD ACCESSORIES:

Chrome grill support Turntable

GROSS capacity: 26 litres NET capacity: 25 litres



5 functions 3 automatic Programs TFT Display

Touch control Electronic timer Quartz grill: 1 kW Microwave Output Power: 800 W Quick Start Option St/Steel interior

Programmable memory functions Energy saving option - Ecologic Air cooling system Automatic calculation of defrosting by time

or weight Child Safety Lock

STANDARD ACCESSORIES:

Chrome grill support Kit for build in installation Turntable

GROSS capacity: 21 litres NET capacity: 20 litres

58



5 functions

8 Automatic Programs

Grill: 1 kW

Microwave Output Power: 800 W Quick Start Option St/Steel interior Air cooling system

Automatic calculation of defrosting by time or weight Child Safety Lock


STANDARD ACCESSORIES:

Chrome grill support Kit for build in installation Turntable

GROSS capacity: 21 litres NET capacity: 20 litres




FMI425S Silver glass





FMI017X





FMI425X

GT1T-2

PAIR OF FULLY EXTRACTABLE TELESCOPIC GUIDES (1 LEVEL)

PRTX

PIZZA STONE WITH HANDLES

PPR2

UNIVERSAL PIZZA STONE



Pair of fully extractable telescopic guides suitable for use on most ovens with metal side supports. Also available *GT1P-2*. Pair of partially extractable telescopic guides (1 level)



Refractory pizza stone with handles suitable for use with ovens where the bottom of the cavity is embossed



Rectangular pizza stone without handles for 60cm ovens (not steam, microwave or gas). Also available **PPR9** for 90cm ovens.

PALPZ

PIZZA SHOVEL



STAINLESS STEEL SPACER

WOKGHU

CAST IRON WOK SUPPORT



Pizza shovel with fold away handle



60cm wide stainless steel divider for use between two or more appliances when installed in column in a 60cm cavity. Also available **PR3845N** - Black



The WOKGHU offers additional stability when using a wok. Suitable for some gas hobs with heavy duty cast iron pan stands.

VACUUM DRAWER ACCESSORIES:

VBAG1

50 BAGS 20 X 30CM



Set of 3 containers for use with Vacuum drawers. *Suitable for storage in the* fridge or pantry. Not suitable for storage in the freezer or for Sousvide cooking.
Dimensions: 140x70, 140x125,
140x185mm



50 Bags for sous-vide cooking and preservation, for use with Vacuum drawers, Dimensions: 20x30cm

VBAG2

50 BAGS 25 X 35CM



50 bags for sous-vide cooking and preservation, for use with Vacuum drawers, Dimensions: 25x35cm

LIFEBOX

SET OF 3 CONTAINERS





LIFEBOX

BLAST CHILLERS & VACUUM DRAWERS

Bringing professional products into a domestic environment, built-in vacuum drawers and blast chillers deliver truly expert results.

Innovative products with the capability to transform the way you prepare and cook food. Preparing food using a blast chiller and vacuum drawer allows you to focus on quality of ingredients, taste, presentation and to organise your time in a completely new way. These exciting appliances add real value to the exensive Smeg product range, and showcase the best in Italian technology.



BLAST CHILLERS

Traditionally found in professional kitchens, domestic blast chillers work in conjunction with a vacuum drawer, to produce healthier, higher quality food with more creative possibilities for professional quality meals.

PRECISE PRESERVATION

A blast chiller is a unique domestic appliance with 2 main functions - freezing and cooling, but it can also heat. You can chill food straight after cooking, programme precise 3-phase dough proofing, quickly chill beverages, heat food at low temperatures, or hold a food at a certain temperature. There are many benefits to using a blast chiller including better time management as you can shop for, cook and plan your meals when you want. You can save space in the fridge, reduce food wastage, and store and consume the best seasonal food so you can eat fresh and tasty fruit and vegetables the whole year round, even when they're not in season!

3kg of fresh food that is frozen in a standard freezer takes 24 hours to freeze to the core, and the process breaks down foods properties, destroying it's structure and creating macro-water crystals inside. The same amount of fresh food that is frozen in a blast chiller takes just 4.5 hours to freeze to the core, and only micro-water crystals are created which means that the quality of the food is preserved. Blast chilling allows you to bring food down to a low temperature quickly and safely, it lengthens the duration of a foods life span, without compromising on taste or nutrition. Fresh foods that are frozen in a blast chiller do not require defrosting, they can be conveniently transferred straight from the freezer to the oven. Shelves inside Smeg blast chillers and ovens are interchangeable.

READY-TO-EAT

Smea blast chillers are extremely versatile with a range of warming functions also available. By selecting this function the blast chiller will keep pre-cooked dishes at refrigerator temperature all day and then heats them up at a preset time, so you can have a hot dinner ready for when you get home!

DOUGH PROVING

Perfect proving conditions can be created by keeping the dough at the right temperature for the right time, without sudden changes in humidity levels. This can be configured in 3 phases for a really precise and professional finish.

DRINK COOLING & TEMPERATURE HOLDING

It is also possible to quickly **chill** bottles (1°C per minute) in order to enjoy wine and other drinks at the optimal temperature, or to keep food at a required temperature (for desserts and ice creams before serving for example). The shelf inside the appliance is double-sided with a straight side for foods and a undulated side specially designed for inserting bottles (up to 9 standard sizes or 4 magnums).

LOW TEMPERATURE COOKING

Dishes can be cooked at a constant low temperature, lower than traditional cooking temperatures available, resulting in tender and juicy meats.

DEFROST

Food can be defrosted quickly and evenly, without partially cooking the food and compromising the

VACUUM DRAWERS

Smeg vacuum drawers are perfect for **Sous Vide** cooking, **preserving** food items for longer, and even re-sealing packaging, they are essential for the discerning chef.

INNOVATIVE CONSERVATION

A vacuum drawer can be used to preserve fresh foods for storage in the freezer, fridge or pantry. Ingredients are sealed into an airtight plastic bag or container where the oxygen and air are extracted, protecting food from dust and bacteria and creating the perfect conditions for a longer storage life. Liquids can even be vacuum sealed!

In this sealed environment, nutrients and aromas are preserved perfectly and food tastes as good as if it was made from fresh ingredients.

Vacuum sealed food lasts on average four times longer at room temperature or in the fridge. If frozen, bacteria are eliminated, and food can be kept for months and retain all flavours and consistency, as if it has just been prepared fresh!



SOUS VIDE COOKING

As well as conserving food, it is possible using specific bags to prepare food for ${\color{red} low}$ temperature Sous Vide cooking.

Once sealed and placed in one of our 45cm full steam ovens, and the option for 100% steam is selected, sous vide cooking can take place. This process allows you to retain the aromas, juices, nutrients of the ingredients, consistency and flavour that is impossible to achieve through traditional cooking methods.




VACUUM SENSOR

This sensor ensures that the according to the level that has been set. If this value is not reached, the bag is not sealed. Smeg vacuum drawers are capable of sealing with a vacuum of up to 99.9%.



CHEF FUNCTION

By selecting this function, certain operations which would otherwise require a lot of time, such as marinating meat or liquors, waters, spirits or broths, can be sped up. The function massages the fibres of the food so that they absorb all oils and/or





Bags for food conservation and sous vide cooking are included as standard and plastic containers and bag sets are also available to purchase, see page 60 for more details



15CM H

60CM, DOLCE STIL NOVO, **VACUUM** DRAWER , BLACK, COPPER TRIM



SILVER GLASS

60CM, LINEA, VACUUM DRAWER

CPV315X

15CM H

60CM, CLASSIC, VACUUM DRAWER, ST/STEEL









15cm height vacuum drawer

Suitable for fitting beneath a 45cm height compact steam oven or blast chiller. Both items fit in a standard 60cm aperture.

Maximum load weight above the drawer:

Maximum load weight inside drawer: 15kg Push pull mechanism (no handle) Touch control

Chef function: marinade and infusion

- 3 levels of vacuum in bags: delicate, preservation, sous-vide
- 3 levels of sealing: delicate, medium,
- 3 levels of vacuum in containers: delicate, medium, maximum

Vacuum sensor with 10 mbar accuracy Automatic dehumidification pump cycle

Net capacity: 6.5 litres

Nominal power: 240 W

ACCESSORIES INCLUDED

CPV615NX

9

50 Bags for food conservation 50 Bags for sous-vide cooking

15cm height vacuum drawer

Suitable for fitting beneath a 45cm height compact steam oven or blast chiller. Both items fit in a standard 60cm aperture.

Maximum load weight above the drawer:

Maximum load weight inside drawer: 15kg Push pull mechanism (no handle) Touch control

Chef function: marinade and infusion 3 levels of vacuum in bags: delicate,

- preservation, sous-vide 3 levels of sealing: delicate, medium,
- maximum 3 levels of vacuum in containers: delicate, medium, maximum

Vacuum sensor with 10 mbar accuracy Automatic dehumidification pump cycle

Net capacity: 6.5 litres

Nominal power: 240 W

ACCESSORIES INCLUDED

50 Bags for food conservation 50 Bags for sous-vide cooking

66

15cm height vacuum drawer

compact steam oven or blast chiller. Both items fit in a standard 60cm aperture.

Push pull mechanism (no handle)

- 3 levels of vacuum in bags: delicate, preservation, sous-vide
- medium, maximum

Automatic dehumidification pump cycle

Net capacity: 6.5 litres

Nominal power: 240 W

ACCESSORIES INCLUDED

50 Bags for food conservation 50 Bags for sous-vide cooking

Suitable for fitting beneath a 45cm height

Maximum load weight above the drawer:


Chef function: marinade and infusion

- 3 levels of sealing: delicate, medium,
- 3 levels of vacuum in containers: delicate,

15CM H

Maximum load weight inside drawer: 15kg Touch control

Vacuum sensor with 10 mbar accuracy



CPV615, CPV115S, CPV315X



60CM DOLCE STIL NOVO, BLAST CHILLER, BLACK, COPPER TRIM





45cm reduced height

52 automatic programmes

LCD display

Child lock

Climatic class: T

Interactive touch control easy guide colour

Pre-cooling, Bottle cooling, Deep freezing

Cold functions: Cooling, Preservation,

Warming functions: Low temperature

Temperature range from -35 to $+75^{\circ}\mathrm{C}$

cooking, Defrost by time, Proving,

Ready-to-eat, Defrost by weight

Stainless steel interior

1 x 20W halogen light

Metal side supports, 3 levels

Noise level: 48 dB(A) re 1 pW

ACCESSORIES INCLUDED

1 x double-sided chrome shelf

1 x easy fit temperature probe

SAB4604NR



BLAST CHILLER

SAB4104S

60CM LINEA, BLAST CHILLER, SILVER GLASS





45cm reduced height

SAB4304X

60CM CLASSIC, BLAST CHILLER, ST/STEEL

BLAST CHILLER







45cm reduced height

Interactive touch control easy guide colour

LCD display 52 automatic programmes Cold functions: Cooling, Preservation, Pre-cooling, Bottle cooling, Deep freezing Warming functions: Low temperature cooking, Defrost by time, Proving, Ready-to-eat, Defrost by weight Temperature range from -35 to +75°C Stainless steel interior 1 x 20W halogen light Metal side supports, 3 levels Child lock

Climatic class: T Noise level: 48 dB(A) re 1 pW

ACCESSORIES INCLUDED

1 x double-sided chrome shelf 1 x easy fit temperature probe

67

Interactive touch control easy guide colour LCD display

52 automatic programmes Cold functions: Cooling, Preservation, Pre-cooling, Bottle cooling, Deep freezing Warming functions: Low temperature cooking, Defrost by time, Proving, Ready-to-eat, Defrost by weight Temperature range from -35 to $+75^{\circ}$ C Stainless steel interior 1 x 20W halogen light Metal side supports, 3 levels Child lock

Climatic class: T Noise level: 48 dB(A) re 1 pW


ACCESSORIES INCLUDED

1 x double-sided chrome shelf $1\ x$ easy fit temperature probe



SAB4604NX St/Steel trim





SAB4604, SAB4104S, SAB4304X

HOBS

Smeg hobs combine quality materials with cutting-edge technology. You can choose from an array of shapes, sizes and cooking methods to match the aesthetics of your kitchen.


68


Hobs

TYPES OF FUEL

Smeg hobs are distinguished by their high quality materials, and design of pan-stands and burners. A number of exclusive aesthetics that offer a hob for every requirement and coordinate well with other products in the Smeg range such as ovens and hoods. 18/10 Stainless steel, elegant and bright, plays a central role in the kitchen, whilst sophisticated surfaces in glass, or ceramic glass provide a distinctive touch.

Smeg offers a comprehensive range of gas, mixed fuel, induction and ceramic hobs that perfectly match the ovens with a wide choice of models, colours, sizes and shapes. Layout options include: diamond optimum spacing for larger pans, inline - easy access to burners and standard - traditional burner







DOLCE STIL NOVO LINEA **VICTORIA**





CLASSIC CUCINA


70





GAS MIXED FUEL





CERAMIC INDUCTION

HOOD WITHIN A HOB

Smeg proudly presents "HOBD", an induction hob with integrated built-in hood, where induction and extraction are combined in a single elegant product. It is available with a copper trim or full black glass which can be flushed or surface mounted.

INNOVATION

The exclusive extraction system immediatley removes vapours and odours via the cast iron grid in the centre of the hob, which hides the grease filters and channels the air. Its compact engine is situated discreetly below the surface of the glass taking up only a small amount of room below, so drawers can still be fitted underneath with plenty of usable space.

The cast iron grid in the middle is completely flush with the glass so pots and pans can be smoothly transfered across the hob. It has premium steel grease filters and can be ducted or recirculated using high quality charcoal filters.



FREEDOM AND FLEXIBILITY

Cook infront of a window, under the eaves or go for a kitchen island, the choices are endless. By removing a bulky extractor hood from your kitchen design, you can **gain space for more overhead cabinets** if desired and create a **seamless and minimalist aesthetic**.



72

AUTO-VENT

When the hob is in use the hood will automatically turn on at the most suitable speed, adapting the extraction speed to suit the cooking level selected on the hob.



MULTIZONE

Unlike standard induction hobs which are divided into different cooking zones where size and position are restricted, this hobs has 2 large MultiZones which can be divided into front and rear zones. Each MultiZone automatically detects the size and position of the pots and pans, and heats up the exact spots where they stand, providing optimum heating distribution and efficiency. This allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility.

ATTENTION TO DETAIL

Unique details can be found on many gas hobs, from patented blade burner technology to artistic pan stands designs, offering truely exclusive features which are unlike any other hobs on the market.



UNIQUE BLADE BURNERS Smeg's patented blade flame burner design, featured on some Dalce Stil


tlame burner design, featured on some Dolce Stil Novo gas hobs, delivers a continuous vertical flame for maximum heat transfer and increases efficiency by 20%. Each 'blade' component is coated in a special premium titanium coating which can resist temperatures up to 1100°C!



ARTIST PAN STANDS

Some Dolce Stil Novo hobs can be embellished with beautiful artistic pan stands. A choice of 4 styles can be purchased separately to complete the look – fruits, insects, leaves or birds, allowing you to add something quite unique to your kitchen.











GLASS ON STEEL

Glass-on-steel, a reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs in order to increase their resistance. This innovative idea adds an important safety feature. In the extreme eventuality that the glass of the hob is accidentally broken, a special adhesive paste between the glass and the steel holds the glass in place, avoiding dispersion of the glass, and allowing the continued use of the product in a safe environment until a replacement base can be fitted.



the control.

COOKING WITH GAS

Gas hobs provide an efficient and responsive way of cooking with many advantages including even heat distribution and immediate reaction.

UR

ULTRA RAPID BURNERS These powerful burners

offer up to 5.00kW power and offer 3 different SAFETY VALVES configurations: a triple flame All Smeg gas hobs include burner or a dual flame safety valves as standard, burner with a single control, the valves on the burner cut or a dual flame 3-way off the gas flow if the flame burner. Composed of an is accidentally exitinguished. auxiliary and a rapid burner, In this event, the gas feeder its 2 controls allow both valve shuts off immediately, parts of the burner to work regardless of the position of together or independently.



ERGONOMIC CONTROLS

The elegant simplicity and the perfect ergonomics of the Smeg control knobs allow a precise and instant flame adjustment, for excellent cooking results.



DIRECTIONAL BURNERS

Many Linea gas hobs feature directional burners. The unique technology of these directional burners makes the flame almost vertical; real power is transferred to the pot as the flames spread to match the diameter of the underside of the pan. This causes heat to concentrate, resulting in a higher performance burner that cooks faster than a traditional gas burner.



CAST IRON PAN STANDS

The majority of Smeg gas hobs have heavy duty cast iron stands, however there is also a choice of models with enamel pan stands.




Some hobs in the range, although fitted with Classic controls, can change aesthetics by purchasing a set of Linea controls





MULTIFUNCTIONALITY

Designed for those who appreciate both gas and induction cooking methods with a real passion for cooking. By combining traditional gas burners with modern induction technology, maximum versatility can now be found in one appliance. Models can be found in Dolce Stil Novo or Classic designs.



Smeg Domino hobs can offer maximum flexibility when cooking a wide variety of dishes. Each model comes fitted with Classic controls but Linea controls can be purchased separately as a kit to change the aesthetic. The domino range consists of a barbeque, single or two burner gas hobs, fryer, teppanyaki plate and two zone induction hob. A connecting strip can also be purchased if you wish to arrange a series of Domino hobs



INDUCTION AND CERAMIC

A wide variety of induction and ceramic hobs are available within the range, offering quick heat up times, user friendly touch controls and flat easy to clean surfaces. Many useful features have been included to make life easier.

INDUCTION



Induction cooking is based on magnetic fields: each 'element' generates a magnetic field that induces heat onto a ferrous material in the base of the pan. The pot becomes the element that cooks the food, and, as a consequence, energy efficiency is maximized and heat loss is minimized as only the base of the pan is heated. On the contrary, the surface of the hob doesn't reach the temperature of a ceramic hob.


INTELLIGENT ENGINEERING

Induction is faster than gas cooking taking only a little over a minute to heat a pint of water. Another benefit is that any splashes will not burn onto the hob top and are easily wiped clean.



MULTIZONE HOBS

Unlike standard induction hobs which are divided into different cooking zones where size and position are restricted, these hobs have large MultiZones which can be divided into front and rear zones. Each MultiZone automatically detects the size and position of the pots and pans, and heats up the exact spots where they stand, providing optimum heating distribution and efficiency. This allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility.



CERAMIC

The Smeg range of ceramic hobs incorporate the latest technology and many innovative features to enhance their performance quality. The aesthetics are designed to coordinate with the various oven styles offered and the highest quality and safety is assured by using the best materials and stringent checks during the manufacturing process.



IMPRESSIVE FEATURES

Digital touch controls offer extremely responsive and intuitive temperature control which is also easy to use. In addition, a hard wearing black glass is featured throughout the induction and ceramic range, offers extreme resistance to heat as well as being easy to maintain.

DUAL COOKING ZONES & GIANT ZONE

The majority of hobs offer dual cooking zones, either circular or oval, adding extra versatility to the specification and optimum choice. The Smeg range also includes hobs with a giant zone for complete versatility.

INTUITIVE SLIDER HOBS

Induction hobs with intuitive slider controls offer quick temperature response and include features such as Auto-vent, an infrared connnection between the hob and a hood allowing them to work together.





The Flexi-heat function divides the cooking area into three pre-set temperature zones. Place your pan on the front zone for high powered cooking, then carefully glide it backwards to the middle zones for continuous medium heat, and then back towards the rear zone for low heat, ideal for keeping food warm.



is divided into 4 sections and can be adjusted as required depending on your cooking needs. Three layouts can be achieved; two double zones, one triple zone and one single, or all 4 zones can be combined to create one large zone, so you can use multiple pans of various dimensions at the same time, providing greater flexibility.



Intuitive slider controls with an elegant grey screen printing are easy to use and quick to respond with 14 power levels to choose from, providing even greater precision than standard induction controls.

A smart infrared system called **Auto-vent**, allows you to control a hood, with the same features, via the hob. Once the power and temperature on the hob has been selected, the hood will automatically switch on the lights and regulate the

fan speed as necessary, without the need to manually adjust it.

ANGLED EDGE

This popular design provides an elegant and practical working surface, which is extremely easy to install. These practical clean lines blend well with other appliances in the Smeg portfolio.

STRAIGHT EDGE

This design allows the option of being flush-fitted into the work surface if desired. The overall appearance is that of sleek clean lines, perfect for incorporating into any style of kitchen, traditional or modern.

FRAMES

Coloured frames on the Victoria hobs allow perfect co-ordination with the Victoria ovens and hoods. An ultra slim 2mm tall Wafer thin stainless steel frame is also available on the SE277 ceramic hobs.



PVL6106CN

100CM, DOLCE STIL NOVO, GAS ON GLASS CERAMIC HOB, BLACK





Left: Ultra rapid burner 3.50 kW

Rear left: 1.60 kW

Front left: 1.00 kW Rear right: Rapid burner 2.40 kW

Front right: 1.00 kW

Right: Ültra rapid burner 3.50 kW

Reinforced Glass-on-steel base Schott Ceran glass Black knobs

Titanium pan stands

Blade flame burners

Automatic electronic ignition Safety valves Adaptable for LPG



OPTIONAL EXTRAS KPDSN100B

Set of Bird design pan stands

KPDSN100F

6MP1BF

Set of Fruit design pan stands




KPDSN100I Set of Insect design pan stands

KPDSN100L Set of Leaf design pan stands

000000

Set of 6 Linea controls for Blade flame hobs

78





PVL675LCN

75CM, DOLCE STIL NOVO, GAS ON GLASS CERAMIC HOB, BLACK



9

STEEL

PXL664

60CM, DOLCE STIL NOVO, GAS HOB, ST/

4 burners Front left: 1.00 kW

Rear left: Rapid burner 2.80 kW

Rear right: 1.60 kW Front right: 1.60 kW

St/steel base St/steel controls

Titanium pan stands

Blade flame burners

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

KPDSN60B Set of Bird design pan stands

KPDSN60F

KPDSN60I

Set of Fruit design pan stands



Set of Insect design pan stands



KPDSN60L

Set of Leaf design pan stands

••••• Set of 6 Linea controls for Blade flame hobs

UR

Left: Ultra rapid burner 3.50 kW Rear left: 1.60 kW Front left: 1.00 kW Rear right: Rapid burner 2.40 kW Front right: 1.00 kW

Reinforced Glass-on-steel base Schott Ceran glass Black knobs Titanium pan stands

Blade flame burners

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS



KPDSN75B

Set of Bird design pan stands KPDSN75F



KPDSN75I



Set of Insect design pan stands KPDSN75L




Set of Leaf design pan stands 6MP1BF Set of 6 Linea controls for Blade flame hobs



PXL675L St/stee








PVL664CN







PV695LCNR

90CM, DOLCE STIL NOVO, GAS ON GLASS CERAMIC HOB, BLACK, COPPER TRIM





5 burners Left Ultra rapid burner: 6.00 kW Rear centre: 1.70 kW Front centre: 1.70 kW Rear right rapid burner: 2.60 kW Front right: 1.10 kW

Reinforced Glass-on-steel base Schott Ceran glass Black knobs Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG



75CM, DOLCE STIL NOVO, GAS ON GLASS CERAMIC HOB, BLACK, ST/STEEL TRIM







Reinforced Glass-on-steel base Schott Ceran glass Black knobs Heavy duty cast iron pan stands Black burner caps

Front right: 1.10 kW

Automatic electronic ignition Safety valves Adaptable for LPG



PV664LCNX

65CM, DOLCE STIL NOVO, GAS ON GLASS CERAMIC HOB, BLACK, ST/STEEL TRIM





4 burners Left rapid burner: 3.10 kW Rear centre: 1.70 kW Front centre: 1.10 kW Right rapid burner: 2.60 kW

Reinforced Glass-on-steel base Schott Ceran glass Black knobs Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG



PV632CNR

38CM, DOLCE STIL NOVO, GAS ON GLASS CERAMIC HOB, BLACK, COPPER TRIM





2 burners

Front: 1.10 kW

Schott Ceran glass

Black burner caps

Adaptable for LPG

Black knobs

Safety valves

Rear rapid burner: 3.10 kW

Reinforced Glass-on-steel base

Heavy duty cast iron pan stands

Automatic electronic ignition



PV631CNX

38CM, DOLCE STIL NOVO, GAS ON GLASS CERAMIC HOB, BLACK, ST/STEEL TRIM










1 Ultra rapid burner: 6.00 kW

Reinforced Glass-on-steel base Schott Ceran glass Black knobs Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG













PV675CNR Copper Trim

80











SR975PGH

69CM, VICTORIA, GAS HOB, CREAM





5 burners Front left: 1.10kW Rear left: 2.60kW

Centre: Ultra Rapid Burner dual flame 3-way 5.00 kW Rear right: 1.70kW Front right: 1.70kW

Coloured enamelled base Chrome controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG




60CM, VICTORIA, GAS HOB, ST/STEEL





4 burners Front Left: 1.10kW Rear left: Ultra Rapid Burner 3.30kW Rear Right: 1.70kW Front Right: 1.70kW

St/steel base Chrome controls Heavy duty cast iron pan stands Black burner caps








SR964PGH



•







PX1402

100CM, LINEA, ULTRA-LOW PROFILE, GAS HOB, ST/STEEL





4 burners Left: Ultra rapid burner 4.20kW Centre left: 1.05kW Centre right: 1.70kW Right: Rapid burner 3.00kW

St/steel Ultra low profile base St/steel controls Heavy duty cast iron pan stands

Automatic electronic ignition Safety valves Adaptable for LPG



PX7502


74CM, LINEA, ULTRA-LOW PROFILE, GAS HOB, ST/STEEL






5 burners Front left: 1.05kW Rear left: 1.70kW Centre: Ultra rapid burner 5.00kW Rear right: Rapid burner 3.00kW Front right: 1.70kW

St/steel Ultra low profile base St/steel controls Heavy duty cast iron pan stands









72CM, LINEA, GAS ON GLASS HOB, SILVER GLASS









5 burners Front left: 1.10kW Rear left: 1.70kW Centre: Rapid burner: 3.20kW Rear right: Rapid burner 2.60kW Front right: 1.70kW

Reinforced Glass-on-steel base Steel effect controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG



PV164N2

60CM, LINEA, GAS ON GLASS HOB, BLACK GLASS












4 burners Front left: 1.70 kW Rear left: 1.70 kW Rear right: Rapid burner 3.00 kW Front right: 1.10 kW

Reinforced Glass-on-steel base Steel effect controls Heavy duty cast iron pan stands Black burner caps










PV164S2 Silver glass







PV395LCN

90CM, CLASSIC, GAS ON GLASS CERAMIC HOB, BLACK





Left: Ultra rapid burner 6.00 kW Rear centre: 1.70 kW Front centre: 1.70 kW Rear right: Rapid burner 2.60 kW Front right: 1.70 kW

Reinforced Glass-on-steel base Schott Ceran glass St/steel controls Heavy duty cast iron pan stands

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

5MP1GOG

Set of 5 Linea controls for gas-on-glass hobs









322 62,5 844-848

PV375CN

75CM, CLASSIC, GAS ON GLASS CERAMIC HOB, BLACK





5 burners Front left: 1.10 kW Rear left: 1.70 kW Central Ultra rapid burner: 4.20 kW Rear right rapid burner: 2.60 kW Front right: 1.10 kW

Reinforced Glass-on-steel base Schott Ceran glass St/steel controls Heavy duty cast iron pan stands

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

5MP1GOG

Set of 5 Linea controls for gas-on-glass hobs







PV364LCN

65CM, CLASSIC, GAS ON GLASS CERAMIC HOB, BLACK





4 burners Left rapid burner: 3.00 kW Rear centre: 1.70 kW Front centre: 1.10 kW Right rapid burner: 2.60 kW

Reinforced Glass-on-steel base Schott Ceran glass St/steel controls Heavy duty cast iron pan stands

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

5MP1GOG


Set of 5 Linea controls for gas-on-glass hobs












89



PGF96

87CM, CLASSIC, ULTRA-LOW PROFILE, GAS HOB, ST/STEEL





6 burners Front left: Ultra Rapid burner 4.20 kW

Rear left: 1.05 kW Front centre: 1.05 kW Rear centre: 1.75 kW

Front right: Ultra Rapid burner 4.20 kW

Rear right: 1.75 kW

S/steel Ultra low profile base St/steel controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

6MP1PGF

Set of 6 Linea controls for PGF hobs









PS906-5

90CM, CLASSIC, ULTRA-LOW PROFILE, GAS HOB, ST/STEEL





Left: Ultra rapid dual flame 3-way burner 5.00kW

Rear centre: Rapid burner 2.50kW Front centre: 1.05kW

Rear right: Rapid burner 2.50kW Front Right: 1.05kW

St/steel Ultra low profile base

St/steel controls Heavy duty cast iron pan stands

Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

6MP1PGF

Set of 6 Linea controls for PGF hobs












PGF95-4

87CM, CLASSIC, ULTRA-LOW PROFILE, GAS HOB, ST/STEEL





5 burners Front left: 1.75kW Rear left: 1.75kW Centre: Ultra rapid burner 3.90kW Rear right: 1.75kW Front right: 1.05kW

St/steel ultra low profile base St/steel controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

6MP1PGF

Set of 6 Linea controls for PGF hobs




















PGF75-4

72CM, CLASSIC, ULTRA-LOW PROFILE, GAS HOB, ST/STEEL





5 burners

Front left: 1.05kW Rear left: 1.75kW

Centre: Ultra rapid burner 3.90kW

Rear right: 1.75kW Front right: 1.05kW

St/Steel Ultra low profile base St/steel controls

Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

6MP1PGF

Set of 6 Linea controls for PGF hobs











62CM, CLASSIC, ULTRA-LOW PROFILE, GAS HOB, ST/STEEL





4 burners Left: Ultra rapid burner 3.90kW Front centre: 1.05kW Rear centre: 1.05kW Right: 2.50kW

St/steel Ultra low profile base St/steel controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

6MP1PGF

Set of 6 Linea controls for PGF hobs









PX375

73CM, CLASSIC, GAS HOB, ST/STEEL





5 burners Front left: 1.10kW Rear left: Rapid burner 2.60kW Centre: Ultra rapid burner 4.00kW Rear right: 1.80kW Front right: 1.80kW

St/steel base St/steel controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG


OPTIONAL EXTRAS

6MP1PX3

Set of 6 Linea controls for PX375 & PX364L hobs

PX364L

60CM, CLASSIC, GAS HOB, ST/STEEL





4 burners in "diamond" configuration Left: Ultra Rapid 3.50kW Rear centre: 1.80kW Front centre: 1.10kW Right: Rapid burner 2.60kW

St/steel base St/steel controls Heavy duty cast iron pan stands Black burner caps


Automatic electronic ignition Safety valves Adaptable for LPG


OPTIONAL EXTRAS


6MP1PX3


93

Set of 6 Linea controls for PX375 & PX364L hobs









SE97GXBE5

90CM, CLASSIC, GAS HOB, ST/STEEL





Left: Ultra rapid dual flame 3 way burner 3.90kW

Rear centre: Rapid burner 3.10kW

Front centre: 1.10kW Rear right: 1.70kW Front right: 1.70kW

St/steel base St/steel controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

SE70SGH-5

69CM, CLASSIC, GAS HOB, ST/STEEL





5 burners in "diamond" configuration Front left: 1.10kW

Rear left: Rapid burner 2.60kW

Centre: Ultra-rapid dual flame 3-way burner 5.00kW Rear right - 1.70kW Front right - 1.70kW

St/steel base St/steel controls Heavy duty cast iron pan stands

Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

SER60SGH3

60CM, CLASSIC, GAS HOB, ST/STEEL





SE60SGH3

60CM, CLASSIC, GAS HOB, ST/STEEL






4 burners in "diamond" configuration Left: Ultra Rapid burner 3.90kW Rear centre: 1.70kW Front centre: 1.10kW Right: Rapid burner 2.60kW


St/steel base St/steel controls Heavy duty cast iron pan stands Black burner caps


Automatic electronic ignition Safety valves Adaptable for LPG


4 burners in "diamond" configuration Left: Rapid burner 3.10kW Rear centre: 1.70kW Front centre: 1.10kW Right: Rapid burner 2.60kW

St/steel base St/steel controls Heavy duty cast iron pan stands Black burner caps









PGF30B

31CM, DOMINO, ULTRA-LOW PROFILE, BARBEQUE

PGF32G

31CM, DOMINO, ULTRA-LOW PROFILE, GAS HOB

PGF30F

31CM, DOMINO, ULTRA-LOW PROFILE, FRYER













St/steel Ultra low profile base St/steel controls Cast iron griddle

Nominal power: 1.80kW 13 Amp power supply required

OPTIONAL EXTRAS

LGPGF-1 Connecting strip 6MP1PGF Set of 6 Linea controls for PGF











Front: 1.05kW Rear: 2.50kW

St/steel Ultra low profile base St/steel controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

LGPGF-1 Connecting strip

6MP1PGF

Set of 6 Linea controls for PGF









Removable Tank with cold zone and emulsion zone Tank capacity: 3.6 litres

St/steel Ultra low profile base St/steel controls Residual heat Indicator

Nominal power: 2.20kW 13 Amp power supply required

OPTIONAL EXTRAS

LGPGF-1 Connecting strip

6MP1PGF

Set of 6 Linea controls for PGF













1 Ultra rapid dual flame 3 way burner 5.20kW

UR UR

PGF31G-1

PROFILE, GAS HOB

31CM, DOMINO, ULTRA-LOW

St/steel Ultra low profile base St/steel controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

LGPGF-1 Connecting strip

6MP1PGF

Set of 6 Linea controls for PGF







2 Independent temperature zones

Residual heat Indicator

Front: 1.40kW-1.80kW

Rear: 1.40kW-1.80kW

PGF30T-1

31CM, DOMINO, ULTRA-LOW

PROFILE, TEPPANYAKI

Nominal power: 3.00 kW 13 Amp power supply required

OPTIONAL EXTRAS

LGPGF-1 Connecting strip

6MP1PGF

Set of 6 Linea controls for PGF









PGF32I-1

31CM, CLASSIC, ULTRA-LOW

PROFILE, INDUCTION HOB

St/steel Ultra low profile base St/steel controls Residual heat indicator

Nominal power: 3.60 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

OPTIONAL EXTRAS

LGPGF-1 Connecting strip

6MP1PGF

Set of 6 Linea controls for PGF













NB: Please note that an extra deep worktop is required should these hobs be fitted directly above an oven.












NB: Depth of hob c.7.9cm


96



Cut-out dimensions for multiple domino hobs installed with connecting strips







SRV596GH5

89CM, CUCINA, GAS HOB, ST/STEEL





5 burners Front left: 1.10kW Rear left: Rapid burner 3.10kW Centre: Ultra rapid burner dual flame 3 way burner 5.00kW Rear right - 1.70kW Front right: 1.70kW

St/steel base "Contemporary" controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

OPTIONAL EXTRAS

6MPF2465X

Set of 6 "Cucina" silver controls











5 burners Front left: 1.10kW Rear left: Rapid burner 2.60kW Centre: Ultra rapid burner 3.90kW Rear right: 1.70kW Front right: 1.70kW

St/steel base Silver Cucina controls Heavy duty cast iron pan stands

Automatic electronic ignition

SR275XGH2

69CM, CUCINA, GAS HOB, ST/STEEL



555-560

Black burner caps

Safety valves Adaptable for LPG

SR264XGH2

60CM, CUCINA, GAS HOB, ST/STEEL





59CM, CUCINA, GAS HOB, BLACK



S64SN

S64S

59CM, CUCINA, GAS HOB, ST/STEEL



4 burners Left: Ultra rapid burner 3.90kW Rear centre: 1.70kW Front centre: 1.10kW Right: Rapid burner 2.60kW


St/steel base Silver Cucina controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG


4 burners Front left: Rapid burner 3.10kW Rear left: 1.80kW Rear right: 1.80kW Front right: 1.10kW


Coloured enamelled base Black knobs Enamelled pan stands Black burner caps


Automatic electronic ignition Safety valves Adaptable for LPG



98







P272XGH

73CM, CUCINA, GAS HOB, ST/STEEL






5 burners Front left: 1.10kW Rear left: Rapid burner 2.60kW Centre: Ultra rapid dual flame 3 way burner 4.20kW Rear right: 1.70kW Front right: 1.70kW

St/steel base Silver Cucina controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG



P261XGH

60CM, CUCINA, GAS HOB, ST/STEEL





4 burners in "diamond" configuration

Right: Rapid burner 2.60kW St/steel base

Left: Ultra rapid burner 3.50kW

Rear centre: 1.70kW

Front centre: 1.10kW

Silver Cucina controls Heavy duty cast iron pan stands Black burner caps

Automatic electronic ignition Safety valves Adaptable for LPG

P260XGH


60CM, CUCINA, GAS HOB, ST/STEEL







4 burners in "diamond" configuration Left: Rapid burner 3.10kW Rear centre: 1.70kW Front centre: 1.10kW Right: Rapid burner 2.60kW

St/steel base Silver Cucina controls Heavy duty cast iron pan stands Black burner caps







MIXED FUEL

9

MIXED FUEL

PM6912WLDX

90CM, DOLCE STIL NOVO, MIXED FUEL HOB, STRAIGHT EDGE 90CM, DOLCE STIL NOVO, MIXED FUEL HOB, STRAIGHT EDGE GLASS, BLACK, ST/STEEL TRIM GLASS, BLACK, COPPER TRIM





Left: 1 Ultra Rapid gas burner 6.00kW Heavy duty cast iron pan stand Black Ceram burner coating Automatic electronic ignition Safety valves Adaptable for LPG


4 "full power" induction zones Rear centre: Ø 180/230mm, 2.10kW-booster 3.60kW Front centre: Ø 180/230mm, 2.10kW – booster 3.60kW The two zones in the centre can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW Rear right: Ø 180/230mm, 2.10kW – booster 3.60kW Front right: Ø 180/230mm, 2.10kW – booster 3.60kW The two zones on the right can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW


Schott Ceran ceramic glass 9 power levels 4 independent boosters (P) Residual time indicator Options: Keep Warm, Pause, Simmering/Low temp, Melting End of cooking acoustic alarm Multizone option Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan size Overheating and oveflow protection system Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 7.40 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs






9

MIXED FUEL

PM6721WLDX

75CM, DOLCE STIL NOVO, MIXED FUEL HOB, STRAIGHT EDGE GLASS, BLACK, ST/STEEL TRIM





Front left: 1.10kW Rear left: Ultra rapid burner 3.30 kW Heavy duty cast iron pan stands Black Ceram burner coating Automatic electronic ignition Safety valves Adaptable for LPG

2 "full power" induction zones Rear right: Ø 180/230mm, 2.10kW - booster 3.60kW Front right: Ø 180/230mm, 2.10kW - booster

3.60kW The two zones on the right can be combined to create one multizone: Ø 230/385mm, booster 3.60kW

Schott Ceran ceramic glass 9 power levels 2 independent boosters (P) Residual time indicator Options: Keep Warm, Pause, Simmering/Low temp, Melting End of cooking acoustic alarm

Multizone option

Slider touch controls with quick level selection Auto pan recognition & adjustment to pan size Overheating and overflow protection system

Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 3.70 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs



PM6621WLDR

65CM, DOLCE STIL NOVO, MIXED FUEL HOB, STRAIGHT EDGE GLASS, BLACK, COPPER TRIM

MIXED FUEL





Front left: 1.10kW Rear left: 3.10 kW Heavy duty cast iron pan stands Black Ceram burner coating Automatic electronic ignition Safety valves Adaptable for LPG

2 independent boosters (P)

Residual time indicators

2 "full power" induction zones Rear right: Ø 180mm/230mm, 2.10kW – booster 3.60kW Front right: Ø 180mm/230mm, 2.10kW – booster 3.60kW

The two zones on the right can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW Schott Ceran ceramic glass 9 power levels


Options: Keep Warm, Pause, Simmering/Low temp, Melting


End of cooking acoustic alarm Multizone option

Slider touch controls with quick level selection Auto pan recognition & adjustment to pan size Overheating and overflow protection system Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 3.70 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitablefor induction hobs





MIXED FUEL

PM3912WLD

90CM, CLASSIC, MIXED FUEL HOB, STRAIGHT EDGE GLASS, BLACK





Left: Ultra rapid burner 6.00kW Heavy duty cast iron pan stands Black Ceram burner coating Automatic electronic ignition Safety valves Adaptable for LPG

4 "full power" induction zones

Rear centre: Ø 180/230mm, 2.10kW – booster 3.60kW Front centre: Ø 180/230mm, 2.10kW – booster 3.60kW The two zones in the centre can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Rear right: Ø 180/230mm, 2.10kW – booster 3.60kW Front right: Ø 180/230mm, 2.10kW – booster 3.60kW The two zones on the right can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Schott Ceran ceramic glass 9 nower levels 4 independent boosters (P)

Residual time indicators

Options: Keep Warm, Pause, Simmering/Low temp, Melting End of cooking acoustic alarm

Multizone option

Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan size Overheating and overflow protection system

Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 7.40 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs

OPTIONAL EXTRAS

5MP1GOG

Set of 5 Linea controls for gas-on-glass hobs










NB: Available whilst stocks last. Replacement model PM3953D, see website for specification.

104



PM3721WLD

75CM, CLASSIC, MIXED FUEL HOB, STRAIGHT EDGE GLASS, BLACK





Front left: 1.10kW Rear left: Ultra rapid burner 3.30kW Heavy duty cast iron pan stands Black Ceram burner coating Automatic electronic ignition Safety valves Adaptable for LPG

2 "full power" induction zones Rear right: Ø 180/230mm, 2.10kW – booster 3.60kW Front right: Ø 180/230mm, 2.10kW – booster 3.60kW

The two zones on the right can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Schott Ceran ceramic glass

9 power levels

2 independent boosters (P)

Residual time indicators

Options: Keep Warm, Pause, Simmer/Low temp, Melting End of cooking acoustic alarm

Multizone option

Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan size Overheating and overflow protection system Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 3.70 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs

OPTIONAL EXTRAS

5MP1GOG

Set of 5 Linea controls for gas-on-glass hobs










NB: Available whilst stocks last. Replacement model PM3743D see website for specification.



PM3621WLD

65CM, CLASSIC, MIXED FUEL HOB, STRAIGHT EDGE GLASS, BLACK





Front left: 1.10kW Rear left: Rapid burner 3.10kW Heavy duty cast iron pan stands Black Ceram burner coating Automatic electronic ignition Safety valves Adaptable for LPG

2 "full power" induction zones Rear right: Ø 180mm, 2.10kW – booster 3.60kW Front right: Ø 180mm, 2.10kW – booster 3.60kW The two zones on the right can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Schott Ceran ceramic glass 9 power levels 2 independent boosters (P) Residual time indicator

Options: Keep Warm, Pause, Simmering/Low temp, Melting

End of cooking acoustic alarm

Multizone option

Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan size Overheating and overflow protection system Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 3.70 kW Supply can vary depending on usage, please consult

a qualified electrician for ampere requirement

OPTION 5MP1GOG


Set of 5 Linea controls for gas-on-glass hobs













HOB IN HOOD



EDGE GLASS, BLACK

HOB IN HOOD

HOBD682R

80CM, DOLCE STIL NOVO, INDUCTION HOB WITH INTEGRATED HOOD, STRAIGHT EDGE GLASS, BLACK & COPPER TRIM







4 "full power" induction zones Front left: Ø 185/220mm, 2.1kW - booster 3.7kW Rear left: Ø 185/220mm, 2.1kW - booster 3.7kW The two zones on the left can be combined to create one

Multizone: Ø 230/385mm, booster 3.70kW
Rear right: Ø 185/220mm, 2.1kW - booster 3.7kW
Front right: Ø 185/220mm, 2.1kW - booster 3.7kW

The two zones on the right can be combined to create one Multizone: Ø 230/385mm, booster 3.70kW

Schott ceramic glass

9 power levels

4 independent boosters (P)

Quick start

Options: Keep Warm, Pause, Simmering/Low temp, Melting Auto vent infrared connection

End of cooking acoustic alarm

Multizone bridge option

Slider touch controls with quick level selection

Smart Auto-pot recognition

Auto pan recognition & adjustment to pan size Overheating and overflow protection system Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 7.55kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs

1 high performance motor, 220W White LED touch display

8 speeds, plus 2 intensive

1 stainless steel grease filter (dishwasher safe)

Filter replacement indicator

Auto vent infrared connection

Completely flush cast iron vent Brushless and Aquaproof Eco engine A++

Fluid dynamic efficiency class: A Grease filtering efficiency class: B Lighting efficiency class: N/A


OPTIONAL EXTRAS

KITEHOBD

Vent kit

KITF6HOBD


Recirculation kit containing ceramic filter, st/steel vent and flat channel duct



80CM, INDUCTION HOB WITH INTEGRATED HOOD, STRAIGHT

No. of speeds	I	II	III	IIII	٧	VI
Extraction rate IEC 61591 m³/h	145	155	200	270	300	340
Noise level IEC 60704-2-13 dB(A)	42	46	49	55	58	59

No. of speeds	VII	VIII	INT1	INT2
Extraction rate IEC 61591 m³/h	420	500	620	710
Noise level IEC 60704-2-13 dB(A)	64	66	74	78








90CM, DOLCE STIL NOVO, MULTIZONE INDUCTION HOB, STRAIGHT EDGE GLASS, BLACK, COPPER TRIM





6 "full power" induction cooking zones Front left − Ø 180/230mm, 2.10kW, booster 3.60kW Rear left − Ø 180/230mm, 2.10kW, booster 3.60kW

The two zones on the left can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Front centre - Ø 180/230mm, 2.10kW, booster 3.60 kW Rear centre - Ø 180/230mm, 2.10kW, booster 3.60kW

The two zones in the centre can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Front right – Ø 180/230mm, 2.10kW, booster 3.60kW Rear right – Ø 180/230mm, 2.10kW, booster 3.60kW

The two zones on the right can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Schott Ceran glass

9 power levels 6 independent boosters (P)

Visual display to show power level/residual heat/countdown cooking time

Residual time indicators

Options: Keep Warm, Pause, Simmer/Low temp, Melting End of cooking acoustic alarm

Multizone option

Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan size Overheating and overflow protection system Protection against accidental start up

Child safety lock, Automatic safety cut-out

Nominal power: 10.80 kW


Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs



SIM693WLDX







SIM662WLDX

60CM, DOLCE STIL NOVO, MULTIZONE INDUCTION HOB. STRAIGHT EDGE GLASS. BLACK, ST/STEEL TRIM





4 "full power" induction zones Front Left: Ø 180/230mm, 2.10kW – booster 3.60kW Rear left: Ø 180/230mm, 2.10kW booster 3.60kW

The two zones on the left can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Rear right: Ø 180/230mm, 2.10kW booster 3.60kW Front right: Ø 180/230mm, 2.10kWbooster 3.60kW

The two zones on the right can be combined to create one Multizone: Ø 230/385mm, booster 3.60kW

Schott Ceran glass 9 power levels 4 independent boosters (P) Visual display to show power level/residual heat/countdown cooking time Individual timers for each zone Options: Keep Warm, Pause, Simmering/ Low temp, Melting

End of cooking acoustic alarm

Multizone option Slider touch controls with quick level selection Auto pan recognition & adjustment to pan


Overheating and overflow protection system Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 7.20 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement



SIM662WLDR







SI964PM

60CM, VICTORIA, INDUCTION HOB, CREAM FRAME



P P NEW NEW

4 "full power" induction zones Front left: Ø 230mm, 2.3kW - booster 3.0kW Rear left: Ø 160mm, 1.3kW - booster 1.4kW Rear right: Ø 230mm, 2.3kW - booster 3.0kW Front right: Ø 160mm, 1.3kW - booster 1.4kW

Coloured enamelled base Chrome controls 9 power levels 4 independent boosters (P) Visual display to show power level/ residual heat/ countdown cooking time Quick start Auto pan recognition & adjustment to pan size Overheating protection system

Nominal power: 7.40kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirements

Protection against accidental start up

Child safety lock, Automatic safety cut-out

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs



SI964XM

60CM, VICTORIA, INDUCTION HOB, ST/STEEL FRAME






SI964NM

60CM, VICTORIA, INDUCTION HOB, BLACK FRAME





SI1F7955B

90CM, INTUITIVE SLIDER TOUCH CONTROL FLEXI4ZONE INDUCTION HOB, ANGELED EDGE GLASS ON FRONT, BLACK

FLEXI4ZONE & AUTO-VENT





5 "full power" induction zones Front Left: Ø 220mm, 2.3kW – booster 3.2kW Rear Left Ø 220mm, 2.3kW – booster 3.2kW

The two zones on the left can be combined to create one Flexi4zone: Ø 214/459mm, booster 3.20kW

Centre: \emptyset 180/280mm, 1.80/2.8kW – booster 3.5/3.7kW Front right: Ø 145mm, 1.4kW – booster 2.5kW Rear right: Ø 210mm, 2.3kW – booster 3.2kW

Schott Ceran glass 14 power levels 5 independent boosters (P) Individual timers for each zone Auto-vent infrared connection End of cooking acoustic alarm Flexi4zone with Flexi-heat Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan size Overheating and overflow protection system
Child safety lock, Automatic safety cut-out

Nominal power: 11.00kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs

NB: A selection of hoods in our range are available to work with Auto-vent hobs.

SI2M7953DW

90CM, INTUITVE SLIDER TOUCH CONTROL MULTIZONE

INDUCTION HOB, STRAIGHT EDGE GLASS, WHITE





5 "full power" induction zones

Front left: Ø 210mm, 2.3kW - booster 3.20kW Rear left: Ø 210mm, 2.3kW - booster 3.20kW

The two zones on the left can be combined to create one Multizone: Ø 195/392mm, booster 3.20kW

Central: Ø 180/280mm, 1.8/2.8kW - booster 3.5/3.7kW Front right: Ø 210mm, 2.3kW - booster 3.20kW

Rear right: Ø 210mm, 2.3kW - booster 3.20kW The two zones on the right can be combined to create one Multizone: Ø 195/392mm, booster 3.20kW

Schott Ceran glass

14 power levels

5 independent boosters (P)

Individual timers for each zone End of cooking acoustic alarm

Multizone option


Slider touch controsl with quick level selection


Auto pan recognition & adjustment to pan size Overheating and overflow protection system
Child safety lock, Automatic safety cut-out

Nominal power: 7.35kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs





AUTO-VENT

SI5952B

90CM, TOUCH COUNTROL INDUCTION HOB, ANGLED EDGE GLASS, BLACK



90CM, INTUITVE SLIDER TOUCH CONTROL MULTIZONE

INDUCTION HOB, STRAIGHT EDGE GLASS, BLACK





5 "full power" induction zones Front Left: Ø 210mm, 2.3kW – booster 3.2kW

Rear Left Ø 210mm, 2.3kW – booster 3.2kW The two zones on the left can be combined to create one

Multizone: Ø 195/392mm, booster 3.20kW Centre: Ø 180/280mm, 1.80/2.8kW – booster 3.5/3.7kW Front right: Ø 21 cm, 2.30 kW, 3.20 kW

Rear right: Ø 21 cm, 2.30 kW, 3.20 kW

The two zones on the right can be combined to create one Multizone: Ø 195/392mm, booster 3.20kW

Schott Ceran glass

14 power levels

5 independent boosters (P)

Individual timers for each zone

Auto-vent infrared connection

End of cooking acoustic alarm

Multizone option

Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan size Overheating and overflow protection system Child safety lock, Automatic safety cut-out

Nominal power: 7.35 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs

NB: A selection of hoods in our range are available to work with Auto-vent hobs.





5 "full power" induction zones

Front left: Ø 145mm, 1.4kW – booster 2.2kW Rear left: Ø 180mm, 1.85kW – booster 3.0kW Centre: Ø 270mm, 3.0kW -booster 3.7kW Rear right: Ø 210mm, 2.3kW – booster 3.7kW Front right: Ø 145mm, 1.4kW – booster 2.2kW

Schott Ceran glass

9 power levels

5 independent boosters (P)

Visual display to show power level/residual heat/countdown

Individual timers for each zone

Options: Keep Warm, Simmering/Low temp, Melting

End of cooking acoustic alarm

Auto pan recognition & adjustment to pan size

Overheating and overflow protection system


Protection against accidental start up

Child safety lock, Automatic safety cut-out

Nominal power: 7.40 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement


NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs



SIH7933B

90CM, INTUITVE SLIDER TOUCH CONTROL INDUCTION HOB, ANGELED EDGE GLASS ON FRONT, BLACK





3 "full power" induction zones Front left: Ø 210mm, 2.30kW-booster 3.20kW Centre: Ø 210mm, 2.30kW-booster 3.20kW Front left: Ø 210mm, 2.30kW- booster 3.20kW

Schott Ceran glass 14 power levels

3 independent booster (P)

Individual timers for each zone

Auto-vent infrared connection

End of cooking acoustic alarm

Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan size Overheating and overflow protection system Child safety lock, Automatic safety cut-out

Nominal power: 6.80 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs

NB: A selection of hoods in our range are available to work with Auto-vent hobs.

SI3842B

AUTO-VENT

77CM, TOUCH CONTROL INDUCTION HOB, ANGLED EDGE GLASS, BLACK





4 "full power" induction zones Front left: Ø 280mm, 2.60kW- booster 3.70kW Rear left: Ø 145mm, 1.4kW- booster 2.2kW Rear right: Ø 180mm, 1.80kW-booster 3.00kW Front right: Ø 180mm, 1.80kW-booster 3.00kW

Schott Ceran glass

9 power levels

4 independent boosters (P)

Visual display to show power level/ residual heat/ countdown cooking time

Individual timers for each zone

End of cooking acoustic alarm

Auto pan recognition & adjustment to pan size Overheating and overflow protection system


Protection against accidental start up


Child safety lock, Automatic safety cut-out

Nominal power: 7.40 kW

Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs






SI2M7643DW

60CM, INTUITIVE SLIDER TOUCH CONTROL INDUCTION HOB. STRAIGHT EDGE GLASS.





4 "full power" induction zones Front left: Ø 210mm, 2.3kW - booster

Rear left: Ø 210mm, 2.3kW - booster 3 2kW

The two zones on the left can be combined to create one Multizone: Ø 195/392mm, booster 3.20kW

Front right: Ø 210mm, 2.3kW - booster 3 2kW Rear right: Ø 210mm, 2.3kW - booster

The two zones on the right can be combined to create one Multizone: Ø 195/392mm, booster 3.20kW

Schott Ceran glass 14 power levels 4 independent boosters (P) Individual timers for each zone End of cooking acoustic alarm Multizone option

Slider touch controls with quick level selection

Auto pan recognition & adjustment to pan

Overheating and overflow protection system Child safety lock, Automatic safety cut-out

Nominal power: 7.20kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs



SI2M7643B

60CM, INTUITIVE SLIDER TOUCH CONTROL INDUCTION HOB. ANGELED EDGE GLASS ON FRONT, BLACK

AUTO-VENT





4 "full power" induction zones Front left: Ø 210mm, 2.3kW – booster Rear left Ø 210mm, 2.3kW – booster 3 2kW

The two zones on the left can be combined to create one Multizone: Ø 195/392mm, booster 3.20kW

Front right: Ø 210mm, 2.3kW - booster 3 2kW Rear right: Ø 210mm, 2.3kW – booster

3.2kW The two zones on the right can be combined to create one Multizone: Ø 195/392mm, booster 3.20kW


Schott Ceran glass 14 power levels 4 independent boosters (P) Individual timers for each zone Auto-vent infrared connection End of cooking acoustic alarm Multizone option Slider touch controls with quick level selection Auto pan recognition & adjustment to pan


Overheating and overflow protection system Child safety lock, Automatic safety cut-out

Nominal power: 7.20 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs

NB: A selection of hoods in our range are available to work with Auto-vent hobs.





114

SI4642B

60CM, TOUCH CONTROL INDUCTION HOB. ANGLED EDGE GLASS, BLACK





4 "full power" induction zones Front left: Ø 210mm, 2.3kW - booster Rear left: Ø 160mm, 1.85kW - booster 2 1kW

Rear right: Ø 210mm, 2.3kW - booster 3.0kW Front right: Ø 160mm, 1.85kW - booster

2.1kW

Schott Ceran glass

9 power levels 4 independent boosters (P) Visual display to show power level/residual heat/ countdown cooking time Individual timers for each zone Options: Keep Warm, Pause End of cooking acoustic alarm Compact Slider control with quick level selection


Auto pan recognition & adjustment to pan size Permanent auto pot detection min Ø 7cm Overheating protection system Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 7.4kW Supply can vary depending on usage, please consult a qualified electrician for ampere

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs




SI4642D Straight edge glass



SI2641D

60CM, TOUCH CONTROL INDUCTION HOB, STRAIGHT EDGE GLASS, BLACK





4 "full power" induction zones Front left: Ø 210mm, 1.85kW - booster 2.1 kW Rear left: Ø 150mm, 1.4kW - booster 1.6 kW Rear right: Ø 210mm, 1.85kW - booster 2.1 kW Front right: Ø 150mm, 1.4kW - booster 1.6 kW

Ceramic glass 9 power levels 4 independent boosters (P) Visual display to show power level/residual heat/ countdown cooking time Individual timers for each zone End of cooking acoustic alarm Digi touch control Auto pan recognition & adjustment to pan

size Auto-stop when no pan Overheating protection system Protection against accidental start up Child safety lock, Automatic safety cut-out

Nominal power: 7.20 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs

SI5322B

30CM, TOUCH CONTROL INDUCTION HOB, ANGLED EDGE GLASS, BLACK






2 "full power" induction zones Front: Ø 160mm, 1.3kW – booster 1.4kW Rear: Ø 210mm, 2.3kW – booster 3.0kW

Schott Ceran glass 9 power levels 2 independent boosters (P) Visual display to show power level/residual heat/countdown cooking time Individual timers for each zone Quick start End of cooking acoustic alarm Auto pan recognition & adjustment to pan Auto-stop when no pan Overheating protection system Protection against accidental start up

Nominal power: 3.60 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

Child safety lock, Automatic safety cut-out

NB: Only pans with a ferrous (magnetic) base are suitable for induction hobs



SE395ETB


90CM, TOUCH CONTROL CERAMIC HOB, ANGLED EDGE GLASS, BLACK



5 high-light radiant zones Front left dual zone: Ø124/184mm, 0.80/2.00 kW Rear left: Ø148mm, 1.20 kW Centre: Ø150/216/288mm, 1.05/1.95/2.70kW Rear right: Ø199mm, 2.00kW Front right: Ø148mm, 1.20 kW

Schott Ceran glass
9 power levels
5 independent boosters (P)
Visual display to show power level/ residual heat/ countdown cooking time
Individual timers for each zone
Quick start
Keep Warm
End of cooking acoustic alarm
Overheating protection system
Overheating and overflow protection system
Child safety lock, Automatic safety cut-out

Nominal power: 9.10 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement





SE385EMTB

77CM, TOUCH CONTROL CERAMIC HOB, ANGLED EDGE GLASS, BLACK





5 high-light radiant zones Front left zone: Ø184mm, 1.80 kW Rear left: Ø148mm, 1.20 kW Centre: Ø170/265mm, 1.40/2.20kW Rear right dual zone: Ø148/214mm, 1.00/2.20kW Front right: Ø148mm, 1.20 kW

Schott Ceran glass 9 power levels 5 independent boosters (P) Visual display to show power level/residual heat/countdown cooking time Individual timers for each zone Quick start Keep Warm End of cooking acoustic alarm Overheating protection system Overheating and overflow protection system Child safety lock, Automatic safety cut-out

Nominal power: 8.60 kW Supply can vary depending on usage, please consult a qualified electrician for ampere requirement

SE364TD

60CM, TOUCH CONTROL CERAMIC HOB, STRAIGHT EDGE GLASS, BLACK





4 high-light radiant zones Front left: Ø184mm, 1.80 kW Rear left: Ø148mm, 1.20 kW Rear right: Ø184mm, 1.80 kW Front right: Ø148mm, 1.20 kW

Schott Ceran glass 9 power levels 4 independent boosters (P) Visual display to show power level/residual heat/ countdown cooking time Individual timers for each zone Quick start Keep Warm End of cooking acoustic alarm Overheating protection system Overheating and overflow protection system Child safety lock, Automatic safety cut-out

Nominal power: 6.00 kW Supply can vary depending on usage, please consult a qualified electrician for amphere requirement

SE364TDM


60CM, CUCINA CONTROL, CERAMIC HOB. STRAIGHT EDGE GLASS, BLACK





SE332EB

1-4



30CM, TOUCH CONTROL CERAMIC HOB,

ANGLED EDGE GLASS, BLACK

Schott Ceran glass Silver Cucina controls 6 power levels Residual heat indicator Overheating protection system Automatic safety cut-out_

Nominal power: 6.00 kW Supply can vary depending on usage, please consult a qualified electrician for amphere requirement

4 high-light radiant zones Front left: Ø184mm, 1.80 kW


Rear left: Ø148mm, 1.20 kW


Rear right: Ø184mm, 1.80 kW Front right: Ø148mm, 1.20 kW


2 high-light radiant zones Front centre: Ø148mm, 1.20 kW Rear centre: Ø124/184mm, 0.7/1.70 kW

Schott Ceran glass 9 power levels 2 independent boosters (P) Visual display to show power level/residual heat/ countdown cooking time Quick start Keep Warm Overheating protection system Overheating and overflow protection system Child safety lock, Automatic safety cut-out

Nominal power: 2.9kW 13 Amp power supply required








HOODS

Hoods play an important role in the kitchen, both aesthetic and functional. Designed to offer the best combination of style and functionality, Smeg hoods reflect the elegance of all Smeg aesthetic lines.

VERSATILE RANGE

Smeg hoods are available in a variety of finishes and styles, from the colourful 50's Retro hoods to the elegant and ergonomic Classic style, designed to co-ordinate with your Smeg oven and hob and make a real style statement in the kitchen.

The Smeg hood range includes chimney, island, integrated hoods and downdraft extractors, providing an array of options to choose from depending on your kitchen design and requirements.







DOLCE STIL NOVO

VICTORIA

LINEA



RETRO

CLASSIC

UNIVERSAL



CHIMNEY



ISLAND



INTEGRATED



DOWNDRAFT

The Smeg range includes a number of hoods which can improve your time within the kitchen, with helpful features and clever technology.

124



DOMINO HOOD

The KDH12WLD domino hood can be installed between two domino hobs or alternatively can be placed at the end of a larger hob depending on its size. Once cooking begins, the fumes are drawn directy from the cookware down into the hood.

It can be placed between gas, induction or mixed fuel hobs within the range providing great flexibility.



AUTO-VENT

Smart Infrared technology has been used to connect hobs and hoods with Auto-vent so that they work seamlessly together.

Once cooking begins, the fan speed of the hood automatically adjusts according to the temperature and power selected on the hob. The hood will continue to automatically regulate the fan speed as required, depending on the cooking activities.

A selection of induction hobs in the Smeg range work with Auto-vent hoods.



FEATURES AT A GLANCE

At the design stage, attention to detail in terms of style is combined with technical development which ensures that Smeg hoods will operate as quietly as possible, whilst achieving excellent extraction performances.



All Smeg hoods now include energy efficient LED lights. These lights are long lasting, save money and perfectly illuminate the work surface below. They can be switched on regardless of the fans, and used simply to create ambience lighting in the kitchen.

A large number of hoods in the range have an energy efficiency class of A+.



AUTOMATIC SWITCH-OFF

A special setting switches off both the extraction and the lights, after a predefined time, during which the hood keeps on puritying the air until it turns off automatically.



available when extra fast extraction is required.



WARNING LIGHTS

Intensive/Turbo setting is Warning lights let you know when filters need to be changed.


Smeg hoods can operate in either a ducted or recirculation mode. The best extraction performance is achieved in the ducted mode, the preferred choice wherever possible. If however, you have further than 3mts to get to an outside wall then it is recommended to recirculate instead.



DUCTED HOOD

Extracts the cooking fumes and expels them outside, using a vent kit (available as an accessory). The diameter of the ducting hose should match the vent outlet of the hood.

Further information on vent kits can be found in the Glossary section.



RECIRCULATED HOOD

Extracts the cooking fumes and passes them through active charcoal filters (available as an accessory), recirculating the cleaned air back into the room.



KSVV90NRA

90CM, DOLCE STIL NOVO, ANGLED CHIMNEY HOOD, BLACK GLASS & COPPER TRIM



90CM, DOLCE STIL NOVO, ANGLED CHIMNEY HOOD, BLACK GLASS & ST/STEEL TRIM







No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	345	460	600	770
Noise level IEC 60704-2- 13 dB(A)	48	55	61	68

1 high performance motor, 280 W Touch controls

Perimeter extraction

Perimeter extraction

3 speeds, plus Intensive

2 x 1/W LED lights

2 st/steel grease filters (dishwasher safe)

Charcoal filters included

Internal re-circulation possible

Vent outlet ∅ 150 mm Nominal power: 283 W


Min clearance required when installing above electric hobs: 550mm Min clearance required when installing above gas hobs: 600mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6

Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT Aesthetic chimney extension: KITCMNDSBL







DOWNDRAFT

KSDD90VN-2

90CM, DOLCE STIL NOVO, ISLAND DOWNDRAFT HOOD, ST/STEEL & BLACK GLASS











No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	230	322	500	730
Noise level IEC 60704-2- 13 dB(A)	42	50	59	66

1 high performance motor, 285 W

Perimeter extraction

3 speeds, plus Intensive

1 x 6 W strip LED lights

2 St/steel grease filters Internal re-circulation possible

Remote control included Vent outlet \varnothing 150 mm Nominal power: 292 W

Fluid dynamic efficiency class: A Grease filtering efficiency class: G Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLTDSN90 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

Frame kit black glass or st/steel (top piece of glass) for flush installation:

128


KITKDSNBG

Frame kit black glass with Copper trim (top piece of glass) for flat

installation: KITKDSNRA

Frame kit black glass with Steel trim (top piece of glass) for flat

installation: KITKDSNX





KSG74B

72CM, DOLCE STIL NOVO INTEGRATED HOOD, ST/STEEL & WHITE GLASS














1 high performance motor, 235 W Electronic controls Perimeter extraction 3 speeds, plus Intensive 2 x 1W LED lights
Internal re-circulation possible
Vent outlet Ø 150 mm Nominal Power: 238 W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: B Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLTGA90 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

Remote control: RCGA



KSG52B

52CM, DOLCE STIL NOVO INTEGRATED HOOD, ST/STEEL & WHITE GLASS









T.I	
ווב	

No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m ³ /h	260	350	460	630
Noise level IEC 60704-2- 13 dB(A)	49	57	64	70


1 high performance motor, $235~\mathrm{W}$ Electronic controls Perimeter extraction 3 speeds, plus Intensive 2 x 1W LED lights Internal re-circulation possible Vent outlet Ø 150 mm Nominal Power: 238 W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: B Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLTGA60 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT Remote control: RCGA






110CM, VICTORIA, CHIMNEY HOOD, BLACK







1 high performance motor, 275W2 controls

3 speeds, plus intensive (10 min) 2 x 1W LED lights

4 aluminium grease filters Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 278 W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: D Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KTR110XE

110CM, VICTORIA, CHIMNEY HOOD, ST/STEEL






KT110PE

110CM, VICTORIA, CHIMNEY HOOD, GLOSS CREAM





130



KT100PE

100CM, VICTORIA, CHIMNEY HOOD, CREAM





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	334	424	606	787
Noise level IEC 60704-2- 13 dB(A)	51	58	64	73

1 high performance motor, $275~\mathrm{W}$

2 controls

3 speeds, plus Intensive

2 x 2W LED lights

3 aluminium grease filters Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 277 W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT



KT100BLE







KTR90XE

90CM, VICTORIA, CHIMNEY HOOD, ST/STEEL





رآی	-`\\
$\overline{}$	

No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	334	439	567	<i>7</i> 88
Noise level IEC 60704-2- 13 dB(A)	49	57	61	69

1 high performance motor, $275~\mathrm{W}$

2 controls

3 speeds, plus Intensive
2 x 1W LED lights
3 aluminium grease filters
Internal re-circulation possible
Vent outlet Ø 150 mm

Nominal power: 278 W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT



КТ90РЕ Gloss Cream 9







KS905SXE2


90CM, LINEA, CHIMNEY HOOD, ST/STEEL & SILVER GLASS



60CM, LINEA, CHIMNEY HOOD, ST/STEEL & SILVER GLASS







1 high performance motor, $275~\mathrm{W}$

Touch controls

3 speeds, plus Intensive

2 x 1W LED lights

3 aluminium grease filters Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 278 W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFC906 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



В	###	LED	(Î)	<u>:0;-</u>	(9
---	-----	-----	-----	-------------	----------	---

No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	303	401	530	777
Noise level IEC 60704-2- 13 dB(A)	50	61	63	70

1 high performance motor, $275~\mathrm{W}$

Touch controls

3 speeds, plus Intensive 2 x 1 W LED lights

2 aluminium grease filters Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 278 W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class: B Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFC906 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT







KCV9NE2

90CM, LINEA, ANGLED CHIMNEY HOOD, ST/STEEL & BLACK GLASS





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	218	322	600	734
Noise level IEC 60704-2- 13 dB(A)	42	63	65	70

1 high performance motor, 275 W

Touch controls

Perimeter extraction

3 speeds, plus Intensive

2 x 1W LED lights
1 st/steel grease filter (dishwasher safe)
Filter cleaning/replacement indicator

Internal re-circulation possible
Vent outlet Ø 150 mm Nominal power: 278 W


Min clearance required when installing above electric hobs: 467mm Min clearance required when installing above gas hobs: 467mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: G Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFC906 Filter/recirculation kit: KITFTS Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KCV80SE2

80CM, ANGLED CHIMNEY HOOD, SILVER GLASS





No. of speeds Ш INT Extraction rate IEC 61591 310 420 580 720 Noise level IEC 60704-2-52 56 62 65 13 dB(A)

1 high performance motor, 270W Touch controls Perimeter extraction 3 speeds, plus intensive 2 x 1W LED lights 2 aluminium grease filters Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 272 W

Min clearance required when installing above electric hobs: $450 \mathrm{mm}$ Min clearance required when installing above gas hobs: 450mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: F Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: KITFC152 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT



KCV80NE2

NB: Available whilst stocks last. Replacement model KV28N/S, see website for specification.



KCV60NE2

60CM, ANGLED CHIMNEY HOOD, BLACK GLASS



A ⁺	###	رآی	-Ö-		<i>j</i>
-----------------------	-----	-----	-----	--	----------

No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	310	420	580	720
Noise level IEC 60704-2- 13 dB(A)	52	56	62	65

1 high performance motor, 270 W Touch controls

Perimeter extraction 3 speeds plus Intensive

2 x 1W LED lights 2 aluminium grease filters

Internal re-circulation possible Vent outlet Ø 150 mm Nominal power: 272 W

Min clearance required when installing above electric hobs: 450mm Min clearance required when installing above gas hobs: 450mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: F Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFC152 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT



KCV60SE2

NB: Available whilst stocks last. Replacement model KV26N/S, see website for specification.



KFAB75BL

75CM, 50'S RETO STYLE, ANGLED CHIMNEY HOOD, BLACK





No. of speeds Ш INT Extraction rate IEC 61591 333 477 797 649 Noise level IEC 60704-2-50 59 67 72 13 dB(A)

RECIRCULATION MODE ONLY

1 high performance motor, 275W

Electronic buttons 3 speeds, plus intensive

2 x 1W LED lights

3 st/steel grease filters (dishwasher safe) Charcoal filters included

Filter cleaning/replacement indicator

Internal re-circulation possible

Remote control included

Nominal power: 282W Cover slides up when in use

Coordinates well with 50's Retro style

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: E Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: FLTSI

Chimney extension kits can be purchased for aesthetic reasons only.

Aesthetic chimney extension kit for KFAB75BL: KITCMNFABBL

Aesthetic chimney extension kit for KFAB75CR: KITCMNFABCR



NB: Technical drawing with chimney extension

KFAB75CR

75CM, 50'S RETO STYLE, ANGLED CHIMNEY HOOD, CREAM





KFAB75UJ

75CM, 50'S RETO STYLE, ANGLED CHIMNEY HOOD, UNION JACK



NB: Available whilst stocks last





NB: Technical drawing without chimney extension

KD150HXE

150CM, OPERA, CHIMNEY HOOD, ST/STEEL





No. of speeds	ı	II	III	INT
Extraction rate IEC 61591 m³/h	292	415	626	787
Noise level IEC 60704-2- 13 dB(A)	49	58	67	72

- 1 high performance motor, 275W
- 2 controls
- 3 speeds, plus intensive
- 4 x 1W LED lights
- 5 st/steel grease filters (dishwasher safe)
 Internal re-circulation possible
 Vent outlet Ø 150 mm

Nominal power: 279W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: D Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

KD120HXE

120CM, OPERA, CHIMNEY HOOD, ST/STEEL





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	287	389	606	777
Noise level IEC 60704-2- 13 dB(A)	49	58	67	73

- 1 high performance motor, 275W
- 2 controls
- 3 speeds, plus intensive (10 min) 4 x 4W LED lights
- 4 st/steel grease filters (dishwasher safe)
 Internal re-circulation possible
 Vent outlet Ø 150 mm

Nominal power: 179 W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class: A Grease filtering efficiency class: D Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT





KD100HXE

100CM, OPERA, CHIMNEY HOOD, ST/STEEL





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	297	431	639	792
Noise level IEC 60704-2- 13 dB(A)	49	58	67	72

- 1 high performance motor, 275W
- 2 controls
- 3 speeds, plus intensive
- 2 x 1W LED lights
 3 st/steel grease filters (dishwasher safe)
 Internal re-circulation possible
 Vent outlet Ø 150 mm

Nominal power: 277W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: D Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KD100HNE gloss black



KD90HXE

90CM, OPERA, CHIMNEY HOOD, ST/STEEL





No. of speeds	I	Ш	III	INT
Extraction rate IEC 61591 m³/h	288	421	630	<i>7</i> 81
Noise level IEC 60704-2- 13 dB(A)	48	63	67	72

- 1 high performance motor, 275 W
- 2 controls
- 3 speeds, plus intensive
- 2 x 1W LED lights
- 3 st/steel grease filters (dishwasher safe) Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 277 W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KS110BLE

110CM, "SYMPHONY" CHIMNEY HOOD, GLOSS BLACK

KS110XE

110CM, "SYMPHONY" CHIMNEY HOOD, ST/STEEL







No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m ³ /h	295	395	513	702
Noise level IEC 60704-2- 13 dB(A)	51	58	64	72

1 high performance motor, 275W

Electronic controls

Automatic switch off (10 minute timer) for each speed

3 speeds, plus intensive (10 min)

2 x 1W LED lights

3 aluminium grease filters

Filter cleaning/replacement indicator

Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 278 W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: B Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT4 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KICT90BL

90CM, CHIMNEY HOOD WITH AUTO-VENT, ST/STEEL & BLACK GLASS





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	300	420	580	700
Noise level IEC 60704-2- 13 dB(A)	52	59	66	69

1 high performance motor, 270W

Touch controls

Auto-vent

3 speeds, plus intensive

2 x 1W LED lights
3 st/steel grease filters (dishwasher safe)
Filter cleaning/replacement indicator

Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 272 W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS Charcoal filter: KITFC161

Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

NB: A selection of induction hobs in our range are available to work with Auto-vent hoods.







AUTO-VENT

Infrared technology is used to connect hobs and hoods with Auto-vent so that they work seamlessly together. Once cooking begins, the fan speed of the hood automatically adjusts according to the temperature and power selected on the hob. The hood will continue to automatically regulate the fan speed as required, depending on the cooking activities.

KBT1200XE

120CM, CHIMNEY HOOD, ST/STEEL







No. of speeds

Extraction rate IEC 61591







360

54

265

INT

713

71

Ш

480

62



Filter cleaning/replacement indicator Internal re-circulation possible Vent outlet Ø 150 mm Nominal power: 230W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFCKBT Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT

KBT900XE

90CM, CHIMNEY HOOD, ST/STEEL



	EW
--	----

No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m ³ /h	265	360	480	713
Noise level IEC 60704-2- 13 dB(A)	47	55	62	72

1 high performance motor 233W Electronic buttons 3 speeds, plus intensive 2 x 1.3W LED lights 3 aluminium grease filters
Filter cleaning/replacement indicator
Internal re-circulation possible

Vent outlet Ø 150 mm Nominal power: 230W


Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFCKBT Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT





KBT700XE

70CM, CHIMNEY HOOD, ST/STEEL





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	265	360	480	713
Noise level IEC 60704-2- 13 dB(A)	46	54	62	71

1 high performance motor 230W Electronic buttons 3 speeds, plus intensive 2 x 1.3W LED lights 3 aluminium grease filters Filter cleaning/replacement indicator Internal re-circulation possible Vent outlet Ø 150 mm Nominal power: 230W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFCKBT Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT KBT600XE

60CM, CHIMNEY HOOD, ST/STEEL











No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m ³ /h	265	360	480	<i>7</i> 13
Noise level IEC 60704-2- 13 dB(A)	46	54	62	71

1 high performance motor 230W Electronic buttons 3 speeds plus, intensive 2 x 1.3W LED lights 2 aluminium grease filters Filter cleaning/replacement indicator Internal re-circulation possible

Vent outlet Ø 150 mm Nominal power: 230W


Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFCKBT Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT





KICV90BL

90CM, ANGLED CHIMNEY HOOD WITH AUTO-VENT, BLACK





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	310	420	580	720
Noise level IEC 60704-2- 13 dB(A)	52	56	62	65

1 high performance motor, 270W Touch controls

Auto-vent Perimeter extraction 3 speeds, plus intensive 2 x 1W LED lights 2 aluminium grease filters Filter cleaning/replacement indicator Internal re-circulation possible Vent outlet Ø 150 mm Nominal power: 272 W

Min clearance required when installing above electric hobs: 450mm Min clearance required when installing above gas hobs: 450mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: F Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: KITFC152 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

NB: A selection of induction hobs in our range are available to work with Auto-vent hoods.

142



KFV92DE

90CM, CHIMNEY HOOD, ST/STEEL & CLEAR GLASS





No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	290	400	560
Noise level IEC 60704-2-13 dB(A)	52	59	67

1 high performance motor, 270 W Push button controls 3 speeds 2 x 1W LED lights 1 aluminium grease filter Internal re-circulation possible Vent outlet Ø 150 mm Nominal power: 272 W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFC161 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT

KFV62DE

60CM, CHIMNEY HOOD, ST/STEEL & CLEAR GLASS





No. of speeds	1	II	III
Extraction rate IEC 61591 m³/h	290	400	560
Noise level IEC 60704-2-13 dB(A)	52	59	67

1 high performance motor, 270W

Push button controls

3 speeds 2 x 1W LED lights

1 aluminium grease filter Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 272W


Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFC161 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT





KSED95NEE

90CM, CHIMNEY HOOD, BLACK





No. of speeds III Extraction rate IEC 61591 m³/h 328 420 588 Noise level IEC 60704-2-13 50 57 65 dB(A)

1 high performance motor, 200W Slider controls

3 speeds

2 x 1W LED lights

3 aluminium grease filters

Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 202 W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: B Grease filtering efficiency class: D Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KSED95XE



KSED75XE

70CM, CHIMNEY HOOD, ST/STEEL





No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	351	420	635
Noise level IEC 60704-2-13 dB(A)	53	57	67

1 high performance motor, 200W Slider controls

3 speeds

2 x 1W LED lights

2 aluminium grease filters Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 202 W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: B Grease filtering efficiency class: D Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KSED65XE

60CM, CHIMNEY HOOD, ST/STEEL





No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	351	420	635
Noise level IEC 60704-2-13 dB(A)	53	57	67

1 high performance motor, 200W

Slider controls

3 speeds

2 x 1W LED lights

2 aluminium grease filters

Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 202 W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: B Grease filtering efficiency class: D Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KSED65PE

60CM, CHIMNEY HOOD, GLOSS CREAM



KSED65NEE

60CM, CHIMNEY HOOD, BLACK



KSED65BE

60CM, CHIMNEY HOOD, WHITE



KD91XE2

90CM, CHIMNEY HOOD, ST/STEEL





No. of speeds Ш Ш Extraction rate IEC 61591 m³/h 280 420 580 Noise level IEC 60704-2-13 54 62 70 dB(A)

1 high performance motor, 140W

Push button controls

3 speeds

2 x 4W LED lights

3 aluminium grease filters

Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 148W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: D Grease filtering efficiency class: C Lighting efficiency class C

OPTIONAL EXTRAS

Charcoal filter: KITFC155 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

KD61XE2

60CM, CHIMNEY HOOD, ST/STEEL





No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	280	420	580
Noise level IEC 60704-2-13 dB(A)	54	62	70

1 high performance motor, 140W

Push button controls

3 speeds 2 x 4W LED lights

2 aluminium grease filters

Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 148W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: D Grease filtering efficiency class: C Lighting efficiency class C

OPTIONAL EXTRAS

Charcoal filter: KITFC155 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

KI120XE

120CM, ISLAND HOOD, ST/STEEL





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	316	385	529	783
Noise level IEC 60704-2- 13 dB(A)	48	59	62	70

1 high performance motor, $275~\mathrm{W}$ Push button controls 3 speeds, plus Intensive 4 x 1W LED lights 4 aluminium grease filters
Filter cleaning/replacement indicator
Internal re-circulation possible Vent outlet Ø 150 mm

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

Nominal power: 279W

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT KI90XE

90CM, ISLAND HOOD, ST/STEEL





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	311	385	533	740
Noise level IEC 60704-2- 13 dB(A)	49	59	63	71

1 high performance motor, 275 W Push button controls

3 speeds, plus Intensive

4 x 1W LED lights

3 aluminium grease filters Filter cleaning/replacement indicator

Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 279 W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm


Fluid dynamic efficiency class: B Grease filtering efficiency class: C Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT







KEIV90E

90CM, ISLAND HOOD, GLASS & ST/STEEL





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m ³ /h	300	400	560	700
Noise level IEC 60704-2- 13 dB(A)	56	60	66	70

1 high performance motor, 270 W Electronic controls 3 speeds, plus Intensive 4 x 1W LED lights 2 aluminium grease filters Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 274 W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFC161 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

KI90CE

90CM, ISLAND HOOD, ST/STEEL



No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	239	410	578
Noise level IEC 60704-2-13 dB(A)	40	57	63

1 high performance motor, 200 W

Electronic controls

3 speeds 4 x 1 W LED lights

3 aluminium grease filters

Filter cleaning/replacement indicator Internal re-circulation possible
Vent outlet Ø 150 mm Nominal power: 205 W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm


Fluid dynamic efficiency class: B Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT





KDD90VXNE

90CM, ISLAND DOWNDRAFT HOOD, ST/STEEL & BLACK GLASS



No. of speeds	1	II	III	IV	INT
Extraction rate IEC 61591 m³/h	160	290	350	430	700
Noise level IEC 60704-2- 13 dB(A)	40	53	54	60	70

1 high performance motor, 270W Touch controls Perimeter extraction 4 speeds, plus intensive 1 x 7W LED light 2 aluminium grease filters

Filter cleaning/replacement indicator Internal re-circulation possible Vent outlet Ø 150 mm Nominal power: 277W


Fluid dynamic efficiency class: A Grease filtering efficiency class: D Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFCDD Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT Remote blower: KITRBDD Remote control: RCKF2



KDD90VXSE



KDD90VXBE St/steel & White glass

KDD60VXE-2

60CM, ISLAND DOWNDRAFT HOOD, ST/STEEL & BLACK GLASS



|--|

No. of speeds	1	II	III	IV	INT
Extraction rate IEC 61591 m³/h	135	230	295	375	570
Noise level IEC 60704-2- 13 dB(A)	44	52	57	62	71

1 high performance motor, 270W Touch controls

Perimeter extraction 4 speeds, plus intensive

1 x 7W LED light 2 aluminium grease filters

Filter cleaning/replacement indicator Internal re-circulation possible Vent outlet Ø 150 mm Nominal power: 277W

Fluid dynamic efficiency class: C Grease filtering efficiency class: E Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: KITFCDD60 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT

Remote control: RCKF2

149



KDH12WLD

12CM, DOWNDRAFT DOMINO HOOD, BLACK



DOWNDRAFT DOMINO HOOD

This slimline domino hood can be installed between two domino hobs or alternatively can be placed at the end of a larger hob depending on its size. Once installed into the worktop, the hood flap automatically opens ready for use. Fumes are drawn directly from the cookware down into the hood quickly and efficiently. It can be placed between gas, induction of mixed fuel hobs within the DSN range.





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m ³ /h	370	420	470	550
Noise level IEC 60704-2- 13 dB(A)	62	66	69	72

1 high performance motor, 145W Touch controls Perimeter extraction 3 speeds, plus intensive

3 speeds, plus intensive
1 st/steel grease filter (dishwasher safe)
Filter cleaning/replacement indicator
Internal re-circulation possible

Fluid dynamic efficiency class: A Grease filtering efficiency class: C

OPTIONAL EXTRAS


Nominal power: 145W


Standard charcoal filter: CFKDH12STD
Recirculation kit inc high performance regenerating anti-odour ceramic filter and magnetic st/st vent:
CFKDH12HP

Replacement high performance regenerating anit-odour ceramic filter: FLTKDH

Metallic vent kit to fit with standard charcoal filter:
GRIDKDH12

St/st gas flame guard for use when installed with gas hob: FLMSTPKDH12







KSCB90XE

90CM, CEILING HOOD, ST/STEEL

KSEG78PXE

77CM, CANOPY HOOD, ST/STEEL











No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	232	428	589	792
Noise level IEC 60704-2- 13 dB(A)	47	58	69	72

1 high performance motor, 275W Electronic buttons

Perimeter extraction

3 speeds, plus intensive

4 x 1W LED lights

2 st/steel grease filters (dishwasher safe) Internal re-circulation possible Remote control included

Vent outlet Ø 150 mm

Nominal power: 280W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: F Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: FLT6 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	261	436	606	683
Noise level IEC 60704-2- 13 dB(A)	46	58	65	68

1 high performance motor, 275 W Electronic buttons Perimeter extraction

3 speeds, plus Intensive

2 x 1W LED lights

2 aluminium grease filters

Filter cleaning/replacement indicator Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 277 W

Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 750mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: E Lighting efficiency class: A

OPTIONAL EXTRAS


Charcoal filter: FLT4 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT



KSEG58PXE

152



KSG70E

73CM, CANOPY HOOD, SILVER





No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	125	155	224
Noise level IEC 60704-2-13 dB(A)	45	47	54

1 high performance motor, 75W Slider controls

3 speeds

2 x 3W LED lights

2 aluminium grease filters

Internal re-circulation possible

Vent outlet Ø 120 mm

Nominal power: 81W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class E Grease filtering efficiency class: E Lighting efficiency class D

OPTIONAL EXTRAS

Charcoal filter: KITFC62 Simple vent kit: SP215 Comprehensive vent kit: SP217

KI52E2

52CM, CANOPY HOOD, SILVER





No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	185	240	300
Noise level IEC 60704-2-13 dB(A)	61	63	67

1 high performance motor, 125W

Slider controls

3 speeds 2 x 4W LED lights

1 integrated grease filter

Internal re-circulation possible Vent outlet Ø 150 mm

Nominal power: 133W


Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class E Grease filtering efficiency class: C Lighting efficiency class D

OPTIONAL EXTRAS

Charcoal filter: KITFC6191 Simple vent kit: SP150

Comprehensive vent kit: SP150FLAT





522

KSET900XE

90CM, TELESCOPIC HOOD, ST/ STEEL FRONT PANEL





No. of speeds Ш Extraction rate IEC 61591 m³/h 240 368 581 Noise level IEC 60704-2-13 44 54 65 dB(A)

1 high performance motor, 175W

Slider controls

3 speeds

2 x 3W LED lights

2 aluminium grease filters

Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 215 W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class: C Grease filtering efficiency class: C Lighting efficiency class É


OPTIONAL EXTRAS

Charcoal filter: KITFC500 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT



KSET600XE 60cm, st/steel front panel





KSET900XE KSET600XE

KSET86LXE2

86CM, SLIDE AWAY TELESCOPIC HOOD, ST/STEEL





No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	102	135	257
Noise level IEC 60704-2-13 dB(A)	46	52	64

1 high performance motor, 115W

Slider controls

3 speeds

2 x 2.5 LED lights 2 aluminium grease filters

Internal re-circulation possible

Vent outlet Ø 120 mm

Nominal power: 120W

Min clearance required when installing above electric hobs: 500mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class E Grease filtering efficiency class: D Lighting efficiency class: A


OPTIONAL EXTRAS

Charcoal filter: KITFC300 Simple vent kit: SP215 Comprehensive vent kit: SP217




KSET56LXE2

154



KSET86LXE2



KICGR52X

54CM, INTEGRATED HOOD WITH AUTO-VENT, ST/STEEL





No. of speeds	I	II	III	INT
Extraction rate IEC 61591 m³/h	300	450	600	680
Noise level IEC 60704-2- 13 dB(A)	57	67	71	73

1 high performance motor, 270W Electronic buttons

Auto-vent

Perimeter extraction

3 speeds, plus intensive 2 x 1W LED lights

1 aluminium grease filter

Filter cleaning/replacement indicator Internal re-circulation possible

Vent outlet Ø 150 mm

Nominal power: 272 W

Min clearance required when installing above electric hobs: 550mm Min clearance required when installing above gas hobs: 650mm

Fluid dynamic efficiency class: A Grease filtering efficiency class: C Lighting efficiency class: A

OPTIONAL EXTRAS

Charcoal filter: KITFC152 Simple vent kit: SP150 Comprehensive vent kit: SP150FLAT Remote control RCKF2

NB: A selection of induction hobs in our range are available to work with Auto-vent hoods.



60CM, INTEGRATED HOOD, SILVER



D	****	- <u>`</u> ``	NEW	

No. of speeds	I	II	III
Extraction rate IEC 61591 m³/h	130	180	250
Noise level IEC 60704-2-13 dB(A)	47	53	61

1 high performance motor, 115W Slider controls

3 speeds

2 x 4W LED lights

1 integrated grease filter

Internal re-circulation possible Vent outlet Ø 120 mm

Nominal power: 123W


Min clearance required when installing above electric hobs: 650mm Min clearance required when installing above gas hobs: 650mm


Fluid dynamic efficiency class E Grease filtering efficiency class: G Lighting efficiency class É

OPTIONAL EXTRAS

155

Charcoal filter: KITFC31 Simple vent kit: SP215 Comprehensive vent kit: SP217





REFRIGERATI

REFRIGERATION

Integrated fridge freezers are designed to be fitted into your kitchen furniture for a seamless look, and are available in a variety of sizes, split types, and storage solutions to give you plenty of room for stocking up on your favourite fresh & frozen foods.





FREEZER



COMBINATION

COMPLETELY NO FROST

In No Frost appliances forced air is circulated though the fridge and freezer sections separately using 2 evaporators, preventing ice forming on the sides, and meaning that you don't have to manually defrost.

No Frost products have the most energy efficient frost prevention system as energy is not wasted unnecessarily.

FLAME RETARDANT

BACKING

back.



FAST FREEZING

This option is particularly useful when you want to freeze a large quantity of fresh food. Activating the fast freeze function a couple of hours before introducing the fresh food, the freezer gets ready to work on full power, bringing the temperature right down.



POWER SAVING MODE

Particularly useful in cases of prolonged absence from home such as holidays, the power saving mode allows you to disable the refrigerator and keep the freezer working which saves



All current Smeg refrigerators are manufactured with either a metal flame retardant back or aluminium foil covered flame retardant

AUTOMATIC DEFROST

This system is a time saving device that works by automatically defrosting at regular intervals eradicating the need to defrost altogether.



ENERGY EFFICIENCY

The major drive for innovation has made it possible for some models to achieve energy efficiency with an A++ rating.

maximum storage

The ideal solution for customers who require the storage space of an American side by side refrigerator but prefer the minimalistic effect of built-in appliances hidden behind doors.



UKS7220FNDP1

IN COLUMN FREEZER

UKS7323LFEP1

IN COLUMN LARDER REFRIGERATOR







These two products can be installed as single independent units or housed side by side, the ideal solution for those who require the storage space of an american side by side refrigerator but prefer the minimalist effect of built in appliances hidden behind doors.





















Gross capacity: 216 litres Touch control LCD display Right hand hinged, reversible door Sliding rail fitting Noise level: 39dB(A) re 1 pW

FREEZER:

Frozen food capacity: 208 litres 2 compartments with transparent flaps Fast freezing function Completely No-Frost

Annual energy consumption: 303 KWh Climatic class: SN-T Freezing capacity: 20kg/24h Thaw time: 24 hrs

Back panel material: flame retardant PP+Al foil




A* 🗱 🖫 34 dB


REFRIGERATOR:

Fresh food capacity: 310 litres Automatic defrost LED interior lighting
5 adjustable glass shelves
1 fruit and vegetable drawer with sliding rails
Comprehensive door storage

Annual energy consumption: 143 KWh Climatic class: SN-ST

Back panel material: flame retardant PP+Al foil







UKC7280NLD2P1

FREEZER

IN COLUMN COMBINED REFRIGERATOR

NO FROST

UKC7280NEP1

UKC7172NP1

IN COLUMN COMBINED REFRIGERATOR-FREEZER

NO FROST

IN COLUMN COMBINED REFRIGERATOR-



FREEZER









A* ** 36 dB

Gross capacity: 272 litres

Sliding rail fitting

REFRIGERATOR:

Automatic defrost

FREEZER:

3 drawers

LED interior lighting 4 adjustable glass shelves

Right hand hinged, reversible door

Noise level: 36 dB(A) re 1 pW

Fresh food capacity: 196 litres

2 fruit and vegetable drawers

Comprehensive door storage

Frozen food capacity: 72 litres

Freezing capacity: 4kg/24h

Thaw time: 22 hrs

Annual energy consumption: 291 KWh Climatic class: SN-T

Back panel material: flame retardant PP+Al foil

UKC7280FP1

FREEZER

IN COLUMN COMBINED REFRIGERATOR-



IN COLUMN COMBINED REFRIGERATOR-





UKC3170P1

FREEZER











Gross capacity: 269 litres Right hand hinged, reversible door Sliding rail fitting

Noise level: 36 dB(A) re 1 pW

REFRIGERATOR:

Fresh food capacity: 160 litres Automatic defrost LED interior lighting
2 adjustable glass shelves 2 fruit and vegetable drawers

FREEZER:

Frozen food capacity: 106 litres 4 drawers

Annual energy consumption: 293 KWh/year Climatic class: SN-T Freezing capacity: 4kg/24h

Back panel material: flame retardant PP+Al foil

















Gross capacity: 273 litres Touch control LCD display Right hand hinged, reversible door Sliding rail fitting Noise level: 39 dB(A) re 1 pW

REFRIGERATOR:


Fresh food capacity: 192 litres Automatic defrost LED interior lighting 3 adjustable glass shelves Low temperature compartment 2 fruit and vegetable drawers Comprehensive door storage


FREEZER:

Frozen food capacity: 63 litres 3 drawers Completely No-Frost

Annual energy consumption: 228 KWh/year Climatic class: SN-T Freezing capacity: 10 Kg/24h Thaw time: 21 hrs

Back panel material: flame retardant PP+Al foil





162

Gross capacity: 273 litres Right hand hinged, reversible door Gross capacity: 264 litres Right hand hinged, reversible door Sliding rail fitting Noise level: 39 dB(A) re 1 pW

REFRIGERATOR:

Fresh food capacity: 200 litres Automatic defrost LED interior lighting 4 adjustable glass shelves 2 fruit and vegetable drawers Comprehensive door storage

FREEZER:

Frozen food capacity: 63 litres 3 drawers Completely No-Frost

Annual energy consumption: 291 KWh Climatic class: SN-T Freezing capacity: 4kg/24h Thaw time: 13 hrs

Back panel material: flame retardant PP+Al foil

Sliding rail fitting Noise level: 39 dB(A) re 1 pW

REFRIGERATOR:


Fresh food capacity: 154 litres Automatic defrost LED interior lighting
2 adjustable glass shelves 2 fruit and vegetable drawers Comprehensive door storage


FREEZER:


Frozen food capacity: 87 litres 4 drawers Fast freezing function Completely No-Frost

Annual energy consumption: 304 KWh/year Climatic class: SN-T Freezing capacity: 4kg/24h Thaw time: 16 hrs

Back panel material: flame retardant PP+Al foil







163

Comprehensive door storage

Thaw time: 22 hrs

S7192CS2P1

IN COLUMN REFRIGERATOR WITH ICE BOX

UKS3C090P1

IN COLUMN REFRIGERATOR WITH ICE BOX























Gross capacity: 192 litres Right hand hinged, reversible door Sliding rail fitting Noise level: 35 dB(A) re 1 pW

REFRIGERATOR:

fresh food capacity: 173 litres Automatic defrost LED interior lighting 3 adjustable glass shelves 2 fruit and vegetable drawers Comprehensive door storage

ICE BOX:

Frozen food capacity: 14 litres

Annual energy consumption: 174 KWh/year Climatic class: SN-T Freezing capacity: 2 Kg/24h Thaw time: 12 hrs

Back panel material: flame retardant PP+Al foil

Gross capacity: 125 litres Right hand hinged, reversible door Sliding rail fitting Noise level: 38 dB(A) re 1 pW

REFRIGERATOR:


Fresh food capacity: 112 litres Automatic defrost LED interior lighting
2 adjustable glass shelves 1 fruit and vegetable drawer Comprehensive door storage


ICE BOX:

Frozen food capacity: 14 litres

Annual energy consumption: 187 KWh/year Climatic class: SN-ST Freezing capacity: 2 Kg/24h Thaw time: 12 hrs

Back panel material: flame retardant PP+Al foil





164

UKUD7122CSP

UNDERWORKTOP REFRIGERATOR WITH ICE





UKUD7140LSP

UNDERWORKTOP LARDER REFRIGERATOR



UKUD7108FSEP

UNDERWORKTOP FREEZER





Gross capacity: 111 litres Right hand hinged, reversible door

Noise level: 38 dB(A) re 1 pW

Fresh food capacity: 93 litres

LED interior lighting
2 adjustable glass shelves

1 fruit and vegetable drawer

Comprehensive door storage

Frozen food capacity: 16 litres

Freezing capacity: 2.5kg/h

Thaw time: 11 litres

Annual energy consumption: 172 KWh/year Climatic class: SN-ST

Back panel material: flame retardant PP+Al foil

Door-on-door hinge

REFRIGERATOR:

ICE BOX:











Gross capacity: 105 litres Right hand hinged, reversible door Door on door hinge Noise level: 38 dB(A) re 1 pW

REFRIGERATOR:

Fresh food capacity: 133 litres LED interior lighting
3 adjustable glass shelves
1 fruit and vegetable compartment
Comprehensive door storage

Gross capacity: 136 litres Right hand hinged, reversible door

Door-on-door hinge Noise level: 37 dB(A) re 1 pW

Annual energy consumption: 117 KWh/year Climatic class: SN-T


Back panel material: flame retardant PP+Al foil

FREEZER:

Frozen food capacity: 98 litres 4 drawers Fast freezing function

Annual energy consumption: 189 KWh Climatic class: SN-T Freezing capacity: 18kg/24h Thaw time: 21 hrs

Back panel material: flame retardant PP+Al foil



WINE COOLERS & SOMMELIER DRAWERS

Italy has the largest and most diversified wine production in the world.

The charm of the wine world and the importance of its preservation have inspired Smeg to develop a range of wine coolers. Designed for those who love to entertain or have a real passion for wine, these are must have kitchen appliances.


Wine is stored at optimum temperatures and ideal humidity conditions to ensure it matures properly, so you can enjoy your favourite bottle to its fullest.



STORED TO PERFECTION

A range of built in wine coolers are available in Dolce Stil Novo, Linea and Classic aesthetic all with **WIFI** capability. Matching Sommelier drawers are also available which house an array of wine accessories.

DOLCE STIL NOVO LINEA CLASSIC UNDER COUNTER











SOMMELIER DRAWER

A WINE ENTHUSIASTS DREAM

Developed for conserving fine wines and impressing guests and equipped with spacious shelves finished in untreated Slavonian Oak, different shapes and sizes of bottles can be stored, from classic Bordeaux blends to Magnums.





SMEGCONNECT

Now with Wi-Fi connectivity, you can operate, control and monitor your wine cooler remotely using the SmegConnect App from your mobile or tablet.

With the support of the Personal Assistant, Direct Assistance and the Food&Wine section, where you can match recipes with your favourite wines, the APP can help you at the touch of a button. From perfectly controlling the serving and preserving temperature, to sharing your wine list through Facebook with friends.

EXTERIOR CONTROLS

The touch control display on the glass door allows you to set temperature and humidity parameters without the door opening. It is possible to independently adjust the humidity level, as well as the temperature in order to ensure the appropriate environment for different bottles. The temperature can be varied between 5°C and 20°C, guaranteeing optimal conditions for each bottle of wine.

PERFECT PRESERVATION

Finished with UV-ray resistant glass, protecting against harmful UV rays which can damage the quality of the wine, and a motor/compressor designed with particular care, the wine cooler protects bottles from harmful vibrations.

SHELVE

Made from Slavonian Oak, used traditionally by Italian winemakers to make barrels as it is known for its tight grain, low aromatics and medium level tannins. Some shelves are **telescopic**, so wines can be removed with ease, safely and conveniently.

Smeg offers **82cm Under counter** models which can hold up to 38 wine bottles. Alternatively **45cm wine coolers** which hold up to 18 wine bottles, are great space saving solution, ideal for kitchens where space is limited.

The latter have a PUSH-PULL DOOR which opens by applying light pressure to the bottom left of the door.

Smeg Sommelier drawers are suitable for fitting directly beneath the 45cm height compact wine coolers to create a 60 x 60cm cube. They contain all the essential equipment a wine connoisseur would need; a steel and wood corkscrew, a steel vacuum wine saver with two silicone corks, drip-catcher, a pair of Spumante pincers, a thermometer with housing, a steel and wood funnel, and a variety of different wine corks.



CVI638RWN2

60CM, DOLCE STIL NOVO, UNDERCOUNTER WIFI WINE COOLER, ECLIPSE BLACK GLASS

WIFI









Gross capacity: 114 litres Net capacity: 103 litres Right hand hinged Noise level: 40 dB(A) re 1 pW External touch control display SmegConnect Wifi connection

Maximum storage capacity: 38 bottles

3 removable Slavonian oak wooden shelves 2 fixed Slavonian oak wooden shelves 2 independent adjustable temperature zones

Electronic temperature control Temperature range: 5-20 °C

LED interior lighting Temperature alarm Door open alarm Active charcoal filter Anti-UV door glass Automatic defrost

Annual energy consumption: 143 KWh Climatic class: SN-ST

Back panel material: flame retardant metal



CVI638LWN2 Left hand hinged





60CM, LINEA, UNDERCOUNTER WIFI WINE COOLER, SILVER GLASS

WIFI





Gross capacity: 114 litres Net capacity: 103 litres Right hand hinged Noise level: 40 dB(A) re 1 pW External touch control display SmegConnect Wifi connection

Maximum storage capacity: 38 bottles

3 removable Slavonian oak wooden shelves 2 fixed Slavonian oak wooden shelves 2 independent adjustable temperature zones

Electronic temperature control Temperature range: 5-20 °C

LED interior lighting Temperature alarm Door open alarm Active charcoal filter Anti-UV door glass Automatic defrost

Annual energy consumption: 143 KWh Climatic class: SN-ST

Back panel material: flame retardant metal

170



CVI138LWS2 Left hand hinged



CVI338RWX2

60CM, CLASSIC, UNDERCOUNTER WIFI WINE COOLER, ST/STEEL & ECLIPSE BLACK GLASS

WIFI





Gross capacity: 114 litres Net capacity: 103 litres Right hand hinged Noise level: 40 dB(A) re 1 pW External touch control display SmegConnect Wifi connection

Maximum storage capacity: 38 bottles

3 removable Slavonian oak wooden shelves 2 fixed Slavonian oak wooden shelves

2 independent adjustable temperature zones Electronic temperature control

Temperature range: 5-20 °C

LED interior lighting Temperature alarm Door open alarm Active charcoal filter Anti-UV door glass Automatic defrost


Annual energy consumption: 143 KWh Climatic class: SN-ST

Back panel material: flame retardant metal



CVI338LWX2 Left hand hinged

CVI638



CVI618RWNR2

60CM, DOLCE STIL NOVO, WIFI WINE COOLER, ECLIPSE BLACK GLASS, COPPER

WIFI





45cm reduced height

Gross capacity: 52 litres

Noise level: 38 dB(A) re 1 pW

Maximum storage capacity: 18 bottles

1 fixed Slavonian oak wooden shelf

Annual energy consumption: 105 KWh

Back panel material: flame retardant metal

2 x removable wooden shelves with telescopic

1 independent adjustable temperature zone

External touch control display SmegConnect Wifi connection

Electronic temperature control

Temperature range: 5-20 °C

LED interior lighting

Temperature alarm

Active charcoal filter

Anti-UV door glass

Climatic class: SN-ST

Automatic defrost

Door open alarm

Net capacity: 46 litres

Right hand hinged

45cm reduced height

CVI618RWNX2

60CM, DOLCE STIL NOVO, WIFI WINE

COOLER, ECLIPSE BLACK GLASS, ST/STEEL

The second second

Gross capacity: 52 litres Net capacity: 46 litres Right hand hinged Noise level: 38 dB(A) re 1 pW External touch control display SmegConnect Wifi connection

Maximum storage capacity: 18 bottles

2 x removable wooden shelves with telescopic 1 fixed Slavonian oak wooden shelf

1 independent adjustable temperature zone Electronic temperature control

Temperature range: 5-20 °C LED interior lighting Temperature alarm Door open alarm Active charcoal filter

Anti-UV door glass Automatic defrost Annual energy consumption: 105 KWh

Climatic class: SN-ST

Back panel material: flame retardant metal

CPS615NR

VVIFI

60CM, DOLCE STIL NOVO, SOMMELIER DRAWER, ECLIPSE BLACK GLASS, COPPER TRIM

15CM H



15cm height sommelier drawer

Maximum load weight above the drawer:

Maximum load weight inside drawer: 15kg Push pull mechanism (no handle)


ACCESSORIES INCLUDED

Slavonia durmast wooden shelf, Wine pump, 2 corks, Sparkling wines cork, Cork to pour wine, Anti-drip cork, Solid steel cork for sparkling wines, Champagne/sparkling wine pliers, Corkscrew sommelier, Red wines cork, Wine thermometer with slipcase, Wine funnel with wooden handle, Non slip drawer liner



CVI618LWNR2 Left hand hinged

/93°



min. 5mm




CVI618LWNX2 Left hand hinged

0





CPS615NX



CVI118RWS2

60CM, LINEA, WIFI WINE COOLER, SILVER GLASS



60CM, LINEA, WIFI WINE COOLER, BLACK



15CM H

CPS115S

60CM, LINEA, SOMMELIER DRAWER, SILVER GLASS



CVI118RWN2







Gross capacity: 52 litres Net capacity: 46 litres Right hand hinged Noise level: 38 dB(A) re 1 pW External touch control display SmegConnect Wifi connection

Maximum storage capacity: 18 bottles

- 2 x removable Slavonian oak wooden shelves on telescopic guides
- 1 fixed Slavonian oak wooden shelf
- 1 independent adjustable temperature zone Electronic temperature control

Temperature range: 5-20 °C

LED interior lighting Temperature alarm Door open alarm Active charcoal filter Anti-UV door glass Automatic defrost

CVI118LWS2

Annual energy consumption: 105 KWh Climatic class: SN-ST

Back panel material: flame retardant metal

45cm reduced height

Gross capacity: 52 litres Net capacity: 46 litres Right hand hinged Noise level: 38 dB(A) re 1 pW External touch control display SmegConnect Wifi connection

Maximum storage capacity: 18 bottles

- 2 x removable Slavonian oak wooden shelves on telescopic guides
- 1 fixed Slavonian oak wooden shelf 1 independent adjustable temperature zone Electronic temperature control

Temperature range: 5-20 °C

LED interior lighting Temperature alarm Door open alarm Active charcoal filter Anti-UV door glass Automatic defrost

Annual energy consumption: 105 KWh Climatic class: SN-ST

Back panel material: flame retardant metal

15cm height sommelier drawer


Maximum load weight above the drawer:

Maximum load weight inside drawer: 15kg Push pull mechanism (no handle)

ACCESSORIES INCLUDED


Slavonia durmast wooden shelf, Wine pump, 2 corks, Sparkling wines cork, Cork to pour wine, Anti-drip cork, Solid steel cork for sparkling wines, Champagne/sparkling wine pliers, Corkscrew sommelier, Red wines cork, Wine thermometer with slipcase, Wine funnel with wooden handle, Non slip drawer liner

CVI118LWN2





CPS115N



CVI318RWX2

60CM, CLASSIC, WIFI WINE COOLER, ST/ STEEL & ECLIPSE GLASS













VVIFI

CPS315X

STEEL

60CM, CLASSIC, SOMMELIER DRAWER, ST/

45cm reduced height

Gross capacity: 52 litres Net capacity: 46 litres Right hand hinged Noise level: 38 dB(A) re 1 pW External touch control display SmegConnect Wifi connection

Maximum storage capacity: 18 bottles

- 2 x removable Slavonian oak wooden shelves on telescopic guides
- 1 fixed Slavonian oak wooden shelf
- 1 independent adjustable temperature zone Electronic temperature control

Temperature range: 5-20 °C

LED interior lighting Temperature alarm Door open alarm Active charcoal filter Anti-UV door glass Automatic defrost

Annual energy consumption: 105 KWh Climatic class: SN-ST

Back panel material: flame retardant metal

15cm height sommelier drawer

Maximum load weight above the drawer:

Maximum load weight inside drawer: 15kg Push pull mechanism (no handle)

15CM H

ACCESSORIES INCLUDED

Slavonia durmast wooden shelf, Wine pump, 2 corks, Sparkling wines cork, Cork to pour wine, Anti-drip cork, Solid steel cork for sparkling wines, Champagne/sparkling wine pliers, Corkscrew sommelier, Red wines cork, Wine thermometer with slipcase, Wine funnel with wooden handle, Non slip drawer liner





SOMMELIER DRAWER

Smeg Sommelier drawers are suitable for fitting directly beneath 45cm height compact wine coolers. They contain all the essential equipment a wine cognisor would need.



CVI318LWX2 Left hand hinged





DISHWASHERS

Designed to produce optimum washing results with minimum use of energy and water, dishwashers are offered in a variety of types to suit many installations, and many of the styles can be coordinated with other Smeg appliances.



COMPREHENSIVE RANGE

standard width

Smeg offer a number of built-in 60cm wide dishwashers encompassing 4 styles. The sleek lines of integrated and semi-integrated dishwashers allow the appliance to easily blend into both traditional and modern kitchen designs.







50'S RETRO

FULLY INTEGRATED

DRAWER LINE



CLASSIC DOOR KIT

slimline

45cm dishwashers are the perfect solution for kitchens with less space, the slimline width takes up much less floor space. They are also ideal for smaller families or couples who may have less items to wash.





FULLY INTEGRATED

CLASSIC DOOR KIT

FUNCTIONAL SOLUTIONS

The Smeg dishwasher range has been completely renewed. Attention to detail and careful consideration has been taken in order to produce the best dishwasher range yet. New bigger and sturdier baskets with blue handles, flexiduo baskets and supports provide a fresh and contemporary visual aesthetic.

INNER DOOR RE-DESIGN & NEW DETERGENT DISPENSER

The new flatter shape of the inner door accommodates a larger upper basket and incorporates a new improved detergent dispenser with a sliding lid for easier access which can house the largest sized tablets available on the market. The curve above the dispenser allows water to be pushed through it much more effectively, ensuring total dispersion of the tablet, liquid or powder.





INVERTER MOTOR

Selected dishwashers within the range now feature an inverter motor. This motor is **durable, reliable and long lasting**, for added peace of mind. It also reduces noise levels for a **quieter** appliance.



IMPROVED UPPER BASKETS AND GLASS HOLDERS

The design of the upper baskets has been improved to better accommodate a mixture of different sized cups, mugs and glasses. Together with the Flexiduo basket this allows optimum use of the space.

Glasses are kept secure throughout the washing programme thanks to the new designed **stem glass holders** which have a minimum touch area, stopping any movement and reducing water marks on touch points. These also offer **increased stability** for tumblers, larger glasses and mugs.

IMPROVED WASH PERFORMANCE

Due to the re-design of the inner duct of the upper spray arm, water that passes through it does so at a 20% increase in pressure, resulting in an even better wash performance.

The spray arm itself now has revised jets located on the upper and lower part of the centralised extra arm, a feature that ensures the best wash possible for your dishes.



PRESS AND RELEASE

Smeg offers a special handle-less design dishwasher with a 'press and release' door design which is a perfect solution for handle-less kitchen units as no handle is needed. By simply pressing the dishwasher door for 5 seconds at the top in the centre, it opens using Smeg's patented sensor technology. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



BEST PERFORMANCE

A number of additional features can be found within the range offering extra flexibility, allowing you to make the most out of your dishwasher.



GREAT FLEXIBILITY

Smeg dishwashers are available in a choice of 10, 12, or 13 place settings, with a great flexibility of placement in the dishwasher with a number of racks and supports that can be fixed or adjusted up and down as required.



HALF LOAD FLEXIZONE

The ½ load Flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items have to be placed.




FLEXIDUO CUTLERY BASKET

The third cutlery basket; the Smeg Flexi Duo, consists of 2 separate and movable sections which can be adjusted individually or even removed entirely depending on your loading needs. An intelligent solution that makes room for tall glasses below or deep utensils above.


ADJUSTABLE SECOND BASKET

The upper basket can be adjusted on 3 levels even when the basket is fully loaded, to allow plates of up to 30cm diameter to be placed below.



ANTI DRIP SYSTEM

An exclusive anti-drip system is fitted to the front of the basket to prevent irritating drips on the floor as the basket is extracted. It is designed to improve the drying performance of the dishwasher.



WASH EFFICIENCY

Smeg's continuous research and development has resulted in high quality appliances with energy saving features and great performance. The three excellent wash systems available are: Planetarium and Orbital for 60cm models and SwingWash for 45cm dishwashers.



SYSTEM PATTERN



ORBITAL WASH SYSTEM PATTERN




SWING WASH SYSTEM PATTERN



60CM PLANETARIUM WASH SYSTEM

The Planetarium wash system, patented by Smeg, ensures maximum wash coverage within the dishwasher by using an innovative double simulation motion of the spray arm. For every revolution of the main arm, it turns clockwise with a planetary movement around one axis while at the same time the stem of the arm moves in the opposite direction, operating on a second axis. This spiralising directional wash sprays water evenly in a 360° sweep. The rotation speed is approximately 65rpm, giving the best wash results available.

Complex as the engineering is, the result is simple – sparkling dishes every time without missing a spot!





60CM ORBITAL WASH SYSTEM

This system consists of a double spray arm, with contra-rotating action, which distributes water evenly throughout the cavity. The spray arms are perfectly shaped to direct the water with precision, ensuring an excellent washing quality and a low noise level.



45CM SWING WASH SYSTEM

The SwingWash spray system improves the wash coverage in the rectangular tank by adding an extra spray arm which directs water towards the corners, swinging alternately between left and right during the cycle.



DRY ASSIST

At the end of the drying cycle a special device automatically opens the door a few centimeters to ensure perfect drying. This can save up to 20% of energy compared to Class A, by automatically opening the door there is less need for the heater element to continue to get the desired drying result.



ENERGY SAVING

High performance and low consumption are features of all Smeg products. Special focus is placed on obtaining the highest energy efficiency class rating in order to help the environment. Many built in dishwashers in the range have an A+++ energy rating, the highest rating possible.

60CM, 50'S RETRO STYLE, INTEGRATED DISHWASHER, CREAM




MODEL FEATURES & OPTIONS:













PROGRAMMES:



10 programmes: Soak, Crystal, ECO, Auto 45-65, Rapid 27 min, Ultraclean, ECO Quick, Normal Quick, Delicate & Quick, Strong & fast

6 temperatures (38°, 45°, 50°, 55°, 65°,

Consumption (based on 280 cycles): Water: 2520 litres per annum Energy: 230 kW/h per annum Noise level: 47 dB (A) RE 1 pW

Maximum plate diameter 30 cm Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55% Total Acquastop

Condenser drying Concealed heating element

Adjustable water softener

FlexiDuo cutlery basket


Adjustable lower basket with double foldable racks

Automatic adjustable upper basket on 3 levels Easyglide baskets

Self balancing door hinges St/steel filter

Delay timer option up to 9 hours

Colour co-ordinating cutlery basket and racks. Rear levelling feet adjustable from the front



DI13FAB3BL

60CM, 50'S RETRO STYLE, INTEGRATED DISHWASHER, BLACK



MAXI HEIGHT

The DI613PMAX 86cm dishwasher offers the versatility of fitting larger diameter plates in the lower basket, it is possible to stack dishes up to 35cm in diameter, enough space for large dishes or saucepans.

PRESS & RELEASE

The DI613PNH has a 'press & release' door design which is a perfect solution for handleless kitchen units as no handle is needed. By simply pressing the dishwasher door at the top in the centre, it opens using Smeg's patented sensor technology.



DI613PMAX

60CM, MAXI HEIGHT FULLY INTEGRATED DISHWASHER

MAXI HEIGHT



MODEL FEATURES & OPTIONS:





13 place settings 10 programmes: Soak, Crystal, Eco, Normal, Super, Rapid 27 mins, Eco Quick, Normal Quick, Delicate Quick, Super Quick 5 temperatures (38°, 45°, 50°, 65°, 70°) Consumption (based on 280 cycles):

Water: 2520 litres per annum Energy: 230 kW/h per annum Noise level: 44 dB (A) RE 1 pW

Maximum plate diameter 35 cm Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55% Total Acquastop Condenser drying

Concealed heating element Adjustable water softener FlexiDuo cutlery basket

Adjustable lower basket with double foldable Automatic adjustable upper basket on 3 levels

Easyglide baskets Self balancing door hinges with Flexifit

St/steel filter Delay timer option up to 24 hours Rear levelling feet adjustable from the front

Maxi height of 86cm for extra capacity

DI613PNH

60CM, FULLY INTEGRATED "HANDLE-LESS" DISHWASHER

PRESS & RELEASE



MODEL FEATURES & OPTIONS:



PROGRAMMES:



13 place settings

10 programmes: Soak, Crystal, Eco, Super, Auto 45-65, Rapid 27 mins, Eco Quick. Normal Quick, Delicate Quick, Super Quick 5 temperatures (38°,45°,50°,65°,70°) Consumption (based on 280 cycles): Water: 2520 litres per annum Energy: 230 kW/h per annum Noise level: 44 dB (A) RE 1 pW

Maximum plate diameter 30 cm Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55% Total Acquastop


Condenser drying Concealed heating element Adjustable water softener FlexiDuo cutlery basket

Adjustable lower basket with double foldable racks

Automatic adjustable upper basket on 3 levels Self balancing door hinges St/steel filter

Delay timer option up to 24 hours Rear levelling feet adjustable from the front

Press & release door opening technology



DI13M2

60CM, FULLY INTEGRATED DISHWASHER

© DI13EF2

60CM, FULLY INTEGRATED DISHWASHER



MODEL FEATURES & OPTIONS:







PROGRAMMES:



10 programmes: Soak, Crystal, ECO, Auto 45-65, Rapid 27 min, Ultraclean, ECO Quick, Normal Quick, Delicate & Quick, Strong & fast

6 temperatures (38°, 45°, 50°, 55°, 65°, 70°)

Consumption (based on 280 cycles): Water: 2520 litres per annum Energy: 232 kW/h per annum Noise level: 42 dB (Å) RE 1 pW

Maximum plate diameter 30 cm Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55% Total Acquastop

Condenser drying Concealed heating element

Adjustable water softener FlexiDuo cutlery basket

Adjustable lower basket with double foldable racks


Automatic adjustable upper basket on 3 levels Self balancing door hinges with Flexifit

Delay timer option up to 24 hours Rear levelling feet adjustable from the front

OPTIONAL EXTRA

KIT6CXF

Classic St/steel door panel for Flexifit hinges





MODEL FEATURES & OPTIONS:















MODEL FEATURES & OPTIONS:

At TO ORBITAL NEW

PROGRAMMES:



13 place settings 10 programmes: Soak, Crystal, ECO, Daily

1/2 load, Rapid 27 min, Ultraclean, ECO Quick, Normal Quick, Delicate & Quick, Strong & fast 6 temperatures (38°, 45°, 50°, 55°, 65°,

Consumption (based on 280 cycles): Water: 3360 litres per annum Energy: 258 kW/h per annum Noise level: 51 dB (A) RE 1 pW

Maximum plate diameter 30 cm Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55% Total Acquastop

Condenser drying Concealed heating element Adjustable water softener Lower basket with single foldable rack Automatic adjustable upper basket on 3 levels Self balancing door hinges

St/steel filter Delay timer option 3-6-9 hours, with automatic

Rear levelling feet adjustable from the front

OPTIONAL EXTRA

KIT6CX

Classic St/steel door panel for standard hinges

PROGRAMMES:



13 place settings 5 programmes: Soak, ECO, Normal, Rapid 27 min. Ultraclean 4 temperatures (38°, 50°, 65°, 70°) Consumption (based on 280 cycles): Water: 3360 litres per annum Energy: 258 kW/h per annum Noise level: 50 dB (A) RE 1 pW


Maximum plate diameter 30 cm Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55% Total Acquastop

Condenser drying Concealed heating element Adjustable water softener FlexiDuo cutlery basket Lower basket with fixed racks Automatic adjustable upper basket on 3 levels Self balancing door hinges St/steel filter

Rear levelling feet adjustable from the front

OPTIONAL EXTRA

Classic St/steel door panel for standard hinges





60CM, **DRAWER LINE** DISHWASHER



MODEL FEATURES & OPTIONS:















SEMI INTEGRATED

MODEL FEATURES & OPTIONS:



DI12E1

60CM, FULLY INTEGRATED DISHWASHER







PROGRAMMES:



10 programmes: Soak, Crystal, ECO, Normal, Rapid 27 min, Ultraclean, ECO Quick, Normal Quick, Delicate & Quick, Strong & fast 6 temperatures (38°, 45°, 50°, 55°, 65°, 70°) Consumption (based on 280 cycles): Water: 3360 litres per annum Energy: 259 kW/h per annum Noise level: 50 dB (A) RE 1 pW

Maximum plate diameter 30 cm

Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55%

Total Acquastop Condenser drying Concealed heating element

Adjustable water softener Lower basket with fixed racks

Automatic adjustable upper basket on 3 levels Self balancing door hinges St/steel filter

Delay timer option 3-6-9 hours, with automatic soak Rear levelling feet adjustable from the front

PROGRAMMES:



5 programmes: Soak, ECO, Normal, Rapid 27 min, Ultraclean

4 temperatures (38°, 50°, 65°, 70°) Consumption (based on 280 cycles) Water: 3360 litres per annum

Energy: 286 kW/h per annum Noise level: 51 dB (A) RE 1 pW

Maximum plate diameter 30 cm

Average wash time approximately 100 mins, but Quick

Time can reduce this by up to 55%

Total Acquastop Condenser drying

Concealed heating element Adjustable water softener

Lower basket with fixed racks

Automatic adjustable upper basket on 3 levels Self balancing door hinges

St/steel filter


Rear levelling feet adjustable from the front


OPTIONAL EXTRA

KIT6CX

Classic St/steel door panel for standard hinges

NB: Available whilst stocks last. Replacement model code TBC





DIC410

SLIMLINE

45CM, FULLY INTEGRATED DISHWASHER

DI410T





MODEL FEATURES & OPTIONS:





















PROGRAMMES:



10 programmes: Soak, Crystal, Eco, Rapid 27 mins, Eco Quick, Delicate Quick, Normal Quick, Auto 45-65, Super, Super Quick 4 temperatures (45°,50°,65°,70°) Consumption (based on 280 cycles): Water: 2660 litres per annum Energy: 236 kW/h per annum Noise level: 46 dB (A) RE 1 pW

Maximum plate diameter 30 cm Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55% Total Acquastop Condenser drying
Concealed heating element Adjustable water softener Lower basket with single foldable rack Automatic adjustable upper basket on 3 levels Self balancing door hinges St/steel filter Delay timer option up to 24 hours

Rear levelling feet adjustable from the front

OPTIONAL EXTRA

KIT4CX-1

45cm Classic St/steel door panel kit

PROGRAMMES:



10 place settings 5 programmes: Soak, Crystal, Eco, Ultraclean, Daily 1/2 load 4 temperatures (45°,50°,65°,70°) Consumption (based on 280 cycles): Water: 2660 litres per annum Energy: 236 kW/h per annum Noise level: 46 dB (A) RE 1 pW


Maximum plate diameter 30 cm Average wash time approximately 100 mins, but Quick Time can reduce this by up to 55% Total Acquastop Condenser drying Concealed heating element Adjustable water softener Lower basket with fixed racks Adjustable upper basket on 2 levels Self balancing door hinges St/steel filter


Rear levelling feet adjustable from the front

OPTIONAL EXTRA

KIT4CX-1

45cm Classic St/steel door panel kit





KIT6CX

60CM CLASSIC DOOR PANEL KIT, ST/STEEL



St/steel door panel kit for use with 60cm integrated dishwashers with standard DI13M2 DI13EF2 DI12E1

KIT6CXF

60CM CLASSIC DOOR PANEL KIT, ST/STEEL



St/steel door panel kit for use with 60cm integrated dishwashers with FlexiFit hinges: DI13TF3

KIT4CX-1

45CM CLASSIC DOOR PANEL KIT, ST/STEEL



St/steel door panel kit for use with 45cm integrated dishwashers: DIC410







LAUNDRY

Offering excellent performance and sought after style, the distinctive design of Smeg washing machines and washer dryers combine practicality with technology and grace.



LAUNDRY RANGE

Superior durability and top performances are the core values of the laundry range. Smeg offers built in washing machines and washer dryers that blend seamlessly in with the rest of your kitchen. Whether you're after maximum capacity with a washing machine or a full laundry solution allowing you to wash & dry in one machine with a washer dryer, Smeg has the right product for you.



WASHING MACHINE



WASHER DRYER

FEATURES & OPTIONS

To assist in the selection of the right laundry appliance a number of symbols appear beneath each model. Some examples are shown here, but details of the full range of symbols can be found at the back of the brochure.



FLEXITIME

This option allows the user to reduce the time of the cycle selected, providing extra control.



SUPERFAST 15 MINS

A programme designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments.



An ideal programme for those who want to take advantage of off-peak energy periods, this cycle is particularly quiet due to slower rotations of the drum



CLEAN PROGRAMME

mme for those
see advantage
straig periods,
ticularly quiet
stations of the

A cleaning programme has
been created to maintain
the performance of washer
dryers. The display shows
automatically when cleaning
is required.



AUTOMATIC LOAD BALANCING SYSTEM

The machine automatically adjusts the water amount according to the weight of the laundry being washed.



TOTAL ACQUASTOP

3 levels of anti-flood devices to ensure protection against water leakage.



DOC

The diameter of the door is up to 30cm and its opening is up to 180° in some cases for the maximum comfort of use.



LED DISPLAY

The display shows the time and progression for the programme selected and recommended load indicates the optimal load weight for the chosen cycle to achieve the best washing results.



WMI147-2

60CM, FULLY INTEGRATED, WASHING MACHINE



60CM, FULLY INTEGRATED, WASHING MACHINE



FEATURES:













SPECIAL PROGRAMMES:











Display includes 24hr delay timer and residual time indicator Buttons/Options: Delay timer/Prewash/ Additional rinse/No spin/Easy iron/Cold wash

Electronic display shows programme selected and progression 15 washing programmes Customised options: variable temperature, spin speed up to 1400rpm, and option selector including FlexiTime

Max 7kg of dry laundry Automatic variable load


Automatic load balancing system Extra large porthole 300mm

Consumption (220 cycles): Water: 10340 litres/per annum Energy: 193 kWh/per annum

Noise level washing phase: 56 dB (A) re

Noise level spinning phase: 72 dB (A) re

Wqf Nominal power 2.20 kW Energy efficiency class: A++



190









SPECIAL PROGRAMMES:









Display includes 24hr delay timer, recommended load and residual time

Buttons/Options: Delay timer/Prewash/ Additional rinse/No spin/Rinse hold/Easy iron/Intensive

Electronic display shows programme selected and progression

15 washing programmes Customised options: variable temperature, spin speed up to 1400rpm, and option

selector including FlexiTime Max 7kg of dry laundry

Automatic variable load Automatic load balancing system Extra large porthole 300mm

Consumption (220 cycles): Water: 10340 litres/per annum Energy: 193 kWh/per annum Noise level washing phase: 56 dB (A) re

Noise level spinning phase: 72 dB (A) re 1 pW

Nominal power 2.00 kW Energy efficiency class: A++ Spin drying performance: B



60CM, FULLY INTEGRATED, WASHER/DRYER



FEATURES:













SPECIAL PROGRAMMES:









Display includes 24hr delay timer and recommended load Buttons/Options: Prewash/Additional rinse/Easy iron/Quick/Intensive Electronic display shows programme

selected and progression 15 washing programmes Customised options: variable temperature, spin speed up to 1400rpm, and option selector including FlexiTime


2 automatic drying programmes Max washing capacity: 7kg dry laundry Max drying capacity: 4kg Clean programme

Condenser drying Auto cleaning system Automatic variable load Automatic load balancing system Extra large porthole 300mm

Consumption (per cycle): For washing only: water: 47 litres, energy: 1.19 kW/h

For complete 7Kg wash + 2 sessions of 4Kg drying: water: 99 litres, energy: 4.76kWh

Nominal power 2.00 kW



191



60CM, FULLY INTEGRATED, WASHER/DRYER



FEATURES:











SPECIAL PROGRAMMES:







Display includes 24hr delay timer, recommended load and residual time indicator

Buttons/Options: Prewash/Additional rinse/Easy iron/Quick/Intensive Electronic display shows programme selected and progression 15 washing programmes Customised options: variable temperature, spin speed up to 1400rpm, and option selector

2 automatic drying programmes Max washing capacity: 7kg dry laundry Max drying capacity: 4kg

Clean programme

Condenser drying Auto cleaning system Automatic variable load Automatic load balancing system Extra large porthole 300mm

Consumption (per cycle): For washing only: water: 47 litres, energy: 1.19 kW/h For complete 7Kg wash + 2 sessions of 4Kg drying: water: 99 litres, energy: 4.76kWh Nominal power 2.00 kW

Energy efficiency class: B Washing performance: A

GLOSSARY

general



Product **energy rating**, measured from A+++ to D / G depending on the product family.



Eco-logic option allows you to restrict the power limit of the appliance real energy saving.



Finger-friendly stainless steel finish keeps stainless steel looking as good



New denotes a new model within the range.



SmegConnect is the new Smeg App that allows you to access your own appliance quickly and intuitively via Wi-Fi connection using smartphones or



Models with this symbol are available via appointed dealers. For details please see the website www.smeguk.com"



LED display, to show programmes, functions and options selected and the



ICD ICD-display: to optimize performance and simplify the use of the appliance.



Child lock, some models are fitted with a device to lock the programme/ cycle so it cannot be accidentally changed.



Easy to use touch controls allow the appliance to be programmed at the

ovens



he capacity indicates the amount of usable space in the oven cavity in



Safe cook: the system for closed door grilling to keep cooking smells inside he oven and ensure a safe cooking environment



Figure shows the number of different $cooking\ levels$, 4 or 5 for full sized ovens and 2 or 3 for auxiliary ovens.



Shows number of glazed doors. Quadruple glazed doors keep surface emperatures as low as possible and are featured on all Pyrolytic ovens.



Air cooling system to ensure a safe surface temperatures.



he easy clean enamel interior on Smeg ovens have a special antacid ining which helps keep the interior clean by reducing the amount of cooking rease adherina to it.



The inner door glass can be removed with a few quick movements for



he rapid preheat function can be used to reach the selected temperature



Many screen options are available in the new range. Each offers intuitive navigation for simple, stress free operation.



he core temperature of food is monitored using the tip of the temperature probe ensuring perfect cooking results every time



Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.



Vapor clean, a simple cleaning function using steam to loosen food deposits in the oven. Simply pour a little detergent and water into a special hollow



ECO Pyrolytic cleaning: At 500°C this function destroys all the dirt deposits inside the oven. The Eco pyrolytic cleaning function can be selected when the oven has a lighter build up of dirt. This function has a maximum duration of 1.5 hours.



All pyrolytic ovens have a Cooler touch door which allows the outer glass door to become no hotter than 55°C.



Compact ovens with 45cm or 48cm reduced heights. Perfect space saving solutions or ideal if you simply want to extend your range of cooking options.



Combination microwave ovens can be used either as a microwave, or as a raditional oven, or alternatively the two methods can be combined.



consderable energy saving Surfaceplus ceramic base for a microwave oven - no turntable required, and



Combination steam ovens can be used either as a steam oven, or as a raditional oven, or alternatively the two methods can be combined.






Smeg offers 3 different types of Steam technology; Smart Smeg offers 3 different types of Steam, Full steam, and Direct steam.



Illuminated controls are a safety device to alert the user that the appliance is on as well as being a stunning design feature.

gas oven functions

192





Gas burner only: can also be used in conjuction with the rotisserie.



Circogas: The fan is added to the gas burner to distribute the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time.



Circogas can also be used in conjunction with the rotisserie.



Rotisserie works in combinations with a grill that provides an even browning



This symbol adds the fan to distribute the heat quickly and evenly.

oven functions





Circulaire: Hot air fan cooking that provides quick, multi layered cooking with excellent browning results. Due to the effective circulation of hot air, there is no flavour transfer between foods. Delicate and strongly fragranced foods can





Circulaire with upper and lower elements (Turbo): Facilitates the cooking of large joints, due to heat coming from all three elements. Similar to rotisserie cooking the meat is sealed, and juices are held within the joint of meat. The results are both tender and juicy.





Circulaire with lower element: Great for auiches and flans where normally you would need to 'blind bake' the pastry. At the same time, the base element will cook the pastry and the fan will take care of the filling.



Circulaire with grill: Similar to fan with upper element with the added speed of circulaire, ideal for dishes with a crispy topping. When used with grill the food will brown more auickly.





Upper and lower element only: Ideal for slow baked cakes and casseroles. This traditional static heat will ensure food remains moist when cooked for longer





Lower heating element only: Ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.





Grill element/Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with upper and lower elements: The elements combined with the fan aim to provide more unifical in a similar mathed. required. Most suitable for items requiring slow cooking





Rotisserie: The rotisserie (where installed) works in combination with the grill element whilst constantly



These symbols allow use of the rotisserie with full or half



Eco: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of





Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.





Fan with lower element: This combination completes cooking more quickly of foods that are ready on the surface, but require more cooking inside, without further






elements ensures an optimum cooking facility when used with the Smeg pizza stone.

Pizza function: The simultaneous operation of three





Defrost: Both symbols refer to the same function. The circulation of air enables quicker thawing of frozen food, without the use of any heat. Ideal for use prior to cooking of ready-made dishes, or cream filled products etc.



is possible even if the thermostat is turned. Fan: As above but with thermostat set at '0'



Defrost by time: the time to thaw the food is determined



Defrost by wight: the time is determined automatically once you set the weight of the food to be defrosted.

steam cooking



Steam ovens cook food in the most natural way, producing both tasty and nutritious results.



Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the steam function allows he same cooking results in less time. Circulaire + lower element with steam assist: Ideal for reheating flans and quiches. This function will recrisp the base, whilst filling will not do not to the additional maint

to the additional moisture in the cooking cavity.



Turbo with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.



Cooking with the simultaneous use of the heating element in combination with fan and steam supply.



Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature



Fan assist with steam assist: Brilliant for the delicate cooking of foods like fish. Browning occurs at the same time as bearing the




Fan + grill with steam assist: Great for oven bakes such as potato gratins and savoury bakes. The steam allows the food to stay moist, but still maintain

microwave cooking



Microwave: penetrating straight into the food, microwaves cook very quickly and with considerable energy savings. Microwave with grill; The use of the grill results in prefect browning on the surface of the food, whilst the microwave cooks the food in a short time.



his function can reheat precooked dishes, without becoming dry or hard.



Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the microwave function allows the ame cooking results in less time.



Cooking with the simultaneous use of the heating element in combination with fan and microwave supply.

Power supply required: Power supply required can vary depending on usage using a Nationally recognised formula called the 'Diversity Factor', endorsed by E.I.T and Electrical Safety First. It essentially takes into account that not all components of an appliance (burners, ovens and elements etc) would be used at the same time at full load. The Diversity factor calculation provides a realistic usage, which results in a lower total kW load and amperage required. For further information please contact a qualified electrician.


coffee machines



An automatic device for making cappuccino that will whisk milk in a lelicate foam directly into the cup



5 adjustable coffee lengths and 5 levels of coffee strength can be chosen





Coffee beans can be used in this appliance.



Ready ground coffee can be used in this appliance



Steam function allows you to make cappuccino.

hobs



he ultra low profile base lies a mere 4mm above the work surface



Heavy duty cast iron pan stands for maximum stability and strength.



Directional burners have an almost vertical flame which transfers real power



reinforced base, developed exclusively by Smeg, consists of a steel layer xed to the underside of the glass surface of all gas on glass hobs.



owerful **Ultra rapid burners** offer up to 5kW of power.



smart infrared system, which allows a hob and hood with this feature to vork together.



Power booster option allows the zone to work at full power when very ntense cooking is necessary.



The giant zone offers extra space and flexibility.



Multizone allows several pans to be used at once, large or small, offering reedom of placement and greater flexibility.



When the Quick Start function is selected, the chosen temperature is reached faster. The heating element works at maximum power until the right emperature is reached.



After the glass ceramic hob is switched off the **residual heat indicator** shows which of the heating zones still remains hot. When the temperature drops pelow 60 ° C, the indicator goes out.



Nost ceramic and induction hobs have individual timers (usually up to 99 nins) which de-activate the cooking zone once finished. Have a timer which automatically ends cooking after a preset time.



some models feature a Residual timer, a general timer for the hob which counts down and beeps when finished.



Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns of



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Simmering function, ideal for long-cooking recipes, preventing food from

poiling over or sticking to the pan.



194

Automatic Boiling function. A sensor confirms once the boiling point has been reached and then an acoustic alert signals that the ingredients can be been reactive and inc. ... added, saving time and energy.



When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Models have ${\it filters}$ to help remove grease from the steam emanating from he pans during cooking.



Charcoal filters are purchased as an optional extra, see chart for details. Electronic display to give a visual reminder of the options selected.



All cooker hoods feature **lights** to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels, very efficient and aid noise reduction.



A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



Intensive/turbo setting, when extra fast extraction is required.



Warning light(s) to advise when filters need changing.



A smart infrared system, which allows a hob and hood with this feature to


VENT KITS

Simple vent kits include 1 metre of flexible hose, while comprehensive kits add a further 2 metres of ducting with two 1 metre flat channel sections. It is recommended to recirculate using a charcoal filter kit, not duct out, if there are more than 3mts to reach an outside wall.




SP150

SP150FLAT



SP215



SP217

refrigeration



All models of Smeg refrigerators and freezers have a 4-star freezing compartment for better food preservation.



LED interior lighting is a more energy efficient and long lasting way of luminating the interior of the appliance.



ne automatic defrost system works by automatically defrosting at regular ntervals eradicating the need to defrost altogether.



he fast freezing function brings the temperature of the compartment down hen activated a few hours prior to usage



The Frost Free refrigeration systems prevent ice from forming so that no nanual defrosting is required.



he **power saving mode** allows you to disable the refrigerator and keep the

Climatic Class

The climatic class indicates the range of ambient temperatures for which the appliance is suitable. It is important to select a refrigeration appliance specified for the environment in which it is to be situated

Climatic Class	Min temp (°C)	Max temp (°C)
SN	10	32
Ν	16	32
ST	18	38
T	18	43

dishwashers



The symbol shows the number of plate settings of the dishwasher. Various plate settings are available.



Total acquastop is an electronic device which monitors water levels in the machine to detect leaks in the hose and switch off the water supply immediately if necessary.



Aquatest measures the clarity of the water during an auto programme, and automatically ensures the minimum consumption of water and energy.



Activelight is an led light which projects a red spot onto the floor beneath the dishwasher when the appliance is in use.



The **auto** programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



The crystal cycle is designed especially for glass ware and for delicate dishes with light dirt.



The delay timer can postpone the start of the programme by up to 24 hours.



Delicate quick wash programme is designed for delicate dishes which are not heavily soiled.



Convenient EasyGlide system for easy unloading of the appliance which reaches maximum flexibility of the load of the machine.





Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option. An ECO Quick programme is also available on



At the end of the drying cycle the DryAssist device slowly opens the door which ensures perfect drying.



The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups ladles, or bulky utensils however you like: it consists of two separate and moveable modules



Flexitabs adjusts the wash cycle to give the best possible results regardless of the type of detergent used.



Inverter motors are durable, reliable and long lasting. They also reduce noise levels for a quieter appliance.



The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Daily 1/2 load: This program is designed for washing dishes which aren't heavily soiled with partial load of the dishwasher.



The hyclean option (or Ultraclean programme) performs a final 10 minute rinse at a high temperature of 70°c eliminating virtually all bacteria.



The normal programme is suitable for normal degrees of dirt for everyday use. A Normal Quick programme is also available on somé models



The quick time option can reduce the length of the wash cycle up to 55%.



The rapid 27 mins quick programme takes just 27 minutes to wash a load.



The soak programme provides a rinse to prevent dirt from drying.





The super programme is suitable for removing stubborn dirt. A Super Quick programme is also available on some models.



Planetarium wash system, with its innovative double simultaneous motion of the spray arm, provides maximum coverage within the dishwasher. The rotation speed is approximately 65rpm giving the best wash results available.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



The Swing Wash system ensures optimum water distribution throughout 45cm dishwasher tanks to deliver excellent wash results.



'Press and release' door design is a perfect solution for handle-less kitchen units as no handle is needed. By simply pressing the dishwasher door at the top in the centre, it opens



Models with FlexiFit hinges are able to be installed in kitchens with a plinth of just 5cms

laundry



This shows the drum capacity size for dry laundry in KG



This shows the amount of laundry that can be inserted into the tumble dryer in KG.



Total acquastop, the product is built with 3 levels of anti-flood devices to ensure protection against water leakage.



A cleaning programme has been created to maintain the performance of washer/dryers. The display shows automatically when cleaning is required.



Delay timer, can be set to run the programme at a convenient time or to take advantage of off-peak energy periods.



Prewash: A preliminary wash ideal for soaking and washing heavily soiled



The FlexiTime option allows the user to reduce the time of the cycle selected, providing extra flexibility and control.



Hand wash, this specific programme for delicate fabrics uses slower rotations of the drum to ensure the utmost care for clothing.



Mixed fabrics, this cycle is designed for lightly soiled laundry in a mix of cottons and synthetics, or can be used just to refresh stored items.



Night: an ideal programme for those who want to take advantage of offpeak energy periods, this cycle is particularly quiet due to slower rotations of the drum.





delicate spin for easy ironing.

Super fast: a programme designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments. There is also a Super fast 15 min cycle and a Superfast 30min cycle.



The Extra Rinse option can be added to the selected programme when more thorough cleansing of fabrics is needed. Shirts, a cycle to wash shirts in a short time with the utmost care, using a



 Gym , a cycle designed for washing lightly soiled garments, ie sports wear, this is a fast wash which is also kind to fabrics.



The wool cycles of the Smeg tumble dryer dry all of your woollen items with the gentlest treatment possible. Easy Iron, this is an option which can be selected to ensure the finished



Clothing such as underwear, hosiery and luxury fabrics should be dried on the delicate cycle to help extend the life of the clothing.

laundry is left with less creases to make ironing easier.



Automatic load balancing automatically adjusts the water according to the weight of the load.